

⇒ Vendor: **Salesforce**

⇒ Exam Code: **JavaScript-Developer-I**

⇒ Exam Name: **Salesforce Certified JavaScript Developer I Exam**

New Updated Questions from **Fast2test** (Updated in **Sep, 2025**)

[Visit Fast2test and Download Full Version JavaScript-Developer-I Exam Dumps](#)



NEW QUESTION # 70

A developer wrote the following code:

```
01 let X = object.value;  
02  
03 try {  
04   handleObjectValue(X);  
05 } catch (error) {  
06   handleError(error);  
07 }
```

The developer has a getNextValue function to execute after handleObjectValue(), but does not want to execute getNextValue() if an error occurs.

How can the developer change the code to ensure this behavior?

A. 03 try {
04 handleObjectValue(x)
05

B. 03 try{
04 handleObjectValue(x);

```
05 } catch(error){
06 handleError(error);
07 } then {
08 getNextValue();
09 }
C. 03 try{
04 handleObjectValue(x);
05 } catch(error){
06 handleError(error);
07 } finally {
08 getNextValue();
10 }
D. 03 try{
04 handleObjectValue(x);
05 } catch(error){
06 handleError(error);
07 }
08 getNextValue();
```

Answer: A

NEW QUESTION # 71

Refer to the code below:

```
Let car1 = new Promise((_, reject) =>
setTimeout(reject, 2000, "car 1 crashed in" =>
Let car2 =new Promise(resolve => setTimeout(resolve, 1500, "car 2 completed")
Let car3 =new Promise(resolve => setTimeout(resolve, 3000, "car 3 completed")
Promise.race(( car1, car2, car3))
.then (value => (
Let result = '$(value) the race.');
```

What is the value of result when Promise.race executes?

- A. Race is cancelled.
- B. Car 1 crashed in the race.
- C. Car 2 completed the race.**
- D. Car 3 completes the race

Answer: C

NEW QUESTION # 72

A developer has an ErrorHandler module that contains multiple functions.

What kind of export should be leveraged so that multiple functions can be used?

- A. multi
- B. default
- C. all

D. named

Answer: D

NEW QUESTION # 73

A developer has code that calculates a restaurant bill, but generates incorrect answers while testing the code:

```
function calculateBill (items ){  
  let total = 0;  
  total += findSubTotal(items);  
  total += addTax(total);  
  total += addTip(total);  
  return total;  
}
```

Which option allows the developer to step into each function execution within calculateBill?

A. Using the debugger command on line 05.

B. Calling the console.trace (total) method on line 03.

C. Wrapping findSubtotal in a console.log() method.

D. Using the debugger command on line 03

Answer: A

NEW QUESTION # 74

Refer to the following code that performs a basic mathematical operation on a provided input:

```
function calculate(num) {  
  Return (num +10) / 3;  
}
```

How should line 02 be written to ensure that x evaluates to 6 in the line below?

Let x = calculate (8);

A. Return Number(num + 10) / 3;

B. Return Number((num +10) /3);

C. Return (Number (num +10) / 3;

D. Return Integer(num +10) /3;

Answer: C

NEW QUESTION # 75

Which three actions can be done using the JavaScript browser console?

Choose 3 answer

A. Display a report showing the performance of a page.

B. View, change, and debug the JavaScript code of the page.

C. View and change the DOM of the page.

D. Run code a that is not related to the page.

E. View and change security cookies

Answer: B,C,D

NEW QUESTION # 76

Refer to the following code:

```
Let obj = {  
  Foo: 1,  
  Bar: 2  
}  
Let output = [],  
for(let something in obj){  
  output.push(something);  
}  
console.log(output);
```

What is the output line 11?

- A. [1,2]
- B. ["foo:1","bar:2"]
- C. ["bar","foo"]
- D. ["foo","bar"]

Answer: D

NEW QUESTION # 77

Refer to the code below:

```
const car = {  
  price: 100,  
  getPrice: function(){  
    return this.price;  
  }  
};  
const customCar = Object.create(car);  
customCar.price = 70;  
delete customCar.price; const result = customCar.getPrice();
```


What is the value of result after the code executes?

- A. 0
- B. 1
- C. null
- D. undefined

Answer: A

NEW QUESTION # 78

A developer has code that calculates a restaurant bill, but generates incorrect answers while testing the code.



```
01 function calculateBill(items) {  
02   let total = 0;  
03  
04   total += subtotal(items);  
05  
06   total += addTax(total);  
07   total += addTip(total);  
08   return total;  
09 }
```

Which option allows the developer to step into each function execution within calculateBill?

- A. Using the debugger command on line 05.
- B. Using the debugger command on line 03.

- C. Calling the console. Trace(total) method on line 03.
- D. Wrapping findsubtotal in a console .log method.

Answer: B

NEW QUESTION # 79

is below:

```
<input type="file" onchange="previewFile()">
<img src="" height="200" alt="Image Preview..." />
```

The JavaScript portion is:

```
01 functionpreviewFile(){
02 const preview = document.querySelector('img');
03 const file = document.querySelector('input[type=file]').files[0];
04 //line 4 code
05 reader.addEventListener("load", () => {
06 preview.src = reader.result;
07 },false);
08 //line 8 code
09 }
```

In lines 04 and 08, which code allows the user to select an image from their local computer , and to display the image in the browser?

- A. 04 const reader = new FileReader();08if (file) URL.createObjectURL(file);
- B. 04 const reader = new File();08 if (file) reader.readAsDataURL(file);
- C. 04 const reader = new FileReader();08 if (file) reader.readAsDataURL(file);**
- D. 04 const reader = new File();08 if (file) URL.createObjectURL(file);

Answer: C

NEW QUESTION # 80

Refer to the code:

```
function Animal (size, type) {
```

```
    this.size = size || 'small';
```

```
    this.type = type || 'Animal';
```

```
    this.cantalk = false;
```

```
}
```

```
let Pet = function (size, type, name, owner) {
```

```
    Animal.call(this, size, type);
```

```
    this.name = name;
```

```
    this.owner = owner;
```

```
}
```

```
Pet.prototype = Object.create (Animal.prototype);
```

```
let pet1 = new Pet ();
```

Given the code above, which three properties are set for pet1? Choose 3 answers

A. size

B. canTalk

C. owner

D. type

E. name

Answer: A,B,D

NEW QUESTION # 81

Given two expressions var1 and var2. What are two valid ways to return the logical AND of the two expressions and ensure it is data type Boolean ?

Choose 2 answers:

A. var1 && var2

B. Boolean(var1 && var2)

C. var1.toBoolean() && var2.toBoolean()

D. Boolean(var1) && Boolean(var2)

Answer: B,D

NEW QUESTION # 82

Refer to the code:

```
function Animal(size, type){
  this.size = size || "small";
  this.type = type || "Animal";
  this.canTalk = false;}
let Pet = function(size, type, name, owner){
  Animal.call(this, size, type);
  this.name = name;
  this.owner = owner;}
Pet.prototype = Object.create(Animal.prototype);
let pet1 = new Pet();
console.log(pet1);
```

Given the code above, which three properties are set pet1?

Choose 3 answers:

A. canTalk

B. Size

C. Owner

D. Name

E. Type

Answer: A,B,E

NEW QUESTION # 83

Given two expressions var1 and var2, what are two valid ways to return the logical AND of the two expression and ensure it is data type Boolean? Choose 2 answers

- A. Boolean (var1 && var2)
- B. Var1 && var2
- C. Var1. Tboolean () && var2, to Boolean ()
- D. Boolean (var1) && Boolean (var2)

Answer: A,C

NEW QUESTION # 84

Cloud Kicks has a class to represent items for sale in an online store, as shown below:

```
Class Item{  
  constructor (name, price){  
    this.name = name;  
    this.price = price;  
  }  
  formattedPrice(){  
    return 's' + String(this.price);}}}
```

A new business requirement comes in that requests a ClothingItem class that should have all of the properties and methods of the Item class but will also have properties that are specific to clothes.

Which line of code properly declares the clothingItem class such that it inherits from Item?

- A. Class ClothingItem implements Item{
- B. Class ClothingItem super Item {
- C. Class ClothingItem {
- D. Class ClothingItem extends Item {

Answer: D

NEW QUESTION # 85

.....

References:

- <https://test.challenge.innertalent.eu/profile/raylee228>
- <https://shortcourses.russellcollege.edu.au/profile/zoereed283>
- <https://lms.ait.edu.za/profile/tomknox129>
- <https://campus.academiamentesana.com/profile/tedford367>
- <https://dentalgraphics.online/profile/neilfos530>
- <https://bobking185.azzablog.com/>
- <https://esellingsupport.com/profile/alanfis107>
- <https://uniway.edu.lk/profile/leoharr851>
- <https://daotao.wisebusiness.edu.vn/profile/madison921>
- <https://ccinst.in/profile/ariagra285>
- <https://helpingmummiesanddaddiesagencytt.com/profile/kevinbr460>
- <https://thefreelancerscompany.com/profile/mikepow761>

- <https://motionentrance.edu.np/profile/carlmil944>
- <https://elearning.eauqardho.edu.so/profile/bobevan657>
- <http://www.so0912.com/home.php?mod=space&uid=2778793>
- <https://motionentrance.edu.np/profile/alanfis375>
- <https://mindmastervault.com/profile/carlhal697>
- <https://daotao.wisebusiness.edu.vn/profile/markgre641>
- <https://lms.ait.edu.za/profile/zachary492>
- <https://study.stcs.edu.np/profile/tonywar678>