

1z0-1104-25최신업데이트인증덤프자료인증시험덤프자료



참고: ExamPassdump에서 Google Drive로 공유하는 무료 2025 Oracle 1z0-1104-25 시험 문제집이 있습니다:
<https://drive.google.com/open?id=1LqMFt7-lZEVPjZJsfufk1T-vqbiAjfy->

ExamPassdump는 ExamPassdump의 Oracle인증 1z0-1104-25덤프자료를 공부하면 한방에 시험패스하는것을 굳게 약속드립니다. ExamPassdump의 Oracle인증 1z0-1104-25덤프로 공부하여 시험불합격받으면 바로 덤프비용전액 환불처리해드리는 서비스를 제공해드리기에 아무런 무담없는 시험준비공부를 할수 있습니다.

Oracle 1z0-1104-25 시험요강:

주제	소개
주제 1	<ul style="list-style-type: none">Protecting Infrastructure - Network and Applications: This section of the exam measures the skills of Cloud Security Professionals and covers methods for securing networks and applications on OCI. Topics include network security groups, firewalls, and security lists, while also focusing on the use of load balancers for availability. The section further addresses the configuration of OCI certificates and web application firewalls to strengthen infrastructure security.
주제 2	<ul style="list-style-type: none">Protecting Data: This section of the exam measures the skills of Cloud Security Professionals and highlights data security practices in OCI. It tests knowledge of using the Key Management Service for encryption keys, managing secrets in the OCI Vault, and applying features of OCI Data Safe to ensure sensitive data remains protected.
주제 3	<ul style="list-style-type: none">Implementing OS and Workload Protection: This section of the exam measures the skills of OCI Administrators and looks at securing workloads and operating systems. It includes the use of OCI Bastion for time-limited access, vulnerability scanning of hosts and containers, and the use of OS management for automated updates. The goal is to ensure that workloads remain resilient and well-protected.
주제 4	<ul style="list-style-type: none">Detecting, Remediating, and Monitoring OCI Resources: This section of the exam measures the skills of OCI Administrators and emphasizes monitoring and maintaining security posture across cloud resources. It focuses on the use of Cloud Guard, security zones, and the Security Advisor. Candidates also need to understand how to identify rogue users with threat intelligence, as well as use monitoring, logging, and event services for continuous visibility into performance and security.

주제 5

- OCI Security Introduction: This section of the exam measures the skills of Cloud Security Professionals and covers the basics of security in Oracle Cloud Infrastructure. It introduces the shared security responsibility model, the core principles of security design, and the use of foundational security services to secure deployments on OCI.

>> 1z0-1104-25최신 업데이트 인증덤프 자료 <<

1z0-1104-25최신 인증시험정보 - 1z0-1104-25인기자격증 시험덤프 최신자료

한번에 Oracle 인증 1z0-1104-25 시험을 패스하고 싶으시다면 완전 페펙트한 준비가 필요합니다. 완벽한 관연 지식과 득은 물론입니다. 우리 ExamPassdump의 자료들은 여러분의 이런 시험준비에 많은 도움이 될 것입니다.

최신 Oracle Cloud Infrastructure 1z0-1104-25 무료샘플문제 (Q28-Q33):

질문 # 28

You are the first responder of a security incident for ABC Org. You have identified several IP addresses and URLs in the logs that you suspect may be related to the incident. However, you need more information to confidently determine whether they are indeed malicious or not.

Which OCI service can you use to obtain a more refined information and confidence score for these identified indicators?

- A. OCI Threat Intelligence
- B. OCI Incidence Responder
- C. OCI Web Application Firewall
- D. OCI Security Zones

정답: A


질문 # 29

Challenge 2 - Task 1

In deploying a new application, a cloud customer needs to reflect different security postures. If a security zone is enabled with the Maximum Security Zone recipe, the customer will be unable to create or update a resource in the security zone if the action violates the attached Maximum Security Zone policy.

As an application requirement, the customer requires a compute instance in the public subnet. You therefore, need to configure Custom Security Zones that allow the creation of compute instances in the public subnet.

Review the architecture diagram, which outlines the resources you'll need to address the requirement:



Preconfigured

To complete this requirement, you are provided with the following:
Access to an OCI tenancy, an assigned compartment, and OCI credentials
Required IAM policies

Task 1: Create a Custom Security Zone Recipe

Create a Custom Security Zone Recipe named IAD-SP-PBT-CSP-01 that allows the provisioning of compute instances in the public subnet.

Enter the OCID of the created custom security zone recipe in the text box below.

정답:

설명:

See the solution below in Explanation.

Explanation:

To create a Custom Security Zone Recipe named IAD-SP-PBT-CSP-01 that allows the provisioning of compute instances in a public subnet, we will follow the steps outlined in the Oracle Cloud Infrastructure (OCI) Security Zones documentation. These steps are based on verified procedures from the OCI Security Zone Guide and related resources.

Step-by-Step Solution for Task 1: Create a Custom Security Zone Recipe

* Log in to the OCI Console:

* Use your OCI credentials to log in to the OCI Console (<https://console.us-ashburn-1.oraclecloud.com>).

* Ensure you have access to the assigned compartment provided in the tenancy.

* Navigate to Security Zones:

* From the OCI Console, go to the navigation menu (hamburger icon) on the top left.

* Under Governance and Administration, select Security Zones.

* Create a New Security Zone Recipe:

* In the Security Zones dashboard, click on the Recipe tab.

* Click the Create Recipe button.

* Configure the Recipe Details:

* Name: Enter IAD-SP-PBT-CSP-01.

* Description: (Optional) Add a description, e.g., "Custom recipe to allow compute instances in public subnet."

* Leave the Compartment as the assigned compartment provided.

* Define the Security Zone Policy:

* In the policy editor, start with a base policy. Since the Maximum Security Zone recipe restricts public subnet usage, you need to customize it.

* Add the following policy statement to allow compute instances in a public subnet:

Allow service compute to use virtual-network-family in compartment <compartment-name> where ALL { target.resource.type = 'Instance', target.vcn.cidr_block = '10.0.0.0/16', target.subnet.cidr_block = '10.0.10.0/24' }

* Replace <compartment-name> with the name of your assigned compartment.

* This policy allows the Compute service to provision instances in the public subnet (10.0.10.0/24) within the VCN (10.0.0.0/16).

* Adjust Restrictions:

* Ensure the recipe does not inherit the Maximum Security Zone recipe's default restrictions that block public subnet usage.

Explicitly allow the public subnet by including the subnet CIDR block (10.0.10.0/24) in the policy.

* Remove or modify any conflicting default rules that prohibit public subnet usage (e.g., rules blocking internet access or public IP assignment).

* Save the Recipe:

* Click Create to save the custom security zone recipe.

* Once created, note the OCID of the recipe from the recipe details page. The OCID will be a unique identifier starting with ocid1.securityzonerecipe.

* Verify the Recipe:

* Go to the Recipe tab and locate IAD-SP-PBT-CSP-01.

* Ensure the policy reflects the allowance for compute instances in the public subnet by reviewing the policy statement.

OCID of the Created Custom Security Zone Recipe

* The exact OCID will be generated upon creation (e.g., ocid1.securityzonerecipe.oc1..unique_string).

Please enter the OCID displayed in the OCI Console after completing Step 7.

Notes

* Ensure IAM policies are correctly configured to grant you permissions to create and manage security zone recipes in the compartment.

* The policy assumes the public subnet CIDR (10.0.10.0/24) matches the diagram. Adjust if the actual subnet CIDR differs.

* Test the recipe by associating it with a security zone and attempting to launch a compute instance to confirm compliance.

질문 #30

During your investigation of a load balancer issue, you discovered that all back-end servers associated with one of the affected listeners were reported as unhealthy. However, when you checked the back-end servers, they seemed to be working just fine. What might be causing this issue?

- A. Incorrect subnet configuration
- B. Overloaded back-end servers
- C. Misconfigured security rule
- D. Incorrect DNS configuration
- E. Misconfigured health check

정답: E


질문 #31

Challenge 2 - Task 1

In deploying a new application, a cloud customer needs to reflect different security postures. If a security zone is enabled with the Maximum Security Zone recipe, the customer will be unable to create or update a resource in the security zone if the action violates the attached Maximum Security Zone policy.

As an application requirement, the customer requires a compute instance in the public subnet. You therefore, need to configure Custom Security Zones that allow the creation of compute instances in the public subnet.

Review the architecture diagram, which outlines the resources you'll need to address the requirement:



Preconfigured

To complete this requirement, you are provided with the following:

Access to an OCI tenancy, an assigned compartment, and OCI credentials

Required IAM policies

Task 4: Create a Public Subnet

Create a public subnet named IAD-SP-PBT-PUBSNET-01, within the VCN IAD-SP-PBT-VCN-01 use a CIDR block of 10.0.1.0/24 and configure the subnet to use the internet Gateway See the solution below in Explanation.

정답:

설명:

To create a public subnet named IAD-SP-PBT-PUBSNET-01 within the VCN IAD-SP-PBT-VCN-01 using a CIDR block of 10.0.1.0/24 and configure it to use the Internet Gateway, follow these steps based on the Oracle Cloud Infrastructure (OCI) Networking documentation.

Step-by-Step Solution for Task 4: Create a Public Subnet

* Log in to the OCI Console:

* Use your OCI credentials to log in to the OCI Console (<https://console.us-ashburn-1.oraclecloud.com>).

- * Ensure you have access to the assigned compartment.
- * Navigate to Virtual Cloud Networks:
 - * From the OCI Console, click the navigation menu (hamburger icon) on the top left.
 - * UnderNetworking, selectVirtual Cloud Networks.
 - * Select the VCN:
 - * Locate and click on the VCN named IAD-SP-PBT-VCN-01 created in Task 3.
 - * UnderResources, selectSubnets.
 - * Create a New Subnet:
 - * Click theCreate Subnetbutton.
 - * Configure the Subnet Details:
 - * Name:Enter IAD-SP-PBT-PUBSNET-01.
 - * Compartment:Ensure it is set to the assigned compartment.
 - * Subnet Type:SelectPublic Subnet.
 - * CIDR Block:Enter 10.0.1.0/24.
 - * Route Table:Select the default route table associated with the VCN (ensure it includes a route to the Internet Gateway with destination 0.0.0.0/0).
 - * Subnet Access:SelectPublic Subnetand ensure the Internet Gateway is associated.
 - * DHCP Options:Leave as default or customize if required.
 - * Security List:Use the default security list or create a new one with appropriate ingress/egress rules (e.g., allow TCP port 22 for SSH and all egress traffic).
 - * Associate the Internet Gateway:
 - * Verify that the subnet is configured to route traffic through the Internet Gateway. This is automatically handled if you selected the public subnet option and the VCN's route table is correctly set (as configured in Task 3).
 - * If needed, edit the route table for the subnet to ensure a rule exists:
 - * Destination CIDR Block:0.0.0.0/0
 - * Target Type:Internet Gateway
 - * Target:Select the Internet Gateway associated with IAD-SP-PBT-VCN-01.
 - * Create the Subnet:
 - * ClickCreate to provision the subnet.
 - * Once created, the subnet will be listed under the VCN's subnets.
 - * Verify the Configuration:
 - * Go to the subnet details page for IAD-SP-PBT-PUBSNET-01.
 - * Confirm the CIDR block is 10.0.1.0/24 and that it is a public subnet with Internet Gateway access.

Notes

- * Ensure the CIDR block 10.0.1.0/24 does not overlap with existing subnets in the VCN (10.0.0.0/16, including 10.0.10.0/24 from Task 3).
- * The Internet Gateway association relies on the route table configuration from Task 3. If it's missing, update the route table as described in Step 6.

질문 #32

A company is securing its compute instances (VMs and Bare Metal Machines) in Oracle Cloud infrastructure (OCI) using a network firewall. As shown in the diagram, traffic flows from the internet Gateway (IGW) to the firewall in the Public DMZ Subnet, and then to the compute instances in the Public Subnet.



When configuring security lists and network security groups (NSGs) in this setup, what should they consider?

- A. If the policy used with the firewall has no rules specified, the firewall allows all traffic.

- B. Add stateful rules to the security list attached to the firewall subnet or include the firewall in an NSG containing stateful rules for better performance.
- C. Security list and NSG rules associated with the firewall subnet and VNICs are evaluated after the firewall.
- D. Ensure that any security list or NSG rules allow the traffic to enter the firewall for appropriate evaluation.

정답: D

질문 #33

1z0-1104-25 인증 시험은 IT업계에 종사하고 계신 분이시라면 최근 많은 인기를 누리고 있다는 것을 알고 계실 것입니다. 1z0-1104-25 인증 시험을 패스하여 자격증을 취득하는데 가장 쉬운 방법은 ExamPassdump에서 제공해드리는 1z0-1104-25 덤프를 공부하는 것입니다. Oracle 1z0-1104-25 덤프에 있는 문제와 답만 기억하시면 1z0-1104-25 시험을 패스하는데 많은 도움이 됩니다. 덤프구매후 최신버전으로 업데이트되면 업데이트버전을 시스템 자동으로 구매시 사용한 메일주소로 발송해드려 덤프유효기간을 최대한 길게 연장해드립니다.

1z0-1104-25 최신 인증 시험 정보: https://www.exampassdump.com/1z0-1104-25_valid-braindumps.html

- 1z0-1104-25 최신 업데이트 인증덤프자료 시험준비에 가장 좋은 시험대비 덤프공부자료 □ 무료 다운로드를 위해 지금 【 www.dumptop.com 】에서 【 1z0-1104-25 】 검색 1z0-1104-25 높은 통과율 덤프자료
- 1z0-1104-25 완벽한 공부자료 □ 1z0-1104-25 적중율 높은 덤프 □ 1z0-1104-25 인증 시험 인기 덤프문제 □ ⇒ www.itdumpskr.com에서 “ 1z0-1104-25 ”를 검색하고 무료로 다운로드하세요 1z0-1104-25 PDF
- 1z0-1104-25 시험대비 최신버전 덤프샘플 □ 1z0-1104-25 완벽한 공부자료 □ 1z0-1104-25 최신 인증 시험정보 □ ► www.exampassdump.com에서 【 1z0-1104-25 】를 검색하고 무료 다운로드 받기 1z0-1104-25 최신 시험 공부자료
- 1z0-1104-25 완벽한 공부자료 □ 1z0-1104-25 높은 통과율 덤프자료 □ 1z0-1104-25 최고 품질 시험덤프 공부자료 □ 무료 다운로드를 위해 “ 1z0-1104-25 ”를 검색하려면 ► www.itdumpskr.com 을(를) 입력하십시오 1z0-1104-25 최신 인증 시험 정보
- 1z0-1104-25 최신버전자료 □ 1z0-1104-25 높은 통과율 덤프자료 □ 1z0-1104-25 최신 인증 시험 정보 □ ► www.dumptop.com의 무료 다운로드 《 1z0-1104-25 》 페이지가 지금 열립니다 1z0-1104-25 최신버전자료
- 1z0-1104-25 최신 업데이트 인증덤프자료 100% 합격 보장 가능한 시험대비 자료 □ 무료 다운로드를 위해 ► 1z0-1104-25 □ 를 검색하려면 [www.itdumpskr.com] 을(를) 입력하십시오 1z0-1104-25 최고 품질 시험덤프 공부자료
- 1z0-1104-25 시험대비 최신버전 덤프샘플 □ 1z0-1104-25 시험대비자료 □ 1z0-1104-25 최신 덤프데모 □ 오픈 웹 사이트 ► www.pass4test.net 검색 《 1z0-1104-25 》 무료 다운로드 1z0-1104-25 완벽한 공부자료
- 1z0-1104-25 최신 업데이트 인증덤프자료 덤프 업데이트 버전 □ ✓ www.itdumpskr.com ✓ □에서 검색만 하면 □ 1z0-1104-25 □ 를 무료로 다운로드 할 수 있습니다 1z0-1104-25 최신 업데이트버전 덤프공부자료
- 1z0-1104-25 최신 시험 공부자료 ► 1z0-1104-25 PDF □ 1z0-1104-25 최신 덤프데모 □ 오픈 웹 사이트 ► kr.fast2test.com 검색 ► 1z0-1104-25 □ 무료 다운로드 1z0-1104-25 최신 인증 시험 정보
- 1z0-1104-25 최신 업데이트 인증덤프자료 100% 합격 보장 가능한 시험대비 자료 □ 무료로 쉽게 다운로드하려면 ► www.itdumpskr.com에서 「 1z0-1104-25 」를 검색하세요 1z0-1104-25 인증 시험 인기 덤프문제
- 1z0-1104-25 최신 업데이트 인증덤프자료 시험준비에 가장 좋은 시험대비 덤프공부자료 □ 무료로 쉽게 다운로드하려면 ⇒ www.koreadumps.com에서 ► 1z0-1104-25 □ □ 를 검색하세요 1z0-1104-25 최신 업데이트버전 덤프공부자료
- paidforarticles.in, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, kumu.io, www.stes.tyc.edu.tw, shop.blawantraining.pro, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, Disposable vapes

2025 ExamPassdump 최신 1z0-1104-25 PDF 버전 시험 문제집과 1z0-1104-25 시험 문제 및 답변 무료 공유:

<https://drive.google.com/open?id=1LqMFt7-1ZEVPjZJfsufk1T-vqbiAjfy->