

# Valid C\_BW4H\_2505 Test Dumps & Latest C\_BW4H\_2505 Test Question



BTW, DOWNLOAD part of It-Tests C\_BW4H\_2505 dumps from Cloud Storage: [https://drive.google.com/open?id=1LJnN4IMvwwB4XbNiAPC1IUGd\\_YXDjeFh](https://drive.google.com/open?id=1LJnN4IMvwwB4XbNiAPC1IUGd_YXDjeFh)

In recent years, fierce competition agitates the forwarding IT industry in the world. And IT certification has become a necessity. If you want to get a good improvement in your career, The method that using the It-Tests's SAP C\_BW4H\_2505 Exam Training materials to obtain a certificate is very feasible. Our exam materials are including all the questions which the exam required. So the materials will be able to help you to pass the exam.

## SAP C\_BW4H\_2505 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none"><li>Native SAP HANA Modeling: This section evaluates the ability of SAP Consultants to describe and apply native modeling options in SAP HANA. It emphasizes understanding how to build optimized data structures directly within the HANA platform.</li></ul>
Topic 2	<ul style="list-style-type: none"><li>Data Acquisition into SAP HANA: This section evaluates the capacity of SAP Consultants to integrate various data sources into SAP HANA. It assesses their ability to understand different ingestion techniques and ensure data accessibility for processing.</li></ul>

Topic 3	<ul style="list-style-type: none"> <li>• Fundamentals: This section of the exam measures the foundational understanding of SAP Consultants and covers essential terms and concepts related to SAP BW</li> <li>• 4HANA and SAP Business Data Cloud. It focuses on the core framework and architecture necessary to navigate and work with these platforms.</li> </ul>
Topic 4	<ul style="list-style-type: none"> <li>• SAP BW</li> <li>• 4HANA Project and the Modeling Process: This section of the exam assesses how Data Engineers guide and contribute to SAP BW</li> <li>• 4HANA projects. It includes knowledge of modeling workflows, project lifecycle stages, and collaboration strategies within project teams.</li> </ul>
Topic 5	<ul style="list-style-type: none"> <li>• SAP BW Query Design: This section of the exam assesses the ability of Data Engineers to create and run queries using SAP BW</li> <li>• 4HANA. It evaluates how well candidates can work with query components to retrieve and structure data effectively for reporting and analysis.</li> </ul>

>> Valid C\_BW4H\_2505 Test Dumps <<

## C\_BW4H\_2505 exam training vce & C\_BW4H\_2505 accurate torrent & C\_BW4H\_2505 practice dumps

As a working person, the SAP C\_BW4H\_2505 practice exam will be a great help because you are left with little time to prepare for the SAP C\_BW4H\_2505 certification exam which you cannot waste to make time for the SAP C\_BW4H\_2505 Exam Questions. You can find yourself sitting in your dream office and enjoying the new opportunity.

## SAP Certified Associate - Data Engineer - SAP BW/4HANA Sample Questions (Q40-Q45):

### NEW QUESTION # 40

In SAP Web IDE for SAP HANA you have imported a project including an HDB module with calculation views. What do you need to do in the project settings before you can successfully build the HDB module?

- A. Assign a space.
- B. Generate the HDI container.
- C. Define a package.
- D. Change the schema name

**Answer: B**

Explanation:

In SAP Web IDE for SAP HANA, when working with an HDB module that includes calculation views, certain configurations must be completed in the project settings to ensure a successful build. Below is an explanation of the correct answer and why the other options are incorrect.

B). Generate the HDI containerThe HDI (HANA Deployment Infrastructure) container is a critical component for deploying and managing database artifacts (e.g., tables, views, procedures) in SAP HANA. It acts as an isolated environment where the database objects are deployed and executed. Before building an HDB module, you must generate the HDI container to ensure that the necessary runtime environment is available for deploying the calculation views and other database artifacts.

\* Steps to Generate the HDI Container:

\* In SAP Web IDE for SAP HANA, navigate to the project settings.

\* Under the "SAP HANA Database Module" section, configure the HDI container by specifying the required details (e.g., container name, schema).

\* Save the settings and deploy the container.

\* The SAP HANA Developer Guide explicitly states that generating the HDI container is a prerequisite for building and deploying HDB modules. This process ensures that the artifacts are correctly deployed to the SAP HANA database.

Incorrect OptionsA. Define a packageDefining a package is not a requirement for building an HDB module.

Packages are typically used in SAP BW/4HANA or ABAP environments to organize development objects, but they are not relevant in the context of SAP Web IDE for SAP HANA or HDB modules.

Reference: The SAP Web IDE for SAP HANA documentation does not mention packages as part of the project settings for HDB modules.

C). Assign a spaceAssigning a space is related to Cloud Foundry environments, where spaces are used to organize applications and services within an organization. While spaces are important for deploying applications in SAP Business Technology Platform (BTP), they are not directly related to building HDB modules in SAP Web IDE for SAP HANA.

Reference: The SAP BTP documentation discusses spaces in the context of application deployment, but this concept is not applicable to HDB module builds.

D). Change the schema nameChanging the schema name is not a mandatory step before building an HDB module. The schema name is typically defined during the configuration of the HDI container or inherited from the default settings. Unless there is a specific requirement to use a custom schema, changing the schema name is unnecessary.

Reference: The SAP HANA Developer Guide confirms that schema management is handled automatically by the HDI container unless explicitly customized.

ConclusionThe correct action required before successfully building an HDB module in SAP Web IDE for SAP HANA is:Generate the HDI container.

This step ensures that the necessary runtime environment is available for deploying and executing the calculation views and other database artifacts. By following this process, developers can seamlessly integrate their HDB modules with the SAP HANA database and leverage its advanced capabilities for data modeling and analytics.

### NEW QUESTION # 41

Where can you assign analysis authorizations? Note: There are 2 correct answers to this question.

- A. In transaction SU01 directly to a user
- B. In transaction RSECADMIN directly to a user
- C. In transaction PFCG to a role using the authorization object S\_RS\_AUTH
- D. In transaction PFCG to a role using the authorization object S\_RS\_AO

**Answer: B,D**

Explanation:

Analysis authorizations in SAP BW/4HANA are used to restrict access to data based on specific criteria, such as organizational units or regions. These authorizations ensure that users can only view data they are authorized to access. Below is a detailed explanation of why the correct answers are A and B:

\* Correct: TheRSECADMINtransaction is specifically designed for managing analysis authorizations in SAP BW/4HANA. You can assign analysis authorizations directly to a user in this transaction. This approach is useful when you need to apply fine-grained access control at the individual user level.

Option A: In transaction RSECADMIN directly to a user

\* Correct: ThePFCGtransaction is used for role-based authorization management in SAP systems. By assigning the authorization objectS\_RS\_AO(which controls access to InfoProviders and queries) to a role, you can define analysis authorizations at the role level. This ensures that all users assigned to the role inherit the same data access restrictions.

Option B: In transaction PFCG to a role using the authorization object S\_RS\_AO

\* Incorrect: WhileSU01is used to maintain user master data, it is not the appropriate transaction for assigning analysis authorizations. Analysis authorizations are managed either throughRSECADMIN (directly to users) orPFCG(via roles).

Option C: In transaction SU01 directly to a user

\* Incorrect: The authorization objectS\_RS\_AUTHis not used for managing analysis authorizations.

Instead,S\_RS\_AOis the correct authorization object for controlling access to data in SAP BW/4HANA.

Option D: In transaction PFCG to a role using the authorization object S\_RS\_AUTH

\* SAP BW/4HANA Security Guide: Explains the use ofRSECADMIN and PFCG for managing analysis authorizations.

\* SAP Help Portal: Provides details on the authorization objectS\_RS\_AOand its role in restricting data access.

\* SAP Data Fabric Architecture: Highlights the importance of role-based and user-based access control in ensuring data security.

References to SAP Data Engineer - Data Fabric Concepts

### NEW QUESTION # 42

In an SAP HANA smart data integration flowgraph, which transformation options are available?Note: There are 3 correct answers to this question.

- A. Combine datasets
- B. Include a stored procedure
- C. Run an SAP HANA analysis process

- D. Call an ABAP function module
- E. Split datasets

**Answer: A,B,E**

#### NEW QUESTION # 43

You want to create a restricted column in an SAP HANA HDI calculation view. What do you need to define?

Note: There are 2 correct answers to this question.

- A. A reference to an existing measure
- B. An aggregation method
- C. An SAP HANA data type
- D. A condition criterion

**Answer: A,D**

#### NEW QUESTION # 44

In which ODP context is the operational delta queue (ODQ) managed by the target system?

- A. ODP\_BW
- B. ODP\_SAP
- C. ODP\_HANA
- D. ODP\_CDS

**Answer: A**

Explanation:

In the context of Operational Data Provisioning (ODP), the operational delta queue (ODQ) is a critical component that manages delta records for incremental data extraction. The management of the ODQ depends on the specific ODP context, particularly whether the target system or source system is responsible for maintaining the delta queue.

\* ODP\_BW (Option A):

\* In the ODP\_BW context, the operational delta queue (ODQ) is managed by the target system (SAP BW/4HANA).

\* This means that SAP BW/4HANA takes responsibility for tracking and managing delta records, ensuring that only new or changed data is extracted during subsequent loads.

\* This approach is commonly used when the source system does not natively support delta management or when the target system needs more control over the delta handling process.

\* ODP\_SAP (Option B): In the ODP\_SAP context, the source system (e.g., SAP ERP) manages the operational delta queue. This is the default behavior for SAP source systems, where the source system maintains the delta queue and provides delta records to the target system upon request.

\* ODP\_CDS (Option C): The ODP\_CDS context is used for extracting data from Core Data Services (CDS) views in SAP HANA or SAP S/4HANA. In this context, delta handling is typically managed by the source system (SAP HANA or S/4HANA) and not the target system.

\* ODP\_HANA (Option D): The ODP\_HANA context is used for extracting data from SAP HANA-based sources. Similar to ODP\_CDS, delta handling in this context is managed by the source system (SAP HANA) rather than the target system.

\* ODP\_BW:

\* Delta queue is managed by the target system (SAP BW/4HANA).

\* Suitable for scenarios where the source system does not support delta management or when the target system requires more control.

\* ODP\_SAP:

\* Delta queue is managed by the source system (e.g., SAP ERP).

\* Default context for SAP source systems.

\* ODP\_CDS and ODP\_HANA:

\* Delta handling is managed by the source system (SAP HANA or S/4HANA).

\* SAP Note 2358900 - Operational Data Provisioning (ODP) in SAP BW/4HANA: This note provides an overview of ODP contexts and their respective delta handling mechanisms.

\* SAP BW/4HANA Data Modeling Guide: This guide explains the differences between ODP contexts and how they impact delta management in SAP BW/4HANA.

\* Link: SAP BW/4HANA Documentation

Why Other Options Are Incorrect: Key Points About ODP Contexts: References to SAP Data Engineer - Data Fabric: By

What's more, part of that It-Tests C\_BW4H\_2505 dumps now are free: [https://drive.google.com/open?id=1LJnN4IMvwwB4XbNiAPC1IUgD\\_YXDjeFh](https://drive.google.com/open?id=1LJnN4IMvwwB4XbNiAPC1IUgD_YXDjeFh)