



## SAP Administrating SAP Business Technology Platform(C\_ADBTP\_2601) Sample Questions (Q10-Q15):

### NEW QUESTION # 10

#### SIMULATION

Task 2: Create Subaccounts in a Directory

In the Partner directory, create the subaccount AM PA Dev Test (Description: Partner Development and Testing) with subdomain btpops#####-am-pa-dev-test in the region Microsoft Azure → US West (WA) cf-us20.

In the Partner directory, create the subaccount AM PA Prod (Description: Partner Production) with subdomain btpops#####-am-pa-prod using AM PA Dev Test as source subaccount. Set the subaccount as used in production.

#### Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Task 2 - Create Subaccounts in a Directory

You must create these two subaccounts inside the Partner directory:

AM PA Dev Test

AM PA Prod

Important:

Replace ##### with your global account number

Enter all names and subdomains exactly

Be careful with hyphens and spaces

AM PA Prod must be marked as used in production

Before You Start

Log in to SAP BTP Cockpit.

Open your correct Global Account.

Go to Directories.

Open the Partner directory.

Why this matters:

Both subaccounts in this task must be created inside the Partner directory. If you create them under the global account or another directory, the task will be wrong.

Step 1 - Open the Partner Directory

What to do

In the left menu, click Directories.

In the directory list, select Partner.

Explanation:

The Partner directory is the container where both required subaccounts must be created.

What to verify

You should now be inside the Partner directory page.

Step 2 - Start Creating the First Subaccount

What to do

Inside the Partner directory, go to Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the subaccount creation screen.

What to verify

You should now see the form for creating a new subaccount.

Step 3 - Enter Data for AM PA Dev Test

What to do

Enter the following values:

Display Name / Name: AM PA Dev Test

Description: Partner Development and Testing

Subdomain: btpops#####-am-pa-dev-test

Then choose the region:

Cloud Provider: Microsoft Azure

Region: US West (WA)

Environment / Technical Region: cf-us20

After checking all values, click Create.

### Create Subaccount

|                             |                                 |
|-----------------------------|---------------------------------|
| Display Name *              | Description                     |
| AM PA Dev Test              | Partner Development and Testing |
| Region *                    |                                 |
| US West (WA)                |                                 |
| Subdomain *                 | Parent *                        |
| btpops xxxxx-am-pa-dev-test | Partner                         |

> **Advanced**

Cockpit supports multi-level directories in your account structure.

You can add your new subaccount directly to the root global account or to an existing directory by choosing the location under Parent.

**Create** **Cancel**

Explanation:

This creates the development and testing subaccount for the Partner directory.

The important points are:

the subaccount name must match exactly

the subdomain must include your account number in place of #####

the region must be Microsoft Azure → US West (WA) cf-us20

What to verify

After creation, you should see the new subaccount:

AM PA Dev Test

inside the Partner directory.

Step 4 - Confirm the First Subaccount Exists

What to do

Check the subaccounts list under Partner.

Explanation:

Before creating the production subaccount, confirm that AM PA Dev Test was created successfully, because it will be used as the source subaccount for the next step.

What to verify

You should see:

AM PA Dev Test

If it is not there, do not continue until it is created correctly.



Step 5 - Start Creating the Second Subaccount

What to do

Still inside the Partner directory, click Create → Subaccount again.

Explanation:

This opens a new subaccount creation form for the production subaccount.

Step 6 - Enter Data for AM PA Prod

What to do

Enter the following values:

Display Name / Name: AM PA Prod

Description: Partner Production

Subdomain: btpops#####-am-pa-prod

Then set:

Source Subaccount: AM PA Dev Test

Enable the production setting:

Used in Production: Yes

Then click Create.

**Create Subaccount**

Display Name \* AM PA Prod

Description Partner Production

Region \* US West (WA)

Subdomain \* btpops #####-am-pa-prod

Parent \* Partner

**Advanced**

Used for production

Enable beta features

Add labels to this subaccount.

Name: Enter label name

Values:

Create Cancel

Explanation:

This creates the production subaccount by using AM PA Dev Test as the source subaccount.

Using a source subaccount means SAP BTP copies base settings from the selected source, which helps keep configuration aligned.

The production indicator is mandatory here because this is the production subaccount.

What to verify

After creation, you should see:

AM PA Prod

inside the Partner directory, and it should be marked as a production subaccount.

Final Expected Result for Task 2

Inside the Partner directory, you must have these two subaccounts:

1. AM PA Dev Test

Description: Partner Development and Testing

Subdomain: btpops#####-am-pa-dev-test

Region: Microsoft Azure → US West (WA) cf-us20

2. AM PA Prod

Description: Partner Production

Subdomain: btpops#####-am-pa-prod

Source Subaccount: AM PA Dev Test

Used in Production: Yes

| Name           | Type           | Environment     | Region       | Changed On              |
|----------------|----------------|-----------------|--------------|-------------------------|
| AM PA Dev Test | Global Account | Microsoft Azure | US West (WA) | March 25, 2025, 9:27:13 |
| AM PA Prod     | Global Account | Microsoft Azure | US West (WA) | March 25, 2025, 9:27:13 |

## Common Mistakes to Avoid

1. Creating the subaccounts in the wrong place

Both subaccounts must be created in:

Partner directory

Not in:

Global Account

Americas

Eurasia

Human Resources

2. Wrong subdomain format

Use exactly:

btpops#####-am-pa-dev-test

btpops#####-am-pa-prod

Replace only ##### with your global account number.

Do not:

remove hyphens

add spaces

misspell dev-test or pa-prod

3. Wrong region for AM PA Dev Test

It must be:

Microsoft Azure

US West (WA)

cf-us20

4. Forgetting the source subaccount for AM PA Prod

You must select:

AM PA Dev Test

as the source subaccount.

5. Forgetting the production flag

For AM PA Prod, make sure:

Used in Production is enabled

## NEW QUESTION # 11

### SIMULATION

#### Create Directories and Subaccounts

In a global account for SAP Business Technology Platform (BTP), create a hierarchy of subaccounts using directories.

Task 1: Create Directories

In your SAP BTP cockpit, create the directory Americas (Description: Americas Accounts) with your global account as the parent.

Create the directory Eurasia (Description: Eurasia Accounts) with your global account as the parent.

Create the directory Partner (Description: Partner Accounts) with the Americas directory as the parent. Add the label access with value external.

Create the directory Human Resources (Description: Human Resources Accounts) with the Eurasia directory as the parent. Add the label access with value internal.

#### Answer:

Explanation:

See the Explanation below for complete solution

Explanation:

Task 1: Create Directories

You need to create these directories:

Americas

Eurasia

Partner under Americas with label access=external

Human Resources under Eurasia with label access=internal

Before You Start

Log in to the SAP BTP Cockpit.

Make sure you are inside the correct Global Account.

Open the left-side navigation menu.

Why this is important:

All directories in this task must be created inside the correct global account hierarchy. If you create them in the wrong location, the

simulation result will be incorrect.

Step 1 - Create Directory Americas

What to do

In the SAP BTP Cockpit, select your Global Account.

In the left navigation menu, click Directories.

Click Create or Create Directory.

Fill the fields as follows:

Name: Americas

Description: Americas Accounts

Parent: your Global Account

Click Create.

### Create Directory

Display Name \*

Americas

Description

Americas Accounts

Parent \*

BTP Admin Certification xxxxx

> Advanced

Cockpit supports multi-level directories in your account structure.  
You can add your new directory directly to the root global account or to an existing directory by choosing the location under Parent.

SAP

Create Cancel

Explanation:

This creates a top-level directory directly under the global account.

It will later be used as the parent for the Partner directory.

What to verify

After creation, you should see:

Americas

listed under the directories of the global account.

Step 2 - Create Directory Eurasia

What to do

Stay in Directories.

Click Create Directory again.

Fill the fields:

Name: Eurasia

Description: Eurasia Accounts

Parent: your Global Account

Click Create.

## Create Directory

Display Name \*

Eurasia

Description

Eurasia Accounts

Parent \*

BTP Admin Certification XXXX

> Advanced

Cockpit supports multi-level directories in your account structure.

You can add your new directory directly to the root global account or to an existing directory by choosing the location under Parent.



Create

Cancel

Explanation:

This creates another top-level directory, parallel to Americas.

What to verify

You should now see both:

Americas

Eurasia

under the global account.

Step 3 - Create Directory Partner under Americas

What to do

In the Directories area, select Americas.

Click Create Directory.

Enter:

Name: Partner

Description: Partner Accounts

Parent: Americas

Locate the Labels section.

Add a new label:

Key: access

Value: external

Click Create.

| Name                         | Type           | Enrollment              | Partner | Region |
|------------------------------|----------------|-------------------------|---------|--------|
| BTP Admin Certification XXXX | Global Account | March 26, 2020, 9:22:20 |         |        |
| Americas                     | Directory      | March 26, 2020, 9:27:50 |         |        |
| Eurasia                      | Directory      | March 26, 2020, 9:28:00 |         |        |

**Select Parent**

Search

Show only directories I can create in Expand All Collapse All

▼ BTP Admin Certification xxxx

- Americas
- Eurasia

**Create Directory** Select Cancel

**Display Name \***

**Description**

**Parent \***

Enable entitlement management Enable user management

**Add labels to this directory.**

Name:  Values:

Explanation:  
 This creates Partner as a child directory under Americas.  
 The label is required and must be entered exactly:  
 access = external  
 This label helps classify the directory.  
 What to verify  
 Under Americas, you should now see:  
 Partner  
 and the directory should contain the label:  
 access=external  
 Step 4 - Create Directory Human Resources under Eurasia  
 What to do  
 Go back to the Directories list.

Select Eurasia.  
 Click Create Directory.  
 Enter:  
 Name: Human Resources  
 Description: Human Resources Accounts  
 Parent: Eurasia  
 In the Labels section, add:  
 Key: access  
 Value: internal  
 Click Create.

Explanation:  
 This creates Human Resources as a child directory under Eurasia.  
 The required label is:  
 access = internal  
 What to verify  
 Under Eurasia, you should now see:  
 Human Resources  
 and the label should be:  
 access=internal  
 Final Expected Directory Structure  
 After completing Task 1, your structure must be exactly like this:  
 Global Account  
 Americas  
 Partner  
 Label: access=external  
 Eurasia  
 Human Resources  
 Label: access=internal

| Name            | Type           | Entitlement | Provider | Label           | Created On              | Changed On |
|-----------------|----------------|-------------|----------|-----------------|-------------------------|------------|
| Global Account  | Global Account |             |          |                 | March 23, 2016, 4:30:21 |            |
| Americas        | Directory      |             |          | access=external | March 23, 2016, 4:29:12 |            |
| Partner         | Directory      |             |          |                 | March 23, 2016, 4:29:12 |            |
| Human Resources | Directory      |             |          | access=internal | March 23, 2016, 4:30:21 |            |

Important Checks Before Moving On

Verify all of the following:  
 Americas exists  
 Eurasia exists

Partner is under Americas  
Human Resources is under Eurasia  
Partner has label access=external  
Human Resources has label access=internal  
All names and descriptions are entered exactly as required  
Common Mistakes to Avoid

1. Wrong parent

Partner must be created under Americas

Human Resources must be created under Eurasia

2. Wrong label key or value

Use exactly:

access → external

access → internal

3. Spelling errors

Be careful with:

Americas

Eurasia

Partner

Human Resources

4. Creating all directories directly under the global account

Only Americas and Eurasia are direct children of the global account.

Partner and Human Resources must be child directories.

## NEW QUESTION # 12

### SIMULATION

Task 3: Create Subaccounts with Default Provider and Region

In the Human Resources directory, create the subaccount EU HCM Dev (Description: Human Resources Development) with subdomain btpops#####-eu-hcm-dev in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.2.

In the Human Resources directory, create the subaccount EU HCM Test (Description: Human Resources Testing) with subdomain btpops#####-eu-hcm-test using EU HCM Dev as source subaccount.3.

In the Human Resources directory, create the subaccount EU HCM Prod (Description: Human Resources Production) with subdomain btpops#####-eu-hcm-prod using EU HCM Dev as source subaccount. Set the subaccount as used in production.

### Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

You must create these 3 subaccounts inside the Human Resources directory:

EU HCM Dev

EU HCM Test

EU HCM Prod

Important:

Replace ##### with your global account number

Enter names, descriptions, and subdomains exactly

EU HCM Prod must be marked as used in production

Task 3 - Create Subaccounts with Default Provider and Region

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open the Human Resources directory.

Why this matters:

All 3 subaccounts in this task must be created inside Human Resources. If you create them anywhere else, the result will be incorrect.

Step 1 - Open the Human Resources Directory

What to do

In the left menu, choose Directories.

In the list, select Human Resources.

Explanation:

This is the parent directory where the required HR subaccounts must be created.

What to verify

You should now be inside the Human Resources directory.

Step 2 - Start Creating EU HCM Dev

What to do

Inside Human Resources, open Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the form to create the first HR subaccount.

Step 3 - Enter Values for EU HCM Dev

What to do

Enter the following:

Display Name / Name: EU HCM Dev

Description: Human Resources Development

Subdomain: btpops#####-eu-hcm-dev

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

The screenshot shows the 'Create Subaccount' interface in SAP Cockpit. A large blue 'SAP' logo is overlaid on the top left. The form has the following fields:

- Display Name \***: EU HCM Dev
- Description**: Human Resources Development
- Region \***: Europe (Frankfurt) - AWS
- Subdomain \***: btpops #####-eu-hcm-dev
- Parent \***: Eurasia

Below the main fields is an 'Advanced' section with a right-pointing arrow. At the bottom right, there are 'Create' and 'Cancel' buttons. A watermark 'braindumpsqa.com' is visible across the center of the form. A notification box at the bottom states: 'Cockpit supports multi-level directories in your account structure. You can add your new subaccount directly to the root global account or to an existing directory by choosing the location under Parent.'

Explanation:

This creates the development subaccount for HR and defines the required provider and region.

This first subaccount is important because it will be used as the source subaccount for the next two subaccounts.

What to verify

After creation, you should see:

EU HCM Dev

under the Human Resources directory.

Step 4 - Confirm EU HCM Dev Exists

What to do

Check the subaccounts list in Human Resources.

Explanation:

You must make sure EU HCM Dev is available before you create the next subaccounts, because both EU HCM Test and EU HCM Prod must use it as the source subaccount.

What to verify

You should see:

EU HCM Dev

If it is missing, create it correctly before moving on.

Step 5 - Start Creating EU HCM Test

What to do

Still in the Human Resources directory, click Create → Subaccount again.

Explanation:

This opens the form for the test subaccount.

Step 6 - Enter Values for EU HCM Test

What to do

Enter:

Display Name / Name: EU HCM Test

Description: Human Resources Testing

Subdomain: btpops#####-eu-hcm-test

Then select:

Source Subaccount: EU HCM Dev

Then click Create.

**Create Subaccount**

Display Name \*  
EU HCM Test

Description  
Human Resources Testing

Region \*  
Europe (Frankfurt) - AWS

Subdomain \*  
btpops #####-eu-hcm-test

Parent \*  
Eurasia

Advanced

Used for production

Enable beta features

Add labels to this subaccount.

Name: Enter label name Values:

Create Cancel

Explanation:

This creates the testing subaccount by using EU HCM Dev as the source subaccount.

This helps keep the configuration aligned with the development subaccount.

What to verify

After creation, you should see:

EU HCM Test

under Human Resources.

| Name                    | Type           | Environment       | Provider                  | Region                   | Changed On                |
|-------------------------|----------------|-------------------|---------------------------|--------------------------|---------------------------|
| BTP Admin Certification | Global Account |                   |                           |                          | March 25, 2026, 5:11:2... |
| Americas                | Directory      |                   |                           |                          | March 26, 2026, 3:27:5... |
| Partner                 | Directory      |                   |                           |                          | March 26, 2026, 3:30:3... |
| AM PA Dev Test          | Subaccount     | Multi-Environment | Microsoft Azure           | US West (SR)             | March 26, 2026, 3:35:3... |
| AM PA Prod              | Subaccount     | Multi-Environment | Microsoft Azure           | US West (SR)             | March 26, 2026, 3:39:3... |
| Human Resources         | Directory      |                   |                           |                          | March 26, 2026, 3:28:2... |
| EU HCM Dev              | Subaccount     | Multi-Environment | Amazon Web Services (AWS) | Europe (Frankfurt) - AWS | March 26, 2026, 3:43:0... |
| EU HCM Test             | Subaccount     | Multi-Environment | Amazon Web Services (AWS) | Europe (Frankfurt) - AWS | March 26, 2026, 3:45:5... |

Step 7 - Start Creating EU HCM Prod

What to do

In Human Resources, click Create → Subaccount once more.

Explanation:

This opens the form for the production subaccount.

Step 8 - Enter Values for EU HCM Prod

What to do

Enter:

Display Name / Name: EU HCM Prod

Description: Human Resources Production

Subdomain: btpops#####-eu-hcm-prod

Then select:

Source Subaccount: EU HCM Dev

Enable:

Used in Production: Yes

Then click Create.

Explanation:

This creates the production HR subaccount based on EU HCM Dev and marks it as a production system.

The production setting is mandatory here.

What to verify

After creation, you should see:

EU HCM Prod

under Human Resources, and it should be marked as used in production.

### Create Subaccount

Display Name \*  
EU HCM Prod

Description  
Human Resources Production

Region \*  
Europe (Frankfurt) - AWS

Subdomain \* ⓘ  
btpops #####-eu-hcm-prod

Parent \* ⓘ  
Human Resources

Advanced

Used for production ⓘ

Enable beta features ⓘ

Add labels to this subaccount. ⓘ

Name: Values:

Enter label name ⓘ

+

Create Cancel

Final Expected Result for Task 3

Inside the Human Resources directory, you must have these 3 subaccounts:

1. EU HCM Dev

Description: Human Resources Development

Subdomain: btpops#####-eu-hcm-dev

Region: Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10

2. EU HCM Test

Description: Human Resources Testing

Subdomain: btpops#####-eu-hcm-test

Source Subaccount: EU HCM Dev

3. EU HCM Prod

Description: Human Resources Production

Subdomain: btpops#####-eu-hcm-prod  
Source Subaccount: EU HCM Dev  
Used in Production: Yes

| Name                          | Type           | Environment       | Provider                  | Changed On                |
|-------------------------------|----------------|-------------------|---------------------------|---------------------------|
| BTP Admin Certification XXXXX | Global Account |                   |                           | March 25, 2020, 9:11:2... |
| Americas                      | Directory      |                   |                           | March 26, 2020, 9:27:5... |
| Partner                       | Directory      |                   |                           | March 26, 2020, 9:30:3... |
| AMM Dev Test                  | Subaccount     | Multi-Environment | Microsoft Azure           | March 26, 2020, 9:35:3... |
| AMM Prod                      | Subaccount     | Multi-Environment | Microsoft Azure           | March 26, 2020, 9:39:3... |
| Eurasia                       | Directory      |                   |                           | March 26, 2020, 9:28:2... |
| Human Resources               | Directory      |                   |                           | March 26, 2020, 9:43:0... |
| EU HCM Dev                    | Subaccount     | Multi-Environment | Amazon Web Services (AWS) | March 26, 2020, 9:43:4... |
| EU HCM Prod                   | Subaccount     | Multi-Environment | Amazon Web Services (AWS) | March 26, 2020, 9:48:2... |
| EU HCM Test                   | Subaccount     | Multi-Environment | Amazon Web Services (AWS) | March 26, 2020, 9:48:5... |

#### Common Mistakes to Avoid

1. Creating the subaccounts in the wrong directory

All 3 must be created inside:

Human Resources

Not under:

Global Account

Americas

Eurasia

Partner

2. Wrong subdomain values

Use exactly:

btpops#####-eu-hcm-dev

btpops#####-eu-hcm-test

btpops#####-eu-hcm-prod

Only replace ##### with your global account number.

3. Wrong region for EU HCM Dev

It must be:

Amazon Web Services (AWS)

Europe (Frankfurt)

cf-eu10

4. Wrong source subaccount

For both:

EU HCM Test

EU HCM Prod

you must select:

EU HCM Dev

5. Forgetting the production flag

For EU HCM Prod, make sure:

Used in Production is enabled

#### NEW QUESTION # 13

##### SIMULATION

Establish Shared Services

Task 2: Entitle and Subscribe a Service in a Shared Subaccount

In your SAP BTP cockpit, in your SH Dev subaccount, entitle one standard (Application) service plan for the SAP Build Work Zone, advanced edition.

In the SH Dev subaccount, establish a trust to the agvlankzw.accounts.ondemand.com identity provider.

In your SH Dev subaccount, create a service subscription for SAP Build Work Zone, advanced edition with the standard service plan.

#### Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open your correct Global Account.

Go to the Shared Services directory.

Open the SH Dev subaccount.

This matters because all three required actions must be done inside SH Dev, not in the directory and not in another subaccount.

Part 1 - Entitle the service in SH Dev

Step 1 - Open the subaccount

In the cockpit, choose Directories.

Open Shared Services.

Select SH Dev.

You should now be on the SH Dev subaccount page.



Step 2 - Open Entitlements

In SH Dev, choose Entitlements.

SAP documents that service plans and quotas for a subaccount are added in the subaccount's Entitlements are a.

Step 3 - Add the required service plan

Click Configure Entitlements or Add Service Plans.


Search for SAP Build Work Zone, advanced edition.

Select the service.

Choose the plan standard (Application).

Set the quantity to 1 if a quota/amount field is shown.

Save the entitlement changes.



This task explicitly asks for one standard (Application) service plan. SAP Help also notes that SAP Build Work Zone usage depends on the correct entitlement being available in the subaccount first.

Verify

Under Entitlements, you should now see:

SAP Build Work Zone, advanced edition

plan: standard (Application)

quantity: 1 if shown

Part 2 - Establish trust to the identity provider

Step 4 - Open Trust Configuration

In SH Dev, go to Security.

Choose Trust Configuration.

SAP Help states that trust to a custom identity provider is established from Security > Trust Configuration in the SAP BTP cockpit.

Step 5 - Create the trust

Click Establish Trust.


Enter or select the identity provider:

agvlamkzw.accounts.ondemand.com

Continue through the wizard.

Save the trust configuration.

SAP documents that to use a custom identity provider, the subaccount must have a trust relationship to that provider. SAP also highlights that apps such as SAP Build Work Zone rely on SAP Cloud Identity Services trust configuration.




Verify

On the Trust Configuration page, you should see:

agvlamkzw.accounts.ondemand.com

as a trusted identity provider.



Part 3 - Create the subscription

Step 6 - Open Instances and Subscriptions

In SH Dev, go to Services.

Choose Instances and Subscriptions.

Step 7 - Create the subscription

Click Create.

Choose Subscription if the cockpit asks for a type.

Search for SAP Build Work Zone, advanced edition.

Select the service.

Choose the plan standard.

Confirm the creation.

SAP Help for SAP Build Work Zone scenarios indicates that the subaccount needs the correct entitlements and subscription flow to expose and use SAP Build Work Zone content.

Step 8 - Confirm subscription status

Stay on Instances and Subscriptions.

Check that the new subscription appears and is active.

Verify

You should see:

SAP Build Work Zone, advanced edition

plan: standard

subscription created successfully

## New Instance or Subscription

1

Basic Info

Enter basic info for your instance or subscription.


**i** Some services are not shown because Cloud Foundry is not enabled. To enable it, select it from the Service dropdown menu and create an instance of it.

Service: \* i Can't find what you're looking for?

SAP Build Work Zone, advanced edition
v

Plan: \*

standard
v



Create
Cancel

Final expected result

Inside SH Dev:

the entitlement for SAP Build Work Zone, advanced edition exists

the entitled plan is standard (Application)

trust is established to agvlamkzw.accounts.ondemand.com

a subscription exists for SAP Build Work Zone, advanced edition

the subscription uses the standard plan

Common mistakes to avoid


Doing the entitlement in Shared Services directory instead of SH Dev


Choosing SAP Build Work Zone, standard edition instead of advanced edition

Choosing the wrong plan; the entitlement must be

standard (Application) Forgetting the trust step to agvlamkzw.accounts.ondemand.com

Trying to subscribe before the entitlement exists





## NEW QUESTION # 14

.....

Our C\_ADBTP\_2601 test torrent keep a look out for new ways to help you approach challenges and succeed in passing the C\_ADBTP\_2601 exam. And our C\_ADBTP\_2601 qualification test are being concentrated on for a long time and have accumulated mass resources and experience in designing study materials. There is plenty of skilled and motivated staff to help you obtain the C\_ADBTP\_2601 Exam certificate that you are looking forward. We have faith in our professional team and our C\_ADBTP\_2601 study tool, and we also wish you trust us wholeheartedly.

**C\_ADBTP\_2601 Valid Exam Tips:** [https://www.braindumpsqa.com/C\\_ADBTP\\_2601\\_braindumps.html](https://www.braindumpsqa.com/C_ADBTP_2601_braindumps.html)

Your money safety is totally insured when you pay for our C\_ADBTP\_2601 training material, That is the reason why I want to recommend our C\_ADBTP\_2601 prep guide to you, because we believe this is what you have been looking for, In a few years, SAP C\_ADBTP\_2601 certification exam has become a very influential exam which can test computer skills. The certification of SAP certified engineers can help you to find a better job, so that you can easily become the IT white-collar worker, and get fat salary, While you are learning with our C\_ADBTP\_2601 quiz guide, we hope to help you make out what obstacles you have actually encountered during your approach for C\_ADBTP\_2601 exam torrent through our PDF version, only in this way can we help you win the C\_ADBTP\_2601 certification in your first attempt.

Managing and Editing Records, Sources of Failures, Your money safety is totally insured when you pay for our C\_ADBTP\_2601 training material, That is the reason why I want to recommend our C\_ADBTP\_2601 Prep Guide to you, because we believe this is what you have been looking for.

## SAP C\_ADBTP\_2601 1 year of Free Updates

In a few years, SAP C\_ADBTP\_2601 certification exam has become a very influential exam which can test computer skills. The certification of SAP certified engineers can help you to C\_ADBTP\_2601 find a better job, so that you can easily become the IT white-collar worker, and get fat salary.

While you are learning with our C\_ADBTP\_2601 quiz guide, we hope to help you make out what obstacles you have actually encountered during your approach for C\_ADBTP\_2601 exam torrent through our PDF version, only in this way can we help you win the C\_ADBTP\_2601 certification in your first attempt.

We are well acknowledged for we have a fantastic Exam C\_ADBTP\_2601 Training advantage over other vendors - We offer you the simulation test with the Soft version of our C\_ADBTP\_2601 exam engine: in order to let you be familiar with the environment of C\_ADBTP\_2601 test as soon as possible.

- Detail C\_ADBTP\_2601 Explanation  C\_ADBTP\_2601 Study Reference  Valid Test C\_ADBTP\_2601 Test  Simply search for  C\_ADBTP\_2601  for free download on [www.prep4away.com](http://www.prep4away.com)   New Exam C\_ADBTP\_2601 Materials
- Administrating SAP Business Technology Platform(C\_ADBTP\_2601) exam study guide - C\_ADBTP\_2601 exam prep material - Administrating SAP Business Technology Platform(C\_ADBTP\_2601) latest exam simulator  Download  C\_ADBTP\_2601   for free by simply entering [www.pdfvce.com](http://www.pdfvce.com)  website  Latest C\_ADBTP\_2601 Braindumps

## Questions

- Exam C\_ADBTP\_2601 Registration  Reliable C\_ADBTP\_2601 Real Exam  Valid C\_ADBTP\_2601 Exam Bootcamp  Search for  C\_ADBTP\_2601  and obtain a free download on ► [www.exam4labs.com](http://www.exam4labs.com) ◀   C\_ADBTP\_2601 Study Reference
- C\_ADBTP\_2601 Study Reference  Latest C\_ADBTP\_2601 Braindumps Questions  Latest C\_ADBTP\_2601 Braindumps Questions  Easily obtain free download of  C\_ADBTP\_2601  by searching on { [www.pdfvce.com](http://www.pdfvce.com) }   Valid Test C\_ADBTP\_2601 Test
- Authorized SAP C\_ADBTP\_2601 Valid Braindumps Pdf With Interactive Test Engine - Well-Prepared C\_ADBTP\_2601 Valid Exam Tips  Search for ✓ C\_ADBTP\_2601  ✓  and obtain a free download on  [www.troytecdumps.com](http://www.troytecdumps.com)   Latest C\_ADBTP\_2601 Exam Questions
- C\_ADBTP\_2601 Valid Braindumps Pdf | Latest SAP C\_ADBTP\_2601 Valid Exam Tips: Administrating SAP Business Technology Platform(C\_ADBTP\_2601)  Open « [www.pdfvce.com](http://www.pdfvce.com) » enter ( C\_ADBTP\_2601 ) and obtain a free download  Valid C\_ADBTP\_2601 Exam Bootcamp
- The Top Features of SAP C\_ADBTP\_2601 PDF Dumps File and Practice Test Software  Go to website ► [www.exam4labs.com](http://www.exam4labs.com)  open and search for « C\_ADBTP\_2601 » to download for free  New C\_ADBTP\_2601 Exam Preparation
- Latest C\_ADBTP\_2601 Exam Questions  Latest C\_ADBTP\_2601 Braindumps Questions  Valid Test C\_ADBTP\_2601 Test  Search for ( C\_ADBTP\_2601 ) and download it for free on ► [www.pdfvce.com](http://www.pdfvce.com)  website  Latest C\_ADBTP\_2601 Braindumps Questions
- Administrating SAP Business Technology Platform(C\_ADBTP\_2601) exam study guide - C\_ADBTP\_2601 exam prep material - Administrating SAP Business Technology Platform(C\_ADBTP\_2601) latest exam simulator  Simply search for « C\_ADBTP\_2601 » for free download on { [www.pdfdumps.com](http://www.pdfdumps.com) } ►  Well C\_ADBTP\_2601 Prep
- The Top Features of SAP C\_ADBTP\_2601 PDF Dumps File and Practice Test Software  Search for ☼ C\_ADBTP\_2601  ☼  on **【 [www.pdfvce.com](http://www.pdfvce.com) 】** immediately to obtain a free download  Test C\_ADBTP\_2601 Questions Fee
- Detail C\_ADBTP\_2601 Explanation  C\_ADBTP\_2601 Test Testking !! Reliable C\_ADBTP\_2601 Real Exam  The page for free download of { C\_ADBTP\_2601 } on “ [www.dumpsmaterials.com](http://www.dumpsmaterials.com) ” will open immediately  Valid Test C\_ADBTP\_2601 Test
- [bookmarkfame.com](http://bookmarkfame.com), [haleemaezgc005437.get-blogging.com](http://haleemaezgc005437.get-blogging.com), [izaakxdqt455931.wikimeglio.com](http://izaakxdqt455931.wikimeglio.com), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [montyknpb281641.birderswiki.com](http://montyknpb281641.birderswiki.com), [telebookmarks.com](http://telebookmarks.com), [blakenkcg259536.blogspotsuperapp.com](http://blakenkcg259536.blogspotsuperapp.com), [woodyaywt320777.bloggerswise.com](http://woodyaywt320777.bloggerswise.com), [deannavrat968251.blog2news.com](http://deannavrat968251.blog2news.com), [bookmarkindexing.com](http://bookmarkindexing.com), Disposable vapes