

Professional-Cloud-Developer必殺問題集 & 合格するための無料のPDF製品Professional-Cloud-Developer: Google Certified Professional - Cloud Developer確かに試験



さらに、Jpexam Professional-Cloud-Developerダンプの一部が現在無料で提供されています：https://drive.google.com/open?id=1p87Lvltjt_SBC_vOJkC8bp5LjBC6lCmn

弊社のProfessional-Cloud-Developer練習資料は、さまざまな学位の受験者に適しています。この受験者は、この分野の知識のレベルに関係なく互換性があります。これらのGoogle Certified Professional - Cloud Developerトレーニング資料は、当社にとって名誉あるものであり、お客様の目標を達成するための最大の特権として扱っています。一方、理論と実践を離婚することはできませんが、心配する必要はありません。刺激テストの質問があり、学習と実践の両方を同時に行うことができます。私たちの知る限り、Professional-Cloud-Developer試験準備は何百万人もの受験者に夢を追いかけ、より効率的に学習するように動機付けました。Professional-Cloud-Developerの練習資料は、あなたを失望させません。

Google Professional-Cloud-Developer認定は、開発者がGoogle Cloud Platformでアプリケーションを開発する際の専門知識を実証する優れた方法です。この認定は雇用主によって高く評価されており、開発者がキャリアを進めるための優れた方法です。さらに、Google Cloud Platformは急速に成長しているプラットフォームであり、このプラットフォームでアプリケーションの開発に専門知識を持っている開発者に大きな需要があります。

Google Professional-Cloud-Developer 試験は、クラウドネイティブアプリケーションを開発することに特化した開発者にとって不可欠な認定です。この認定を取得することで、GCPのさらなる知識を習得し、スキルや経験を潜在的な雇用主にアピールし、クラウドコンピューティング分野でのキャリアアップにつなげることができます。

>> Professional-Cloud-Developer必殺問題集 <<

便利なProfessional-Cloud-Developer必殺問題集 & 合格スムーズ Professional-Cloud-Developer日本語版トレーニング | 一番優秀な Professional-Cloud-Developer問題数

もちろん、資格試験を審査するとき、非公開にすることはできません。テストProfessional-Cloud-Developer認定に関連する新しいポリシーと情報に注意する必要があります。ユーザーの便宜を図るため、ホームページでProfessional-Cloud-Developerテスト資料を更新し、資格試験に関連する情報をタイムリーに更新します。年次認定試験は、内容はほぼ同じですが、各年のポリシーとして、対応する試験パターンのグレーディング基準とホットスポットが変更されます。Professional-Cloud-Developerテスト準備は、ユーザーが最短時間で合格するのに役立ちます。試験。

Google Professional-Cloud-Developer認定試験は、Google Cloudプラットフォームを使用してクラウドベースのアプリケーションの開発のスキルを実証したい専門家向けに設計されています。この認定は、アプリケーション、クラウドストレージ、クラウドSQL、コンピューティングエンジンなどのGoogleクラウドテクノロジーを使用し

て、アプリケーションを開発および展開するために必要なスキルと知識を検証します。

Google Certified Professional - Cloud Developer 認定 Professional-Cloud-Developer 試験問題 (Q321-Q326):

質問 # 321

Your application is controlled by a managed instance group. You want to share a large read-only data set between all the instances in the managed instance group. You want to ensure that each instance can start quickly and can access the data set via its filesystem with very low latency. You also want to minimize the total cost of the solution. What should you do?

- A. Move the data to a Cloud Storage bucket, and copy the data to the boot disk of the instance via a startup script.
- **B. Move the data to a Compute Engine persistent disk, and attach the disk in read-only mode to multiple Compute Engine virtual machine instances.**
- C. Move the data to a Cloud Storage bucket, and mount the bucket on the filesystem using Cloud Storage FUSE.
- D. Move the data to a Compute Engine persistent disk, take a snapshot, create multiple disks from the snapshot, and attach each disk to its own instance.

正解: B

質問 # 322

You are deploying a single website on App Engine that needs to be accessible via the URL `http://www.altostrat.com/`. What should you do?

- **A. Verify domain ownership with Webmaster Central. Create a DNS CNAME record to point to the App Engine canonical name `ghs.googlehosted.com`.**
- B. Verify domain ownership with Webmaster Central. Define an A record pointing to the single global App Engine IP address.
- C. Define a mapping in `dispatch.yaml` to point the domain `www.altostrat.com` to your App Engine service. Create a DNS CNAME record to point to the App Engine canonical name `ghs.googlehosted.com`.
- D. Define a mapping in `dispatch.yaml` to point the domain `www.altostrat.com` to your App Engine service. Define an A record pointing to the single global App Engine IP address.

正解: A

解説:

Reference:

<https://cloud.google.com/appengine/docs/flexible/dotnet/mapping-custom-domains?hl=fa>

質問 # 323

Your company's product team has a new requirement based on customer demand to autoscale your stateless and distributed service running in a Google Kubernetes Engine (GKE) cluster. You want to find a solution that minimizes changes because this feature will go live in two weeks.

What should you do?

- **A. Deploy a Horizontal Pod Autoscaler, and scale based on the CPU load.**
- B. Deploy a Vertical Pod Autoscaler, and scale based on the CPU load.
- C. Deploy a Horizontal Pod Autoscaler, and scale based on a custom metric.
- D. Deploy a Vertical Pod Autoscaler, and scale based on a custom metric.

正解: A

解説:

<https://cloud.google.com/kubernetes-engine/docs/concepts/horizontalpodautoscaler> The Horizontal Pod Autoscaler changes the shape of your Kubernetes workload by automatically increasing or decreasing the number of Pods in response to the workload's CPU or memory consumption, or in response to custom metrics reported from within Kubernetes or external metrics from sources outside of your cluster.

質問 # 324

Your application is logging to Stackdriver. You want to get the count of all requests on all /api/alpha/* endpoints. What should you do?

- A. Export the logs to Cloud Pub/Sub and count lines matching /api/alpha.
- B. Add a Stackdriver counter metric for endpoint:/api/alpha/*.
- **C. Export the logs to Cloud Storage and count lines matching /api/alpha.**
- D. Add a Stackdriver counter metric for path:/api/alpha/.

正解: C

解説:

Explanation/Reference:

質問 # 325

Case Study

Company Overview

HipLocal is a community application designed to facilitate communication between people in close proximity. It is used for event planning and organizing sporting events, and for businesses to connect with their local communities. HipLocal launched recently in a few neighborhoods in Dallas and is rapidly growing into a global phenomenon. Its unique style of hyper-local community communication and business outreach is in demand around the world.

Executive Statement

We are the number one local community app; it's time to take our local community services global. Our venture capital investors want to see rapid growth and the same great experience for new local and virtual communities that come online, whether their members are 10 or 10000 miles away from each other.

Solution Concept

HipLocal wants to expand their existing service, with updated functionality, in new regions to better serve their global customers. They want to hire and train a new team to support these regions in their time zones. They will need to ensure that the application scales smoothly and provides clear uptime data.

Existing Technical Environment

HipLocal's environment is a mix of on-premises hardware and infrastructure running in Google Cloud Platform.

The HipLocal team understands their application well, but has limited experience in global scale applications.

Their existing technical environment is as follows:

- * Existing APIs run on Compute Engine virtual machine instances hosted in GCP.
- * State is stored in a single instance MySQL database in GCP.
- * Data is exported to an on-premises Teradata/Vertica data warehouse.
- * Data analytics is performed in an on-premises Hadoop environment.
- * The application has no logging.
- * There are basic indicators of uptime; alerts are frequently fired when the APIs are unresponsive.

Business Requirements

HipLocal's investors want to expand their footprint and support the increase in demand they are seeing. Their requirements are:

- * Expand availability of the application to new regions.
- * Increase the number of concurrent users that can be supported.
- * Ensure a consistent experience for users when they travel to different regions.
- * Obtain user activity metrics to better understand how to monetize their product.
- * Ensure compliance with regulations in the new regions (for example, GDPR).
- * Reduce infrastructure management time and cost.
- * Adopt the Google-recommended practices for cloud computing.

Technical Requirements

- * The application and backend must provide usage metrics and monitoring.
- * APIs require strong authentication and authorization.
- * Logging must be increased, and data should be stored in a cloud analytics platform.
- * Move to serverless architecture to facilitate elastic scaling.
- * Provide authorized access to internal apps in a secure manner.

HipLocal's APIs are showing occasional failures, but they cannot find a pattern. They want to collect some metrics to help them troubleshoot.

What should they do?

- A. Take frequent snapshots of all of the VMs.
- **B. Install the Stackdriver Monitoring agent on the VMs.**

- 正解: B**

• • • • •

[illegible]

BONUS!!! Jpexam Professional-Cloud-Developerダンプの一部を無料でダウンロード: https://drive.google.com/open?id=1p87LvItit_SBC_vOJkC8bp5LjBC6lCmm