


Get Help from Real and Experts VCEEngine RedHat EX200 Practice Test



What's more, part of that VCEEngine EX200 dumps now are free: <https://drive.google.com/open?id=17p3AH6pYnO-Z84IkD8eGXcOzFypH7b7m>

Don't miss practicing the EX200 mock exams and score yourself honestly. You have all the time to try RedHat EX200 practice exams and then be confident while appearing for the final turn. The desktop software works on Windows and the web-based format works on all operating systems. With PDF questions, you can prepare for the EX200 Certification Exam while sitting back at our place.

The Red Hat EX200 Exam is meant to test one's knowledge of the specifics of system administration. This area involves a wide range of activities from deployment of products to the maintenance of reliable computer systems. Given that these are duties that support core functions of the organization, such professionals are required to be certified before the company can hire them. For instance, the candidate can take the RHCSA exam (EX200) in order to move to the next phase of becoming a Red Hat Certified Engineer, and this certification increases the chances of becoming the Red Hat Certified Professional of the Year.

>> EX200 Reliable Dumps Free <<

Pass Guaranteed Quiz 2026 High Pass-Rate RedHat EX200: Red Hat Certified System Administrator - RHCSA Reliable Dumps Free

Our EX200 guide torrent through the analysis of each subject research, found that there are a lot of hidden rules worth exploring, this is very necessary, at the same time, our EX200 training materials have a super dream team of experts, so you can strictly control the proposition trend every year. In the annual examination questions, our EX200 study questions have the corresponding rules to summarize, and can accurately predict this year's test hot spot and the proposition direction. This allows the user to prepare for the test full of confidence.

RedHat Red Hat Certified System Administrator - RHCSA Sample Questions (Q46-Q51):

NEW QUESTION # 46

SIMULATION

Add a swap partition.

Adding an extra 500M swap partition to your system, this swap partition should mount automatically when the system starts up.

Don't remove and modify the existing swap partitions on your system.

Answer:

Explanation:

See explanation below.

Explanation/Reference:

Explanation:

```
fdisk -cu /dev/vda// in the way of expanding the partition, don't make main partition partx -a /dev/vda mkswap /dev/vdax swapon
/dev/vdax swapon -s vi /etc/fstab
/dev/vdaxswapswapdefaults0 0
mount -a
```

NEW QUESTION # 47

One Package named zsh is dump on ftp://server1.example.com under /pub/updates directory and your FTP server is 192.168.0.254. Install the package zsh.

Answer:

Explanation:

see explanation below.

Explanation

```
* rpm -ivh ftp://server1/example.com/pub/updates/zsh-*
```

or

```
* Login to ftp server : ftp ftp://server1.example.com using anonymous user.
```

```
* Change the directory: cd pub and cd updates
```

```
* Download the package: mget zsh-*
```

```
* Quit from the ftp prompt : bye
```

```
* Install the package
```

```
* rpm -ivh zsh-*
```

```
* Verify either package is installed or not : rpm -q zsh
```

NEW QUESTION # 48

Create a volume group, and set 8M as a extends. Divided a volume group containing 50 extends on volume group lv (lvshare), make it as ext4 file system, and mounted automatically under /mnt/data. And the size of the floating range should set between 380M and 400M.

Answer:

Explanation:

Answer see in the explanation.

Explanation/Reference:

```
# fdisk
```

```
# partprobe
```

```
# pvcreate /dev/vda6
```

```
# vgcreate -s 8M vg1 /dev/vda6 -s
```

```
# lvcreate -n lvshare -l 50 vg1 -l
```

```
# mkfs.ext4 /dev/vg1/lvshare
```

```
# mkdir -p /mnt/data
```

```
# vim /etc/fstab
```

```
/dev/vg1/lvshare /mnt/data ext4 defaults 0 0
```

```
# mount -a
```

```
# df -h
```

NEW QUESTION # 49

Who ever creates the files/directories on archive group owner should be automatically should be the same group owner of archive.

Answer:

Explanation:

```
chmod g+s /archive
```

Verify using: ls -ld /archive Permission should be like:

```
drwxrws-- 2 root sysuser 4096 Mar 16 18:08 /archive
```

If SGID bit is set on directory then who every users creates the files on directory group owner automatically the owner of parent directory.

