

C_ADBTP學習筆記 - C_ADBTP考試大綱



我們提供的產品是可以100%把你推上成功，那麼IT行業的巔峰離你又近了一步。如果你還沒有通過考試的信心，在這裏向你推薦一個最優秀的參考資料。在上面你可以免費下載我們提供的關於 SAP C_ADBTP 題庫的部分考題及答案測驗我們的可靠性。只需要短時間的學習就可以通過考試的最新的 C_ADBTP 考古題出現了。選擇最新的 C_ADBTP 考題會將對你有很大幫助，你需要考前用考試模擬題隨機做練習，重複做上幾次。

要想通過SAP C_ADBTP認證考試，選擇相應的訓練工具是非常有必要的。而關於SAP C_ADBTP認證考試的研究材料是很重要的一部分，我們的PDFExamDumps能很好很快地提供關於通過SAP C_ADBTP認證考試的研究材料。我們的PDFExamDumps的IT專家都很有經驗，他們的研究材料和你考試的考題十分接近的，幾乎一模一樣。PDFExamDumps是一個專門為要參加認證考試的人提供便利的網站，能有效的幫助考生通過考試。

>> C_ADBTP學習筆記 <<

最優質的的C_ADBTP學習筆記和資格考試中的領先供應商和完整的C_ADBTP考試大綱

多年以來，PDFExamDumps一直致力於為廣大參加IT認證考試的考生們提供最優秀並且最值得信賴的參考資料。關於IT認證考試的出題，PDFExamDumps有著豐富的經驗。而且，PDFExamDumps已經幫助過無數的考生，並得到了大家的信賴和表揚。所以，不要懷疑PDFExamDumps的C_ADBTP考古題的品質了。這絕對是一個可以保證你通過C_ADBTP考試的資料。PDFExamDumps向你保證考不過就全額退款。有了這個保證，你完全沒有必要再猶豫到底要不要買這個考古題了。错过了它將是你很大的損失。

最新的 SAP Certified Associate C_ADBTP 免費考試真題 (Q10-Q15):

問題 #10

SIMULATION

Enable Service Subscriptions

In the entitlements of a directory, add a service plan for a service subscription. Assign and create this subscription to/in a subaccount of the directory.

Task 1: Entitle a Service in a Directory

In your SAP BTP cockpit, enable entitlement management for your Partner directory.

In your Partner directory, entitle the standard (Application) service plan for the SAP Build Work Zone, standard edition.

答案:

解題說明:

See the Explanation below for complete solution.

Explanation:

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open the Partner directory.

Why this matters:

Both actions in this task must be done at the Partner directory level, not directly in a subaccount.

Step 1 - Open the Partner Directory

What to do

In the left navigation, click Directories.

Select Partner.

Explanation:

This opens the directory where you must manage entitlements for this task.

What to verify

You should now be inside the Partner directory page.

Step 2 - Open Entitlements

What to do

Inside the Partner directory, go to Entitlements.

Explanation:

This is the area where you manage quota and service plan assignments for the directory and its subaccounts.

What to verify

You should see the entitlements page for Partner.

Step 3 - Enable Entitlement Management for the Partner Directory

What to do

In the Entitlements area, look for the option to Enable Entitlement Management.

Click Enable.

Explanation:

A directory must have entitlement management enabled before you can add and manage service plans there.

What to verify

After enabling, the Partner directory should allow entitlement assignment and management.

Step 4 - Start Adding a Service Plan

What to do

In the Entitlements page of the Partner directory, click Configure Entitlements or Add Service Plans.

Explanation:

This opens the service catalog where you can select the service and plan to add.

What to verify

You should see the list of available services and plans.

Step 5 - Find the Required Service

What to do

Search for or scroll to:

SAP Build Work Zone, standard edition

Select that service.

Explanation:

You must choose the exact service named in the task. Be careful not to select a different SAP Build service by mistake.

What to verify

The selected service should be:

SAP Build Work Zone, standard edition

Step 6 - Select the Correct Service Plan

What to do

Under the selected service, choose the service plan:

standard (Application)

Add the plan to the entitlement configuration.

Explanation:

This task requires the standard (Application) service plan specifically.

Do not choose another plan if more than one is listed.

What to verify

The selected plan should read exactly:

standard (Application)

Step 7 - Save the Entitlement Changes

What to do

Click Add, Save, or Confirm depending on the screen.

Then click Save for the entitlement configuration.

Explanation:

This commits the new service plan entitlement to the Partner directory.

What to verify

After saving, the entitlements list for Partner should include:

SAP Build Work Zone, standard edition

plan: standard (Application)

Final Expected Result for Task 1

Inside the Partner directory:

Entitlement management is enabled

The service SAP Build Work Zone, standard edition is entitled

The plan standard (Application) is added

Common Mistakes to Avoid

1. Working in the wrong level

Do this in:

Partner directory

Not in:

Global Account

Subaccount

Another directory

2. Forgetting to enable entitlement management first

If entitlement management is not enabled for the directory, you may not be able to add the service plan properly.

3. Choosing the wrong service

Be sure you select:

SAP Build Work Zone, standard edition

Not another SAP Build service.

4. Choosing the wrong plan

You must select:

standard (Application)

問題 #11

SIMULATION

Task 3: Create Subaccounts with Default Provider and Region

In the Human Resources directory, create the subaccount EU HCM Dev (Description: Human Resources Development) with subdomain btpops#####-eu-hcm-dev in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.2.

In the Human Resources directory, create the subaccount EU HCM Test (Description: Human Resources Testing) with subdomain btpops#####-eu-hcm-test using EU HCM Dev as source subaccount.3.

In the Human Resources directory, create the subaccount EU HCM Prod (Description: Human Resources Production) with subdomain btpops#####-eu-hcm-prod using EU HCM Dev as source subaccount. Set the subaccount as used in production.

答案:

解題說明:

See the Explanation below for complete solution.

Explanation:

You must create these 3 subaccounts inside the Human Resources directory:

EU HCM Dev

EU HCM Test

EU HCM Prod

Important:

Replace ##### with your global account number

Enter names, descriptions, and subdomains exactly

EU HCM Prod must be marked as used in production

Task 3 - Create Subaccounts with Default Provider and Region

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open the Human Resources directory.

Why this matters:

All 3 subaccounts in this task must be created inside Human Resources. If you create them anywhere else, the result will be incorrect.

Step 1 - Open the Human Resources Directory

What to do

In the left menu, choose Directories.

In the list, select Human Resources.

Explanation:

This is the parent directory where the required HR subaccounts must be created.

What to verify

You should now be inside the Human Resources directory.

Step 2 - Start Creating EU HCM Dev

What to do

Inside Human Resources, open Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the form to create the first HR subaccount.

Step 3 - Enter Values for EU HCM Dev

What to do

Enter the following:

Display Name / Name: EU HCM Dev

Description: Human Resources Development

Subdomain: btpops#####-eu-hcm-dev

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Explanation:

This creates the development subaccount for HR and defines the required provider and region.

This first subaccount is important because it will be used as the source subaccount for the next two subaccounts.

What to verify

After creation, you should see:

EU HCM Dev

under the Human Resources directory.

Step 4 - Confirm EU HCM Dev Exists

What to do

Check the subaccounts list in Human Resources.

Explanation:

You must make sure EU HCM Dev is available before you create the next subaccounts, because both EU HCM Test and EU HCM Prod must use it as the source subaccount.

What to verify

You should see:

EU HCM Dev

If it is missing, create it correctly before moving on.

Step 5 - Start Creating EU HCM Test

What to do

Still in the Human Resources directory, click Create → Subaccount again.

Explanation:

This opens the form for the test subaccount.

Step 6 - Enter Values for EU HCM Test

What to do

Enter:

Display Name / Name: EU HCM Test

Description: Human Resources Testing

Subdomain: btpops#####-eu-hcm-test

Then select:

Source Subaccount: EU HCM Dev

Then click Create.

Explanation:

This creates the testing subaccount by using EU HCM Dev as the source subaccount.

This helps keep the configuration aligned with the development subaccount.

What to verify

After creation, you should see:

EU HCM Test

under Human Resources.

□ Step 7 - Start Creating EU HCM Prod

What to do

In Human Resources, click Create → Subaccount once more.

Explanation:

This opens the form for the production subaccount.

Step 8 - Enter Values for EU HCM Prod

What to do

Enter:

Display Name / Name: EU HCM Prod

Description: Human Resources Production

Subdomain: btpops#####-eu-hcm-prod

Then select:

Source Subaccount: EU HCM Dev

Enable:

Used in Production: Yes

Then click Create.

Explanation:

This creates the production HR subaccount based on EU HCM Dev and marks it as a production system.

The production setting is mandatory here.

What to verify

After creation, you should see:

EU HCM Prod

under Human Resources, and it should be marked as used in production.

□ Final Expected Result for Task 3

Inside the Human Resources directory, you must have these 3 subaccounts:

1. EU HCM Dev

Description: Human Resources Development

Subdomain: btpops#####-eu-hcm-dev

Region: Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10

2. EU HCM Test

Description: Human Resources Testing

Subdomain: btpops#####-eu-hcm-test

Source Subaccount: EU HCM Dev

3. EU HCM Prod

Description: Human Resources Production

Subdomain: btpops#####-eu-hcm-prod

Source Subaccount: EU HCM Dev

Used in Production: Yes

□ Common Mistakes to Avoid

1. Creating the subaccounts in the wrong directory

All 3 must be created inside:

Human Resources

Not under:

Global Account

Americas

Eurasia

Partner

2. Wrong subdomain values

Use exactly:

btpops#####-eu-hcm-dev

btpops#####-eu-hcm-test

btpops#####-eu-hcm-prod

Only replace ##### with your global account number.

3. Wrong region for EU HCM Dev

It must be:

Amazon Web Services (AWS)

Europe (Frankfurt)

cf-eu10

4. Wrong source subaccount

For both:

EU HCM Test

EU HCM Prod

you must select:

EU HCM Dev

5. Forgetting the production flag

For EU HCM Prod, make sure:

Used in Production is enabled

問題 #12

SIMULATION

Task 2: Create Subaccounts in a Directory

In the Partner directory, create the subaccount AM PA Dev Test (Description: Partner Development and Testing) with subdomain btpops#####-am-pa-dev-test in the region Microsoft Azure → US West (WA) cf-us20.

In the Partner directory, create the subaccount AM PA Prod (Description: Partner Production) with subdomain btpops#####-am-pa-prod using AM PA Dev Test as source subaccount. Set the subaccount as used in production.

答案:

解題說明:

See the Explanation below for complete solution.

Explanation:

Task 2 - Create Subaccounts in a Directory

You must create these two subaccounts inside the Partner directory:

AM PA Dev Test

AM PA Prod

Important:

Replace ##### with your global account number

Enter all names and subdomains exactly

Be careful with hyphens and spaces

AM PA Prod must be marked as used in production

Before You Start

Log in to SAP BTP Cockpit.

Open your correct Global Account.

Go to Directories.

Open the Partner directory.

Why this matters:

Both subaccounts in this task must be created inside the Partner directory. If you create them under the global account or another directory, the task will be wrong.

Step 1 - Open the Partner Directory

What to do

In the left menu, click Directories.

In the directory list, select Partner.

Explanation:

The Partner directory is the container where both required subaccounts must be created.

What to verify

You should now be inside the Partner directory page.

Step 2 - Start Creating the First Subaccount

What to do

Inside the Partner directory, go to Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the subaccount creation screen.

What to verify

You should now see the form for creating a new subaccount.

Step 3 - Enter Data for AM PA Dev Test

What to do

Enter the following values:

Display Name / Name: AM PA Dev Test

Description: Partner Development and Testing

Subdomain: btpops#####-am-pa-dev-test

Then choose the region:

Cloud Provider: Microsoft Azure

Region: US West (WA)

Environment / Technical Region: cf-us20

After checking all values, click Create.

□ Explanation:

This creates the development and testing subaccount for the Partner directory.

The important points are:

the subaccount name must match exactly

the subdomain must include your account number in place of #####

the region must be Microsoft Azure → US West (WA) cf-us20

What to verify

After creation, you should see the new subaccount:

AM PA Dev Test

inside the Partner directory.

Step 4 - Confirm the First Subaccount Exists

What to do

Check the subaccounts list under Partner.

Explanation:

Before creating the production subaccount, confirm that AM PA Dev Test was created successfully, because it will be used as the source subaccount for the next step.

What to verify

You should see:

AM PA Dev Test

If it is not there, do not continue until it is created correctly.

□ Step 5 - Start Creating the Second Subaccount

What to do

Still inside the Partner directory, click Create → Subaccount again.

Explanation:

This opens a new subaccount creation form for the production subaccount.

Step 6 - Enter Data for AM PA Prod

What to do

Enter the following values:

Display Name / Name: AM PA Prod

Description: Partner Production

Subdomain: btpops#####-am-pa-prod

Then set:

Source Subaccount: AM PA Dev Test

Enable the production setting:

Used in Production: Yes

Then click Create.

□ Explanation:

This creates the production subaccount by using AM PA Dev Test as the source subaccount.

Using a source subaccount means SAP BTP copies base settings from the selected source, which helps keep configuration aligned.

The production indicator is mandatory here because this is the production subaccount.

What to verify

After creation, you should see:

AM PA Prod

inside the Partner directory, and it should be marked as a production subaccount.

Final Expected Result for Task 2

Inside the Partner directory, you must have these two subaccounts:

1. AM PA Dev Test

Description: Partner Development and Testing

Subdomain: btpops#####-am-pa-dev-test

Region: Microsoft Azure → US West (WA) cf-us20

2. AM PA Prod

Description: Partner Production

Subdomain: btpops#####-am-pa-prod

Source Subaccount: AM PA Dev Test

Used in Production: Yes

Common Mistakes to Avoid

1. Creating the subaccounts in the wrong place

Both subaccounts must be created in:

Partner directory

Not in:

Global Account

Americas

Eurasia

Human Resources

2. Wrong subdomain format

Use exactly:

btpops####-am-pa-dev-test

btpops####-am-pa-prod

Replace only #### with your global account number.

Do not:

remove hyphens

add spaces

misspell dev-test or pa-prod

3. Wrong region for AM PA Dev Test

It must be:

Microsoft Azure

US West (WA)

cf-us20

4. Forgetting the source subaccount for AM PA Prod

You must select:

AM PA Dev Test

as the source subaccount.

5. Forgetting the production flag

For AM PA Prod, make sure:

Used in Production is enabled

問題 #13

SIMULATION

Create a Service Instance in Cloud Foundry

Enable a service instance of the HTML5 Application Repository Service for Cloud Foundry.

Create a Service Instance in a Cloud Foundry Environment

In your SAP BTP cockpit, in the EU HCM Dev subaccount, create the service instance htm5-eu-hcm-dev for the HTML5 Application Repository Service with the service plan app-host in the Cloud Foundry space activity-recording

答案:

解題說明:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open Human Resources.

Open the EU HCM Dev subaccount.

This matters because the task must be completed in EU HCM Dev, and the service instance must be created in the specific Cloud Foundry space activity-recording. SAP Help also confirms that the HTML5 Application Repository is used in the Cloud Foundry environment and that the app-host plan is the host service used to store HTML5 application content.

Step 1 - Open the Cloud Foundry space

In EU HCM Dev, go to:

Cloud Foundry

Spaces

Select the space:

activity-recording

SAP Help describes creating Cloud Foundry service instances by first navigating to the subaccount, opening Cloud Foundry Spaces, selecting the target space, and then using that space's Services > Service Instances area.

Step 2 - Open Service Instances in the space

Inside the activity-recording space, go to:

Services

Service Instances

This is the Cloud Foundry-space-level location used for creating service instances in that space.

Step 3 - Start creating the new instance

Click Create.

A wizard opens for the new service instance. SAP Help describes this as the standard cockpit flow for creating service instances in Cloud Foundry spaces.

Step 4 - Choose the required service

In the service selection, choose:

HTML5 Application Repository Service

SAP Help documents the HTML5 Application Repository as the service used for centrally storing HTML5 applications' static content on SAP BTP in the Cloud Foundry environment.

Step 5 - Choose the required service plan

Select the service plan:

app-host

SAP Help states that the app-host service plan is used to deploy applications to the HTML5 Application Repository.

Step 6 - Enter the instance name

Set the service instance name to:

html5-eu-hcm-dev

Then continue and confirm creation.

SAP Help recommends using a CLI-friendly name for service instances, and the task gives the exact required name.

Step 7 - Verify the space is correct

Before final confirmation, verify the target Cloud Foundry space is:

activity-recording

This is important because Cloud Foundry service instances are created within a specific space, not only at the subaccount level.

Step 8 - Create and confirm

Click Create or Finish.

Wait for the status to change from in-progress to created.

SAP Help notes that after creation, the instance appears in the service instances table and its status can be checked there.

Final expected result

Inside EU HCM Dev, in Cloud Foundry space activity-recording, you should have a service instance with:

Service: HTML5 Application Repository Service

Plan: app-host

Instance Name: html5-eu-hcm-dev

Common mistakes to avoid

Creating the instance in the wrong subaccount; it must be EU HCM Dev.

Creating it in the wrong Cloud Foundry space; it must be activity-recording.

Choosing the wrong service; use HTML5 Application Repository Service.

Choosing the wrong plan; use app-host. SAP Help specifically links app-host with hosting deployed HTML5 app content.

Typing the wrong instance name; use exactly html5-eu-hcm-dev.

問題 #14

.....

為什麼PDFExamDumps SAP的C_ADBTP考試培訓資料與別的培訓資料相比，它更受廣大考生的歡迎呢，第一，這是共鳴的問題，我們必須真正瞭解考生的需求，而且要比任何網站都要全面到位。第二，專注，為了做好我們決定完成的事情，必須放棄所有不重要的機會。第三，人們的確會用表面來判斷一個東西的好壞，我們或許擁有最優秀最高品質的產品，但如果以粗製濫造的方式展示出來，自然會被列為粗製濫造的產品，如果以既有創意又很專業的方式呈現，那麼我們將得到最高的效果。PDFExamDumps SAP的C_ADBTP考試培訓資料就是這樣成功的培訓資料，舍它其誰？

C_ADBTP考試大綱: https://www.pdfexamdumps.com/C_ADBTP_valid-braindumps.html

