

# Training NCM-MCI Materials & NCM-MCI Real Exams



Are you planning to attempt the Nutanix Certified Master - Multicloud Infrastructure v6.10 (NCM-MCI) exam of the NCM-MCI certification? The first hurdle you face while preparing for the Nutanix Certified Master - Multicloud Infrastructure v6.10 (NCM-MCI) exam is not finding the trusted brand of accurate and updated NCM-MCI exam questions. If you don't want to face this issue then you are at the trusted Real4test is offering actual and Latest NCM-MCI Exam Questions that ensure your success in the Nutanix Certified Master - Multicloud Infrastructure v6.10 (NCM-MCI) certification exam on your maiden attempt.

## How to Succeed in Nutanix NCM-MCI Exam

Nutanix NCM-MCI Exam is an essential source for your successful certification. So the materials will help you to pass the exam.

Now, we are providing you the opportunity of experiencing our best service by offering the **Nutanix NCM-MCI Dumps** Package. It is a bundle pack that includes all the Nutanix NCM-MCI Dumps required for Nutanix NCM-MCI exam.

We have included in it all of our products because according to our research their combination has proven very effective for passing Nutanix NCM-MCI Exam. If you prepare for this exam using these products individually, it may not be easy for you to pass it in one attempt. The reason is that each product has its separate function and topics which when combined with other products make a complete study package for passing Nutanix NCM-MCI Exam successfully.

So, we recommend you to use this powerful package instead of individual products if you really want to save your time and money while achieving your goal of becoming Nutanix Certified Professional.

>> [Training NCM-MCI Materials](#) <<

## NCM-MCI Real Exams - NCM-MCI Clearer Explanation

Our product is dedicated to providing a better understanding of the the NCM-MCI exa, through providing the stimulated environment of the NCM-MCI exam, it will benefit you while taking part in the exam. For your benefit, we also have money back gurantee if you fail to pass the exam. Once you have passed the NCM-MCIexam, it is directly linked to your salary and the position of you in your company. The certificate is also a stimulation of you, it proves that the ability of you is impoved, and it will offers you more opportunities in the future job market.

## What is the salary of the Nutanix NCM-MCI Exam

The Average salary of different countries of Nutanix Certified Expert

- United States - USD 116,178 per year
- UK - Pounds 45,280 per year
- India - INR 776,970 per year

## Nutanix Certified Master - Multicloud Infrastructure v6.10 Sample Questions

## (Q16-Q21):

### NEW QUESTION # 16

Task 13

The application team is reporting performance degradation for a business-critical application that runs processes all day on Saturdays.

The team is requesting monitoring or processor, memory and storage utilization for the three VMs that make up the database cluster for the application: ORA01, ORA02 and ORA03.

The report should contain tables for the following:

At the cluster level, only for the current cluster:

The maximum percentage of CPU used

At the VM level, including any future VM with the prefix ORA:

The maximum time taken to process I/O Read requests

The Maximum percentage of time a VM waits to use physical CPU, out of the local CPU time allotted to the VM.

The report should run on Sundays at 12:00 AM for the previous 24 hours. The report should be emailed to appdev@cyberdyne.net when completed.

Create a report named Weekends that meets these requirements

Note: You must name the report Weekends to receive any credit. Any other objects needed can be named as you see fit. SMTP is not configured.


A: Click Next.

Click on Add to add this custom view to your report. Click Next.

Under the Report Settings option, select Weekly from the Schedule drop-down menu and choose Sunday as the day of week. Enter 12:00 AM as the time of day. Enter appdev@cyberdyne.net as the Email Recipient. Select CSV as the Report Output Format.

Click Next.

Review the report details and click Finish.



### Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To create a report named Weekends that meets the requirements, you can follow these steps:

Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and click on Create Report.

Enter Weekends as the report name and a description if required. Click Next.

Under the Custom Views section, select Data Table. Click Next.  
Under the Entity Type option, select Cluster. Click Next.  
Under the Custom Columns option, add the following variable: CPU Usage (%). Click Next.  
Under the Aggregation option for CPU Usage (%), select Max. Click Next.  
Under the Filter option, select Current Cluster from the drop-down menu. Click Next.  
Click on Add to add this custom view to your report. Click Next.  
Under the Custom Views section, select Data Table again. Click Next.  
Under the Entity Type option, select VM. Click Next.  
Under the Custom Columns option, add the following variables: Name, I/O Read Latency (ms), VM Ready Time (%). Click Next.  
Under the Aggregation option for I/O Read Latency (ms) and VM Ready Time (%), select Max. Click Next.  
Under the Filter option, enter ORA\* in the Name field. This will include any future VM with the prefix OR

## NEW QUESTION # 17

### Task 11

An administrator has noticed that after a host failure, the SQL03 VM was not powered back on from another host within the cluster. The Other SQL VMs (SQL01, SQL02) have recovered properly in the past.  
Resolve the issue and configure the environment to ensure any single host failure affects a minimal number of SQL VMs.  
Note: Do not power on any VMs

### Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

One possible reason why the SQL03 VM was not powered back on after a host failure is that the cluster was configured with the default (best effort) VM high availability mode, which does not guarantee the availability of VMs in case of insufficient resources on the remaining hosts. To resolve this issue, I suggest changing the VM high availability mode to guarantee (reserved segments), which reserves some memory on each host for failover of VMs from a failed host. This way, the SQL03 VM will have a higher chance of being restarted on another host in case of a host failure.

To change the VM high availability mode to guarantee (reserved segments), you can follow these steps:

Log in to Prism Central and select the cluster where the SQL VMs are running.

Click on the gear icon on the top right corner and select Cluster Settings.

Under Cluster Services, click on Virtual Machine High Availability.

Select Guarantee (Reserved Segments) from the drop-down menu and click Save.

To configure the environment to ensure any single host failure affects a minimal number of SQL VMs, I suggest using anti-affinity rules, which prevent VMs that belong to the same group from running on the same host. This way, if one host fails, only one SQL VM will be affected and the other SQL VMs will continue running on different hosts.

To create an anti-affinity rule for the SQL VMs, you can follow these steps:

Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and click on Create Group.

Enter a name for the group, such as SQL Group, and click Next.

Select the SQL VMs (SQL01, SQL02, SQL03) from the list and click Next.

Select Anti-Affinity from the drop-down menu and click Next.

Review the group details and click Finish.

I hope this helps. How else can I help?

[https://portal.nutanix.com/page/documents/details?targetId=AHV-Admin-Guide-v6\\_5:ahv-affinity-policies-c.html](https://portal.nutanix.com/page/documents/details?targetId=AHV-Admin-Guide-v6_5:ahv-affinity-policies-c.html)



## NEW QUESTION # 18

### Task 15

An administrator found a CentOS VM, Cent\_Down, on the cluster with a corrupted network stack. To correct the issue, the VM will need to be restored from a previous snapshot to become reachable on the network again.

VM credentials:

Username: root

Password: nutanix/4u

Restore the VM and ensure it is reachable on the network by pinging 172.31.0.1 from the VM.

Power off the VM before proceeding.

### Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To restore the VM and ensure it is reachable on the network, you can follow these steps:

Log in to the Web Console of the cluster where the VM is running.

Click on Virtual Machines on the left menu and find Cent\_Down from the list. Click on the power icon to power off the VM.

Click on the snapshot icon next to the power icon to open the Snapshot Management window.

Select a snapshot from the list that was taken before the network stack was corrupted. You can use the date and time information to choose a suitable snapshot.

Click on Restore VM and confirm the action in the dialog box. Wait for the restore process to complete.

Click on the power icon again to power on the VM.

Log in to the VM using SSH or console with the username and password provided.

Run the command ping 172.31.0.1 to verify that the VM is reachable on the network. You should see a reply from the destination IP address.

Go to VMS from the prism central gui

Select the VM and go to More -> Guest Shutdown

Go to Snapshots tab and revert to latest snapshot available

power on vm and verify if ping is working

## NEW QUESTION # 19

### Task 16

Running NCC on a cluster prior to an upgrade results in the following output FAIL: CVM System Partition /home usage at 93% (greater than threshold, 90%) Identify the CVM with the issue, remove the file causing the storage bloat, and check the health again by running the individual disk usage health check only on the problematic CVM do not run NCC health check Note: Make sure only the individual health check is executed from the affected node

### Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To identify the CVM with the issue, remove the file causing the storage bloat, and check the health again, you can follow these steps:

Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and find the NCC health check output file from the list. You can use the date and time information to locate the file. The file name should be something like ncc-output-YYYY-MM-DD-HH-MM-SS.log.

Open the file and look for the line that says FAIL: CVM System Partition /home usage at 93% (greater than threshold, 90%). Note down the IP address of the CVM that has this issue. It should be something like X.X.X.X.

Log in to the CVM using SSH or console with the username and password provided.

Run the command du -sh /home/\* to see the disk usage of each file and directory under /home. Identify the file that is taking up most of the space. It could be a log file, a backup file, or a temporary file. Make sure it is not a system file or a configuration file that is needed by the CVM.

Run the command rm -f /home/<filename> to remove the file causing the storage bloat. Replace <filename> with the actual name of the file.

Run the command ncc health\_checks hardware\_checks disk\_checks disk\_usage\_check --cvm\_list=X.X.X.X to check the health again by running the individual disk usage health check only on the problematic CVM. Replace X.X.X.X with the IP address of the CVM that you noted down earlier.

Verify that the output shows PASS: CVM System Partition /home usage at XX% (less than threshold, 90%). This means that the issue has been resolved.

```
#access to CVM IP by Putty
allssh df -h #look for the path /dev/sdb3 and select the IP of the CVM
ssh CVM_IP
ls
cd software_downloads
ls
cd nos
ls -l-h
rm files_name
df-h
ncc health_checks hardware_checks disk_checks disk_usage_check
```

## NEW QUESTION # 20

### Task 5

An administrator has been informed that a new workload requires a logically segmented network to meet security requirements.

Network configuration:

VLAN: 667

Network: 192.168.0.0

Subnet Mask: 255.255.255.0

DNS server: 34.82.231.220

Default Gateway: 192.168.0.1

Domain: cyberdyne.net

IP Pool: 192.168.9.100-200

DHCP Server IP: 192.168.0.2

Configure the cluster to meet the requirements for the new workload if new objects are required, start the name with 667.

### Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure the cluster to meet the requirements for the new workload, you need to do the following steps:

Create a new VLAN with ID 667 on the cluster. You can do this by logging in to Prism Element and going to Network Configuration > VLANs > Create VLAN. Enter 667 as the VLAN ID and a name for the VLAN, such as 667\_VLAN.

Create a new network segment with the network details provided. You can do this by logging in to Prism Central and going to Network > Network Segments > Create Network Segment. Enter a name for the network segment, such as 667\_Network\_Segment, and select 667\_VLAN as the VLAN. Enter 192.168.0.0 as the Network Address and 255.255.255.0 as the Subnet Mask. Enter 192.168.0.1 as the Default Gateway and 34.82.231.220 as the DNS Server. Enter cyberdyne.net as the Domain Name.

Create a new IP pool with the IP range provided. You can do this by logging in to Prism Central and going to Network > IP Pools > Create IP Pool. Enter a name for the IP pool, such as 667\_IP\_Pool, and select 667\_Network\_Segment as the Network Segment. Enter 192.168.9.100 as the Starting IP Address and 192.168.9.200 as the Ending IP Address.

Configure the DHCP server with the IP address provided. You can do this by logging in to Prism Central and going to Network > DHCP Servers > Create DHCP Server. Enter a name for the DHCP server, such as 667\_DHCP\_Server, and select 667\_Network\_Segment as the Network Segment. Enter 192.168.0.2 as the IP Address and select 667\_IP\_Pool as the IP Pool.

Create Subnet

DHCP Settings

Domain Name Servers (Comma Separated)  
34.82.231.220 10

Domain Search (Comma Separated)  
cyberdyne.net 11

Domain Name  
cyberdyne 12

TFTP Server Name

Boot File Name

IP Address Pools 13

Cancel Save

**NUTANIX**™

Create Subnet

Boot File Name

IP Address Pools 14

+ Create Pool

Start Address: 192.168.9.100 15

End Address: 192.168.9.200

Override DHCP server  16

DHCP Server IP Address: 192.168.0.2 17

Cancel Save 17

**NUTANIX**™

## NEW QUESTION # 21

.....

NCM-MCI Real Exams: [https://www.real4test.com/NCM-MCI\\_real-exam.html](https://www.real4test.com/NCM-MCI_real-exam.html)

- 100% Pass 2026 Nutanix NCM-MCI: Nutanix Certified Master - Multicloud Infrastructure v6.10 –High Hit-Rate Training Materials  Easily obtain free download of ► NCM-MCI ◀ by searching on [ [www.prepawayete.com](http://www.prepawayete.com) ]  NCM-MCI Valid Test Pdf

