


2026 Oracle Valid 1z0-1104-25 Test Duration & Pass Guaranteed Quiz Realistic Oracle Cloud Infrastructure 2025 Security Professional Latest Test Testking



DOWNLOAD the newest VCE4Plus 1z0-1104-25 PDF dumps from Cloud Storage for free: https://drive.google.com/open?id=1rH0x1JHLqZZFXXSkQo8kV_1vo7bMqVO

If you want to know PDF version of Oracle 1z0-1104-25 new test questions, you can download our free demo before purchasing. Yes, we provide free PDF version for your reference. If you want to know the quality of our PDF version of 1z0-1104-25 new test questions, free PDF demo will show you. PDF version is easy for read and print out. If you are used to studying on paper, this version will be suitable for you. Besides, you place order for your companies, PDF version of 1z0-1104-25 new test questions can be printed out many times and suitable for demonstration.

Oracle 1z0-1104-25 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none"> Implementing Identity and Access Management (IAM): This section of the exam measures skills of OCI Administrators and focuses on identity and access controls. It covers IAM domains, users, groups, and compartments, as well as the use of IAM policies to manage access to resources. Candidates are also tested on configuring dynamic groups, network sources, and tag-based access control, along with managing MFA, sign-on policies, and activity monitoring.
Topic 2	<ul style="list-style-type: none"> OCI Security Introduction: This section of the exam measures the skills of Cloud Security Professionals and covers the basics of security in Oracle Cloud Infrastructure. It introduces the shared security responsibility model, the core principles of security design, and the use of foundational security services to secure deployments on OCI.
Topic 3	<ul style="list-style-type: none"> Protecting Infrastructure - Network and Applications: This section of the exam measures the skills of Cloud Security Professionals and covers methods for securing networks and applications on OCI. Topics include network security groups, firewalls, and security lists, while also focusing on the use of load balancers for availability. The section further addresses the configuration of OCI certificates and web application firewalls to strengthen infrastructure security.
Topic 4	<ul style="list-style-type: none"> Protecting Data: This section of the exam measures the skills of Cloud Security Professionals and highlights data security practices in OCI. It tests knowledge of using the Key Management Service for encryption keys, managing secrets in the OCI Vault, and applying features of OCI Data Safe to ensure sensitive data remains protected.

>> Valid 1z0-1104-25 Test Duration <<

1z0-1104-25 Latest Test Testking & Test 1z0-1104-25 Quiz

Annual test syllabus is essential to predicate the real 1z0-1104-25 questions. So you must have a whole understanding of the test syllabus. After all, you do not know the 1z0-1104-25 exam clearly. It must be difficult for you to prepare the 1z0-1104-25 exam. Then our study materials can give you some guidance. All questions on our 1z0-1104-25 study materials are strictly in accordance with the knowledge points on newest test syllabus. Also, our experts are capable of predicating the difficult knowledge parts of the 1z0-1104-25 Exam according to the test syllabus. We have tried our best to simply the difficult questions. In order to help you memorize the 1z0-1104-25 study materials better, we have detailed explanations of the difficult questions such as illustration, charts and referring website. Every year some knowledge is reoccurring over and over. You must ensure that you master them completely.

Oracle Cloud Infrastructure 2025 Security Professional Sample Questions (Q23-Q28):

NEW QUESTION # 23

Task 4: Create a Certificate Authority (CA)

Create a certificate authority, where:

CA name: PBT-CERT-CA-01-<username>

For example, if your username is 99008677-lab.user01, then the certificate authority name should be PBT- CERT-CA-0199008677labuser01 Ensure you eliminate special characters from the user name.

Common name: PBT-CERT-OCICA-01

Master Encryption Key: PBT-CERT-MEK-01 (created in the previous task)

Answer:

Explanation:

See the solution below in Explanation.

Task 4: Create a Certificate Authority (CA)

Step 1: Access the OCI Vault

* Log in to the OCI Console.

* Navigate to Identity & Security>Vault.

* Select the root compartment.

* Locate and click on the vault named PBI_Vault_SP.

Step 2: Create the Certificate Authority

* In the PBI_Vault_SP vault details page, under Resources, click Certificate Authorities.

* Click Create Certificate Authority.

* Enter the following details:

* Name: Replace <username> with your username (e.g., if your username is 99008677-lab.user01, remove special characters like - and . to get 99008677labuser01, then use PBT-CERT-CA-0199008677labuser01).

* Common Name: Enter PBT-CERT-OCICA-01.

* Master Encryption Key: Select the PBT-CERT-MEK-01<username> key created in Task 3 (e.g., PBT-CERT-MEK-0199008677labuser01).

* Subject: Leave as default or adjust (e.g., Organization, Country) if required by your setup.

* Validity Period: Set as needed (e.g., 10 years), or use the default.

* Compartment: Ensure it's set to the root compartment.

* Click Create Certificate Authority and wait for the CA to be provisioned.

Step 3: Verify the Certificate Authority

* After creation, go to the Certificate Authorities section under PBI_Vault_SP.

* Confirm the CA PBT-CERT-CA-01<username> (e.g., PBT-CERT-CA-0199008677labuser01) is listed and its status is active.

NEW QUESTION # 24


Challenge 2

In deploying a new application, a cloud customer needs to reflect different security postures. If a security zone is enabled with the Maximum Security Zone recipe, the customer will be unable to create or update a resource in the security zone if the action violates

the attached Maximum Security Zone policy.

As an application requirement, the customer requires a compute instance in the public subnet. You therefore, need to configure Custom Security Zones that allow the creation of compute instances in the public subnet.

Review the architecture diagram, which outlines the resources you'll need to address the requirement:



Preconfigured

To complete this requirement, you are provided with the following:

Access to an OCI tenancy, an assigned compartment, and OCI credentials

Required IAM policies

Task 5: Provision a Compute Instance

Provision a compute instance in the IAD-SP-PBT-PUBSNET-01 public subnet, where:

Name IAD-SP-PBT-1-VM-01

image: Oracle Linux 8

Shape VM: Standard, A1, Flex

Enter the OCID of the created compute instance in the text box below.

Answer:

Explanation:

See the solution below in Explanation.

Explanation:

To provision a compute instance named IAD-SP-PBT-1-VM-01 in the IAD-SP-PBT-PUBSNET-01 public subnet with the specified configuration (Oracle Linux 8 image, VM Standard A1 Flex shape), follow these steps based on the Oracle Cloud Infrastructure (OCI) Compute documentation.

Step-by-Step Solution for Task 5: Provision a Compute Instance

* Log in to the OCI Console:

* Use your OCI credentials to log in to the OCI Console (<https://console.us-ashburn-1.oraclecloud>).

com).

- * Ensure you have access to the assigned compartment.
 - * Navigate to Compute Instances:
 - * From the OCI Console, click the navigation menu (hamburger icon) on the top left.
 - * Under Compute, select Instances.
 - * Create a New Compute Instance:
 - * Click the Create Instance button.
 - * Configure the Instance Details:
 - * Name: Enter IAD-SP-PBT-1-VM-01.
 - * Compartment: Select the assigned compartment.
 - * Placement: Choose the availability domain (e.g., AD-1) based on your region's availability.
 - * Select the Image:
 - * Under Image and Shape, click Change Image.
 - * Select Oracle Linux 8 from the platform images list.
 - * Click Select Image.
 - * Choose the Shape:
 - * Click Change Shape.
 - * Select VM Standard category.
 - * Choose A1 Flex from the shape options.
 - * Configure the OCPUs (e.g., 1 OCPU) and memory (e.g., 6 GB) as needed for A1 Flex, then click Select Shape.
 - * Configure Networking:
 - * Under Networking, ensure the Virtual Cloud Network is set to IAD-SP-PBT-VCN-01.
 - * Set the Subnet to IAD-SP-PBT-PUBSNET-01 (public subnet with CIDR 10.0.1.0/24).
 - * Enable Assign a public IPv4 address to allow external connectivity.
 - * Leave the default security list or assign a custom one if configured previously.
 - * Set Up SSH Access:
 - * Under Add SSH Keys, either:
 - * Upload your public SSH key file, or
 - * Paste your public SSH key manually.
 - * This ensures you can access the instance via SSH.
 - * Launch the Instance:
 - * Click Create to provision the compute instance.
 - * Wait for the instance to reach the Running state (this may take a few minutes).
 - * Note the Instance OCID:
 - * Once the instance is running, go to the instance details page for IAD-SP-PBT-1-VM-01.
 - * Copy the OCID displayed (e.g., ocid1.instance.oc1..unique_string).
- OCID of the Created Compute Instance
- * Enter the OCID of the created compute instance (IAD-SP-PBT-1-VM-01) into the text box. The exact OCID will be available after Step 9 (e.g., ocid1.instance.oc1..unique_string).
- Notes
- * Ensure the security zone IAD_SAP-PBT-CSZ-01 and its associated recipe IAD-SP-PBT-CSP-01 allow compute instance creation in the public subnet (10.0.1.0/24).
 - * Verify network connectivity by testing SSH access using the public IP assigned to the instance.

NEW QUESTION # 25

You're managing an Oracle Cloud Infrastructure (OCI) environment where a public website hosts downloadable assets stored in Object Storage buckets. These buckets need to be publicly accessible for website visitors, but Cloud Guard keeps flagging them as security risks.

How can Cloud Guard be configured to ignore problems specific to public buckets while still ensuring security checks are applied to other resources that require them?

- A. Fix the baseline by configuring the Conditional groups for the detector.
- B. Resolve or remediate the problems by making the buckets private.
- C. A public bucket is a security risk, so Cloud Guard will keep detecting it.
- D. Dismiss problems associated with those resources.

Answer: A


NEW QUESTION # 26

Challenge 2 -Task 1

In deploying a new application, a cloud customer needs to reflect different security postures. If a security zone is enabled with the Maximum Security Zone recipe, the customer will be unable to create or update a resource in the security zone if the action violates the attached Maximum Security Zone policy.

As an application requirement, the customer requires a compute instance in the public subnet. You therefore, need to configure Custom Security Zones that allow the creation of compute instances in the public subnet.

Review the architecture diagram, which outlines the resources you'll need to address the requirement:



Preconfigured

To complete this requirement, you are provided with the following:

Access to an OCI tenancy, an assigned compartment, and OCI credentials

Required IAM policies

Task 2: Create a Security Zone

Create a security Zone named IAD_SAP-PBT-CSZ-01 in your assigned compartment and associate it with the Custom Security Zone Recipe (IAD-SAP-PBT-CSP-01) created in the previous task.

Enter the OCID of the created Security zone in the box below.

Security Zone name: IAD-SP-PBT-CSZ-01
Associated Recipe: IAD-SP-PBT-CSP-01
Compartment: 98815992-C01
Purpose: Allow compute in Public Subnet

Answer:

Explanation:

See the solution below in Explanation.

Explanation:

To create a Security Zone named IAD_SAP-PBT-CSZ-01 in your assigned compartment and associate it with the Custom Security Zone Recipe IAD-SP-PBT-CSP-01 created in the previous task, follow these steps based on the Oracle Cloud Infrastructure

(OCI) Security Zones documentation.

Step-by-Step Solution for Task 2: Create a Security Zone

* Log in to the OCI Console:

* Use your OCI credentials to log in to the OCI Console (<https://console.us-ashburn-1.oraclecloud.com>).

* Ensure you have access to the assigned compartment.

* Navigate to Security Zones:

* From the OCI Console, click the navigation menu (hamburger icon) on the top left.

* Under Governance and Administration, select Security Zones.

* Create a New Security Zone:

* In the Security Zones dashboard, click the Create Security Zone button.

* Configure the Security Zone Details:

* Name: Enter IAD_SAP-PBT-CSZ-01.

* Compartment: Select the assigned compartment provided.

* Description: (Optional) Add a description, e.g., "Security Zone for public subnet compute instances."

* Associate the Custom Security Zone Recipe:

* In the Recipe section, select the custom recipe IAD-SP-PBT-CSP-01 created in Task 1 from the dropdown list.

* Ensure the recipe is correctly associated to enforce the policy allowing compute instances in the public subnet.

* Define the Security Zone Scope:

* Under Resources to Protect, select the compartment or specific resources (e.g., the VCN with CIDR 10.0.0.0/16 and public subnet 10.0.10.0/24) to apply the security zone.

* Check the box to include all resources in the selected compartment if applicable.

* Create the Security Zone:

* Click Create to finalize the security zone creation.

* Once created, note the OCID of the security zone from the security zone details page. The OCID will be a unique identifier starting with ocid1.securityzone.

* Verify the Security Zone:

* Go to the Security Zone tab and locate IAD_SAP-PBT-CSZ-01.

* Confirm the associated recipe (IAD-SP-PBT-CSP-01) and the applied policies.

OCID of the Created Security Zone

* The exact OCID will be generated upon creation (e.g., ocid1.securityzone.oc1..<unique_string>).

Please enter the OCID displayed in the OCI Console after completing Step 7.

NEW QUESTION # 27

A company is securing its compute instances (VMs and Bare Metal Machines) in Oracle Cloud infrastructure (OCI) using a network firewall. As shown in the diagram, traffic flows from the internet Gateway (IGW) to the firewall in the Public DMZ Subnet, and then to the compute instances in the Public Subnet.



When configuring security lists and network security groups (NSGs) in this setup, what should they consider?

- A. If the policy used with the firewall has no rules specified, the firewall allows all traffic.
- B. Add stateful rules to the security list attached to the firewall subnet or include the firewall in an NSG containing stateful rules for better performance.
- C. Ensure that any security list or NSG rules allow the traffic to enter the firewall for appropriate evaluation.
- D. Security list and NSG rules associated with the firewall subnet and VNICs are evaluated after the firewall.

Answer: C

NEW QUESTION # 28

.....

The evergreen field of Oracle is so attractive that it provides non-stop possibilities for the one who passes the Oracle 1z0-1104-25 exam. So, to be there on top of the IT sector, earning the Oracle Cloud Infrastructure 2025 Security Professional (1z0-1104-25) certification is essential. Because of using outdated 1z0-1104-25 Study Material, many candidates don't get success in the 1z0-1104-25 exam and lose their resources. The 1z0-1104-25 PDF Questions of VCE4Plus are authentic and real.

1z0-1104-25 Latest Test Testking: <https://www.vce4plus.com/Oracle/1z0-1104-25-valid-vce-dumps.html>

- 1z0-1104-25 Knowledge Points □ Exam Dumps 1z0-1104-25 Free □ 1z0-1104-25 Test Tutorials □ Easily obtain
➔ 1z0-1104-25 □ for free download through ☀ www.vce4dumps.com □ ☀ □ Latest 1z0-1104-25 Exam Guide
- Pass Guaranteed 2026 Oracle 1z0-1104-25 –Efficient Valid Test Duration □ Go to website □ www.pdfvce.com □ open and search for □ 1z0-1104-25 □ to download for free □ 1z0-1104-25 Reliable Exam Guide
- Free PDF Quiz 2026 Marvelous 1z0-1104-25: Valid Oracle Cloud Infrastructure 2025 Security Professional Test Duration □ Download ➔ 1z0-1104-25 □ for free by simply entering 【 www.practicevce.com 】 website □ 1z0-1104-25 Instant Access
- Certification 1z0-1104-25 Dumps □ 1z0-1104-25 Exam Discount Voucher □ Exam 1z0-1104-25 Training □ Search for ▶ 1z0-1104-25 ◀ and easily obtain a free download on □ www.pdfvce.com □ □ Exam 1z0-1104-25 Training
- Free PDF Oracle 1z0-1104-25 - Oracle Cloud Infrastructure 2025 Security Professional Fantastic Valid Test Duration □ Go to website ➔ www.vce4dumps.com □ open and search for ➔ 1z0-1104-25 □ to download for free □ 1z0-1104-25 Review Guide
- New 1z0-1104-25 Exam Practice □ 1z0-1104-25 Detailed Study Plan □ 1z0-1104-25 Reliable Test Pdf □ 「 www.pdfvce.com 」 is best website to obtain ⇒ 1z0-1104-25 ⇐ for free download □ 1z0-1104-25 Test Tutorials
- Free PDF Oracle 1z0-1104-25 - Oracle Cloud Infrastructure 2025 Security Professional Fantastic Valid Test Duration □ Immediately open (www.testkingpass.com) and search for 【 1z0-1104-25 】 to obtain a free download □ 1z0-1104-25 Detailed Study Plan
- 1z0-1104-25 Interactive Practice Exam □ Latest 1z0-1104-25 Exam Guide □ 1z0-1104-25 Exam Discount Voucher □ □ The page for free download of (1z0-1104-25) on ⇒ www.pdfvce.com ⇐ will open immediately □ Exam 1z0-1104-25 Training
- Exam 1z0-1104-25 Training □ Exam 1z0-1104-25 Question □ 1z0-1104-25 Reliable Exam Guide □ Download 「 1z0-1104-25 」 for free by simply entering ➤ www.prep4sures.top □ website □ 1z0-1104-25 Valid Exam Vce
- Valid Test 1z0-1104-25 Testking □ 1z0-1104-25 Reliable Exam Guide □ 1z0-1104-25 Reliable Exam Dumps □ Immediately open (www.pdfvce.com) and search for ✓ 1z0-1104-25 □ ✓ □ to obtain a free download □ 1z0-1104-25 Online Training
- 1z0-1104-25 Practice Test Training Materials - 1z0-1104-25 Test Prep - www.troytecdumps.com ☀ Open website { www.troytecdumps.com } and search for (1z0-1104-25) for free download □ Valid Test 1z0-1104-25 Testking
- www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, onskillit.com, www.stes.tyc.edu.tw, stressfreeprep.com, pct.edu.pk, www.stes.tyc.edu.tw, www.qlmlearn.com, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, Disposable vapes

P.S. Free & New 1z0-1104-25 dumps are available on Google Drive shared by VCE4Plus: https://drive.google.com/open?id=1rH0x1JHLqZZFXXSkcQo8kV_1vo7bMqVO