

Fortinet Pass Leader FCSS_NST_SE-7.4 Dumps: FCSS - Network Security 7.4 Support Engineer - Pass4Test Provides you a Simple & Safe Shopping Experience



P.S. Free & New FCSS_NST_SE-7.4 dumps are available on Google Drive shared by Pass4Test: <https://drive.google.com/open?id=1NYBRSfBb8--jtWQdTIdF5EeVpgBJpkIT>

The client can try out and download our FCSS_NST_SE-7.4 training materials freely before their purchase so as to have an understanding of our product and then decide whether to buy them or not. The website pages of our product provide the details of our FCSS_NST_SE-7.4 learning questions. You can have a better understanding if you read the introductions of our FCSS_NST_SE-7.4 exam questions carefully. And you can also click on the buttons on our website to test the functions on many aspects.

You may doubt about such an amazing data, which is unimaginable in this industry. But our FCSS_NST_SE-7.4 exam questions have made it. You can imagine how much efforts we put into and how much we attach importance to the performance of our FCSS_NST_SE-7.4 study materials. We use the 99% pass rate to prove that our FCSS_NST_SE-7.4 practice materials have the power to help you go through the exam and achieve your dream. Most candidates show their passion on our FCSS_NST_SE-7.4 guide materials, because we guarantee all of the customers that you will pass for sure with our FCSS_NST_SE-7.4 exam questions.

>> Pass Leader FCSS_NST_SE-7.4 Dumps <<

Advantages Of Fortinet FCSS_NST_SE-7.4 PDF Dumps Format

In this cut-throat competitive world of Fortinet, the Fortinet FCSS_NST_SE-7.4 certification is the most desired one. But what creates an obstacle in the way of the aspirants of the FCSS - Network Security 7.4 Support Engineer (FCSS_NST_SE-7.4) certificate is their failure to find up-to-date, unique, and reliable FCSS - Network Security 7.4 Support Engineer (FCSS_NST_SE-7.4) practice material to succeed in passing the Fortinet FCSS_NST_SE-7.4 certification exam.

Fortinet FCSS - Network Security 7.4 Support Engineer Sample Questions (Q38-Q43):

NEW QUESTION # 38

Refer to the exhibits.

```

FGT-B # get router info routing-table all
Routing table for VRF=0
S* 0.0.0.0/0 [10/0] via 192.168.1.1, port1, [1/0]
C 10.23.23.0/24 is directly connected, port4

```

```

FGT-B # get router info ospf database brief
...
AS External Link States

Link ID      ADV Router   Age  Seq#       CkSum  Flag Route      Tag
8.8.8.8     0.0.0.112   1464 80000002  3106   0002 E2 8.8.8.8/32    0

```

An administrator is expecting to receive advertised route 8.8.8.8/32 from FGT-A. On FGT-B, they confirm that the route is being advertised and received, however, the route is not being injected into the routing table. What is the most likely cause of this issue?

- A. FGT-B is configured with a prefix list denying the 8.8.8.8/32 network to be injected into the routing table.
- B. FGT-B is configured with a distribution list denying the 8.8.8.8/32 network to be injected into the routing table.
- C. The administrator has misconfigured redistribution of routes on FGT-A.
- D. A better route to the 8.8.8.8/32 network exists in the routing table.

Answer: A

NEW QUESTION # 39

Exhibit.

```

FGT # diagnose debug rating
Locale      : english

Service     : Web-filter
Status      : Enable
License     : Contract

Service     : Antispam
Status      : Disable

Service     : Virus Outbreak Prevention
Status      : Disable

Num. of servers : 1
Protocol     : https
Port        : 443
Anycast     : Enable
Default servers : Included

--- Server List (Mon May 1 03:47:52 2023) ---

```

IP	Weight	RT	Flags	TZ	FortiGuard-requests	Curr	Lost	Total	Lost	Updated	Time
64.26.151.37	45			-5	262432	0	0	846	Mon May 1 03:47:43 2023		
64.26.151.35	26	46		-5	329072	0	0	6806	Mon May 1 03:47:43 2023		
66.117.56.37	10	75		-5	71638	0	0	275	Mon May 1 03:47:43 2023		
65.210.95.240	20	71		-8	36875	0	0	92	Mon May 1 03:47:43 2023		
209.22.147.36	20	103	DI	-8	34784	0	0	1070	Mon May 1 03:47:43 2023		
208.91.112.194	20	107	D	-8	35170	0	0	1533	Mon May 1 03:47:43 2023		
				0	33728	0	0	120	Mon May 1 03:47:43 2023		
				1	33797	0	0	192	Mon May 1 03:47:43 2023		
				9	33754	0	0	145	Mon May 1 03:47:43 2023		
				-5	26410	26226	26227	Mon May 1 03:47:43 2023			

Refer to the exhibit, which shows the output of a diagnose command.


What can you conclude about the debug output in this scenario?

- A. There is a natural correlation between the value in the FortiGuard-requests field and the value in the Weight field.
- B. FortiGate used 64.26.151.37 as the initial server to validate its contract.
- C. Servers with a negative TZ value are less preferred for rating requests.
- D. The first server provided to FortiGate when it performed a DNS query looking for a list of rating servers, was 121.111.236.179.

Answer: A

NEW QUESTION # 40

Refer to the exhibit, which a network topology and a partial routing table.



FortiGate has already been configured with a firewall policy that allows all ICMP traffic to flow from port1 to port3. Which changes must the administrator perform to ensure the server at 10.4.0.1/24 receives the echo reply from the laptop at 10.1.0.1/24?

- A. A firewall policy that allows all ICMP traffic from port3 to port1.
- B. Enable asymmetric routing under config system settings.
- C. Change the configuration from strict RPF check mode to feasible RPF check mode.
- D. Modify the default gateway on the laptop from 10.1.0.2 to 10.2.0.2.

Answer: A

Explanation:

Because FortiGuard is a stateful firewall it still needs an explicit policy to allow the return ICMP replies, even though the session was initiated from port1. By adding a firewall policy permitting ICMP from port3 back to port1, the echoreplies arriving on port3 will be forwarded to the laptop on port1. Without this reverse policy, the server's replies would be dropped at the FortiGate. This ensures bidirectional ICMP flow between 10.1.0.1 and 10.4.0.1.

NEW QUESTION # 41

Which authentication option can you not configure under config user radius on FortiOS?

- A. pap
- B. mschap
- C. mschap2
- D. eap

Answer: D

NEW QUESTION # 42

In IKEv2, which exchange establishes the first CHILD_SA?

- A. IKE_Auth
- B. INFORMATIONAL
- C. CREATE_CHILD_SA
- D. IKE_SA_INIT

Answer: C

NEW QUESTION # 43

.....

If you free download the demos of the FCSS_NST_SE-7.4 exam questions, I believe you have a deeper understanding of our products, and we must also trust our FCSS_NST_SE-7.4 learning quiz. Our products can provide you with the high efficiency and high quality you need. Selecting our study materials is your rightful assistant with internationally recognized FCSS_NST_SE-7.4

BONUS!!! Download part of Pass4Test FCSS_NST_SE-7.4 dumps for free: <https://drive.google.com/open?id=1NYBRStBb8--jtWQdTIIdF5EeVpgBJpkIT>