

# 1z0-1104-25 - Oracle Cloud Infrastructure 2025 Security Professional Fantastic Guide Torrent



DOWNLOAD the newest Actual4Exams 1z0-1104-25 PDF dumps from Cloud Storage for free: <https://drive.google.com/open?id=1OhDwenX4CrQNYOsnWEAx3Gy-Nab92IMG>

The actual Oracle Cloud Infrastructure 2025 Security Professional (1z0-1104-25) certification exam has quite high registration fees, so passing the 1z0-1104-25 exam in one attempt becomes mandatory. Actual4Exams provides a free 1z0-1104-25 exam dumps demo so customers can see the product's features before purchasing. This offers comprehensive 1z0-1104-25 practice test questions that cover all the topics students need to cover to crack the Oracle 1z0-1104-25 test. Moreover, This also offers up to 1 year of free 1z0-1104-25 questions updates. By using our real Oracle Cloud Infrastructure 2025 Security Professional (1z0-1104-25) dumps, it is guaranteed that the candidate passes in one attempt, so our product saves time and money.

Actual4Exams has collected the frequent-tested knowledge into our 1z0-1104-25 practice materials for your reference according to our experts' years of diligent work. So our 1z0-1104-25 exam materials are triumph of their endeavor. By resorting to our 1z0-1104-25 practice materials, we can absolutely reap more than you have imagined before. We have clear data collected from customers who chose our 1z0-1104-25 training engine, the passing rate is 98-100 percent. So your chance of getting success will be increased greatly by our 1z0-1104-25 exam questions.

>> 1z0-1104-25 Guide Torrent <<

## Pass 1z0-1104-25 Test | 1z0-1104-25 Reliable Study Notes

In order to pass the Oracle 1z0-1104-25 Exam, selecting the appropriate training tools is very necessary. And the study materials of Oracle 1z0-1104-25 exam is a very important part. Actual4Exams can provide valid materials to pass the Oracle 1z0-1104-25 exam. The IT experts in Actual4Exams are all have strength and experience. Their research materials are very similar with the real exam questions. Actual4Exams is a site that provide the exam materials to the people who want to take the exam. and we can help the candidates to pass the exam effectively.

## Oracle Cloud Infrastructure 2025 Security Professional Sample Questions (Q19-Q24):


### NEW QUESTION # 19

#### Challenge 2 - Task 1

In deploying a new application, a cloud customer needs to reflect different security postures. If a security zone is enabled with the Maximum Security Zone recipe, the customer will be unable to create or update a resource in the security zone if the action violates the attached Maximum Security Zone policy.

As an application requirement, the customer requires a compute instance in the public subnet. You therefore, need to configure

Custom Security Zones that allow the creation of compute instances in the public subnet.  
Review the architecture diagram, which outlines the resources you'll need to address the requirement:



Preconfigured

To complete this requirement, you are provided with the following:

Access to an OCI tenancy, an assigned compartment, and OCI credentials

Required IAM policies

Task3: Create and configure a Virtual Cloud Network and Private Subnet

Create and configure virtual cloud Network (VCN) named IAD SP-PBT-VCN-01, with an internet Gateway and configure appropriate route rules to allow external connectivity.

Enter the OCID of the created VCN in the text box below.

**Answer:**

Explanation:

See the solution below in Explanation.

Explanation:

To create and configure a Virtual Cloud Network (VCN) named IAD-SP-PBT-VCN-01 with an Internet Gateway and appropriate route rules for external connectivity, follow these steps based on the Oracle Cloud Infrastructure (OCI) Networking documentation.

Step-by-Step Solution for Task 3: Create and Configure a VCN and Private Subnet

\* Log in to the OCI Console:

\* Use your OCI credentials to log in to the OCI Console (<https://console.us-ashburn-1.oraclecloud.com>).

\* Ensure you have access to the assigned compartment.

\* Navigate to Virtual Cloud Networks:

\* From the OCI Console, click the navigation menu (hamburger icon) on the top left.

\* Under Networking, select Virtual Cloud Networks.

\* Create a New VCN:

\* Click Start VCN Wizard and select Create VCN with Internet Connectivity.

- \* VCN Name: Enter IAD-SP-PBT-VCN-01.
  - \* Compartment: Select the assigned compartment.
  - \* VCN CIDR Block: Enter 10.0.0.0/16 (matches the diagram's VCN CIDR).
  - \* Public Subnet CIDR Block: Enter 10.0.10.0/24 (matches the diagram's public subnet).
  - \* Accept the default settings for the public subnet and Internet Gateway creation.
  - \* Click Create to provision the VCN, Internet Gateway, and public subnet.
  - \* Verify the Internet Gateway:
  - \* After creation, go to the VCN details page for IAD-SP-PBT-VCN-01.
  - \* Under Resources, select Internet Gateways.
  - \* Ensure the Internet Gateway is attached and enabled.
  - \* Configure Route Rules:
  - \* In the VCN details page, under Resources, select Route Tables.
  - \* Select the default route table associated with the public subnet (10.0.10.0/24).
  - \* Click Add Route Rules.
  - \* Target Type: Select Internet Gateway.
  - \* Destination CIDR Block: Enter 0.0.0.0/0.
  - \* Target Internet Gateway: Select the Internet Gateway created with the VCN.
  - \* Click Add Route Rule to save.
  - \* Update Security List (if needed):
  - \* Under Resources, select Security Lists.
  - \* Edit the default security list for the public subnet.
  - \* Add an ingress rule:
  - \* Source CIDR: 0.0.0.0/0
  - \* IP Protocol: TCP
  - \* Source Port Range: All
  - \* Destination Port Range: 22 (for SSH) or as required by your application.
  - \* Add an egress rule:
  - \* Destination CIDR: 0.0.0.0/0
  - \* IP Protocol: All
  - \* Save the changes.
  - \* Note the VCN OCID:
  - \* Return to the VCN details page for IAD-SP-PBT-VCN-01.
  - \* Copy the OCID displayed (e.g., ocid1.vcn.oc1..unique\_string).
- OCID of the Created VCN
- \* Enter the OCID of the created VCN (IAD-SP-PBT-VCN-01) into the text box. The exact OCID will be available after Step 3 (e.g., ocid1.vcn.oc1..unique\_string).

## NEW QUESTION # 20

Task 5: Create a Certificate

Create a certificate, where:

Certificate name: PBT-CERT-01-<username>

For example, if your username is 99008677-lab.user01, then the certificate name should be PBT-CERT-01990086771abuser01

Ensure you eliminate special characters from the user name.

Common name: PBT-CERT-OCICERT-01

Certificate Authority: PBT-CERT-CA-01 (created in the previous task)

### Answer:

Explanation:

See the solution below in Explanation.

Explanation:

Since I can't create resources or retrieve OCIDs directly in your OCI environment, I'll provide a step-by-step solution based on verified OCI documentation and best practices as of 02:30 PM BST on Thursday, June 12,

2025. Follow these instructions precisely in the OCI Console or CLI, using the preconfigured PBI\_Vault\_SP vault and the PBT-CERT-CA-01-<username> Certificate Authority created in the previous task. Replace

<username> with your actual username (e.g., 99008677-lab.user01), ensuring special characters are removed.

Task 5: Create a Certificate

Step 1: Access the OCI Vault

- \* Log in to the OCI Console.
  - \* Navigate to Identity & Security > Vault.
  - \* Select the root compartment.
  - \* Locate and click on the vault named PBI\_Vault\_SP.
- Step 2: Create the Certificate
- \* In the PBI\_Vault\_SP vault details page, under Resources, click Certificates.
  - \* Click Create Certificate.
  - \* Enter the following details:
    - \* Name: Replace <username> with your username (e.g., if your username is 99008677-lab.user01, remove special characters like - and . to get 99008677labuser01, then use PBT-CERT-0199008677labuser01).
    - \* Common Name: Enter PBT-CERT-OCICERT-01.
    - \* Certificate Authority: Select the PBT-CERT-CA-01<username> CA created in Task 4 (e.g., PBT-CERT-CA-0199008677labuser01).
    - \* Subject: Leave as default or adjust (e.g., Organization, Country) if required.
    - \* Validity Period: Set as needed (e.g., 1 year), or use the default.
    - \* Compartment: Ensure it's set to the root compartment.
  - \* Click Create Certificate and wait for the certificate to be issued.
- Step 3: Verify the Certificate
- \* After creation, go to the Certificates section under PBI\_Vault\_SP.
  - \* Confirm the certificate PBT-CERT-01<username> (e.g., PBT-CERT-0199008677labuser01) is listed and its status is active.

#### NEW QUESTION # 21

"A company, ABC, is planning to launch a new web application on OCI. Based on past experiences, they expect a significant surge in traffic after the launch. You are responsible for ensuring that the application is highly available. Which step would you perform to achieve this goal?

- A. Use a Virtual Cloud Network (VCN) with subnets, security lists, and routing rules to isolate the web application from the Internet and other resources.
- B. Implement security controls, such as web application firewalls, to protect against common attack vectors.
- C. Configure Cloud Guard to prevent large amounts of traffic from reaching the web application.
- **D. Use a load balancer to distribute incoming traffic evenly across multiple instances of the web application."**

**Answer: D**

#### NEW QUESTION # 22

"A programmer is developing a Node.js application which will run on a Linux server on their on-premises data center. This application will access various Oracle Cloud Infrastructure (OCI) services using OCI SDKs. What is the secure way to access OCI services with OCI Identity and Access Management (IAM)?

- **A. Create a new OCI IAM user, add the user to a group associated with a policy that grants the desired permissions to OCI services. In the on-premises Linux server, generate the keypair used for signing API requests and upload the public key to the IAM user.**
- B. Create a new OCI IAM user, add the user to a group associated with a policy that grants the desired permissions to OCI services. In the on-premises Linux server, add the user name and password to a file used by Node.js authentication.
- C. Create an OCI IAM policy with appropriate permissions to access the required OCI services and assign the policy to the on-premises Linux server."
- D. Create a new OCI IAM user associated with a dynamic group and a policy that grants the desired permissions to OCI services. Add the on-premises Linux server in the dynamic group.

**Answer: A**

#### NEW QUESTION # 23

Task 4: Create a Certificate Authority (CA)

Create a certificate authority, where:

CA name: PBT-CERT-CA-01-<username>

For example, if your username is 99008677-lab.user01, then the certificate authority name should be PBT- CERT-CA-

01990086771abuser01 Ensure you eliminate special characters from the user name.  
Common name: PBT-CERT-OCICA-01  
Master Encryption Key: PBT-CERT-MEK-01 (created in the previous task)

**Answer:**

**Explanation:**

See the solution below in Explanation.

Task 4: Create a Certificate Authority (CA)

Step 1: Access the OCI Vault

- \* Log in to the OCI Console.
- \* Navigate to Identity & Security > Vault.
- \* Select the root compartment.
- \* Locate and click on the vault named PBI\_Vault\_SP.

Step 2: Create the Certificate Authority

- \* In the PBI\_Vault\_SP vault details page, under Resources, click Certificate Authorities.
- \* Click Create Certificate Authority.
- \* Enter the following details:
  - \* Name: Replace <username> with your username (e.g., if your username is 99008677-lab.user01, remove special characters like - and . to get 99008677labuser01, then use PBT-CERT-CA-0199008677labuser01).
  - \* Common Name: Enter PBT-CERT-OCICA-01.
  - \* Master Encryption Key: Select the PBT-CERT-MEK-01<username> key created in Task 3 (e.g., PBT-CERT-MEK-0199008677labuser01).
  - \* Subject: Leave as default or adjust (e.g., Organization, Country) if required by your setup.
  - \* Validity Period: Set as needed (e.g., 10 years), or use the default.
  - \* Compartment: Ensure it's set to the root compartment.
- \* Click Create Certificate Authority and wait for the CA to be provisioned.

Step 3: Verify the Certificate Authority

- \* After creation, go to the Certificate Authorities section under PBI\_Vault\_SP.
- \* Confirm the CA PBT-CERT-CA-01<username> (e.g., PBT-CERT-CA-0199008677labuser01) is listed and its status is active.

**NEW QUESTION # 24**

.....

We provide first-rate service on the 1z0-1104-25 learning prep to the clients and they include the service before and after the sale, 24-hours online customer service and long-distance assistance, the refund service and the update service. The client can try out our and download 1z0-1104-25 Guide materials freely before the sale and if the client have problems about our 1z0-1104-25 study materials after the sale they can contact our customer service at any time.

**Pass 1z0-1104-25 Test:** <https://www.actual4exams.com/1z0-1104-25-valid-dump.html>

Oracle 1z0-1104-25 Guide Torrent And you can obtain the download link and password within ten minutes, so that you can start your learning as quickly as possible, Oracle 1z0-1104-25 Guide Torrent Of further interest to developers (and DB-Admins) is the focus on databases and storage strategy, As the pacesetter in the international market in this field, there is no doubt that our company can provide the most useful and effective 1z0-1104-25 actual torrent to you, with which you can definitely pass the exam as well as getting the related certification as easy as winking, Oracle 1z0-1104-25 Guide Torrent The marketplace is competitive, especially for securing a well-paid job.

Your computer must have a webcam and a microphone 1z0-1104-25 attached to it to audio/video chat, The following steps suggest just one of the ways you can use a metadata filter search **1z0-1104-25 Guide Torrent** to find photos quickly and gather them together into a permanent collection.

## **Free PDF Quiz Oracle - Latest 1z0-1104-25 - Oracle Cloud Infrastructure 2025 Security Professional Guide Torrent**

And you can obtain the download link and password within ten minutes, so that 1z0-1104-25 Reliable Study Notes you can start your learning as quickly as possible, Of further interest to developers (and DB-Admins) is the focus on databases and storage strategy;

As the pacesetter in the international market in Pass 1z0-1104-25 Test this field, there is no doubt that our company can provide the most useful and effective 1z0-1104-25 actual torrent to you, with which you 1z0-1104-25 Reliable Test Materials can definitely pass the exam as well as getting the related certification as easy as winking.

The marketplace is competitive, especially for securing a well-paid job, While, actually you have done much effort to the preparation for the 1z0-1104-25 actual test.

- [illegible]

P.S. Free 2026 Oracle 1z0-1104-25 dumps are available on Google Drive shared by Actual4Exams: <https://drive.google.com/open?id=1OhDwenX4CrQNyOsnWEAx3Gy-Nab92IMG>