

NCM-MCI Free Braindumps - NCM-MCI Accurate Prep Material



There is no doubt that it is very difficult for most people to pass the exam and have the certification easily. If you are also weighted with the trouble about a NCM-MCI certification, we are willing to soothe your trouble and comfort you. We have compiled the NCM-MCI test guide for these candidates who are trouble in this exam, in order help they pass it easily, and we deeply believe that our NCM-MCI Exam Questions can help you solve your problem. Believe it or not, if you buy our study materials and take it seriously consideration, we can promise that you will easily get the certification that you have always dreamed of. We believe that you will never regret to buy and practice our NCM-MCI latest question.

Dumps4PDF certification training exam for NCM-MCI are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development. Dumps4PDF NCM-MCI certification training exam material including the examination question and the answer, complete by our senior lecturers and the NCM-MCI product experts, included the current newest NCM-MCI examination questions.

>> **NCM-MCI Free Braindumps** <<

NCM-MCI Accurate Prep Material & NCM-MCI Exam Bible

If you are troubled with NCM-MCI exam, you can consider down our free demo. You will find that our latest NCM-MCI exam torrent are perfect paragon in this industry full of elucidating content for exam candidates of various degree to use. Our results of latest NCM-MCI exam torrent are startlingly amazing, which is more than 98 percent of exam candidates achieved their goal successfully. The latest NCM-MCI Exam Torrent covers all the qualification exam simulation questions in recent years, including the corresponding matching materials at the same time.

Nutanix Certified Master - Multicloud Infrastructure v6.10 Sample Questions (Q13-Q18):

NEW QUESTION # 13

Task 14

The application team has requested several mission-critical VMs to be configured for disaster recovery. The remote site (when

added) will not be managed by Prism Central. As such, this solution should be built using the Web Console.
Disaster Recovery requirements per VM:

Mkt01

RPO: 2 hours

Retention: 5 snapshots

Fin01

RPO: 15 minutes

Retention: 7 days

Dev01

RPO: 1 day

Retention: 2 snapshots

Configure a DR solution that meets the stated requirements.

Any objects created in this item must start with the name of the VM being protected.

Note: the remote site will be added later

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure a DR solution that meets the stated requirements, you can follow these steps:

Log in to the Web Console of the source cluster where the VMs are running.

Click on Protection Domains on the left menu and click on Create Protection Domain.

Enter a name for the protection domain, such as PD_Mkt01, and a description if required. Click Next.

Select Mkt01 from the list of VMs and click Next.

Select Schedule Based from the drop-down menu and enter 2 hours as the interval. Click Next.

Select Remote Site from the drop-down menu and choose the remote site where you want to replicate the VM. Click Next.

Enter 5 as the number of snapshots to retain on both local and remote sites. Click Next.

Review the protection domain details and click Finish.

Repeat the same steps for Fin01 and Dev01, using PD_Fin01 and PD_Dev01 as the protection domain names, and adjusting the interval and retention values according to the requirements.



NEW QUESTION # 14

Refer to the exhibit.



Task1

A newly created Windows VM "SQL02" is experiencing poor storage performance when compared to "SQL01" running within the same cluster, on the same storage container.

The cluster is in a healthy state.

Create a new session named Monitor SQL02 with meaningful metrics. Right click on the session page and click Select All then paste this into Notepad and save it as Task 1.txt on the desktop.

Also, save the analysis as a report named "MonitorSQL02" and send the report as a PDF on a daily basis to

perf_group@ACME.org. Reports should not be retained. If any new objects need to be created, use monitorvm2 in the name.

Finally, correct the issue within "SQL02"

Notes:

Do not power on the VMs.

While you will be creating a session, you will need to examine the VM configurations to determine the issue.

Do not delete the VM to resolve the issue, any other destructive change is acceptable

Answer:

Explanation:

See the Explanation

Explanation:

This is a classic Nutanix performance troubleshooting scenario. The issue is almost certainly that the VM was created using the wrong Disk Bus Type (IDE or SATA instead of SCSI).

Here is the step-by-step solution to complete Task 1.

Part 1: Analysis and Reporting

Create the Session

Log in to Prism Central (or Prism Element, depending on the exam environment, but Analysis is usually a PC feature).

Navigate to Operations -> Analysis.

Click New Session.

Name: Monitor SQL02

Entity: Search for and select the VM named SQL02.

Metrics: Since the issue is storage performance, search for and add these specific metrics:

Hypervisor IOPS (or Controller IOPS)

Hypervisor IO Latency (or Controller IO Latency)

Hypervisor IO Bandwidth

Click Save.

Save Session Data (Task 1.txt)

Open the "Monitor SQL02" session you just created.

(Per instructions): Right-click anywhere on the chart/data area -> Click Select All.

Copy the selected text (Ctrl+C).

Open Notepad on the provided desktop.

Paste the data.

Save the file as Task 1.txt on the Desktop.

Create and Schedule the Report

While still in the Analysis session, click the Create Report (or "Add to Report") button.

Report Name: MonitorSQL02

Report Settings:

Format: PDF

Frequency: Daily

Email Recipient: perf_group@ACME.org

Retention: 0 (or "Do not retain", as requested).

Note: If the system forces you to create a new Report object and MonitorSQL02 is rejected, use monitorvm2 as the name per the instructions.

Save/Schedule the report.

Part 2: Diagnose and Fix the Issue

The Issue:

VM SQL02 was likely created with its data disks set to IDE or SATA.

Why this causes poor performance: IDE/SATA are emulated hardware with high CPU overhead and low queue depths (single-threaded).

The Standard: SQL01 (the healthy VM) is using SCSI, which is multithreaded and optimized for virtualization.

The Fix (Steps):

Navigate to the VM list in Prism.

Select SQL02 and click Update (or Edit).

Scroll down to the Disks section.

Identify the data disk(s). You will see the Bus Type listed as IDE or SATA.

Do not delete the VM. instead, perform a disk conversion (destructive change to the disk is allowed, but we want to keep the data).

Method to Convert (Clone to SCSI):

Hover over the IDE/SATA disk to see the path/filename of the vDisk (or write it down).

Click Add New Disk.

Operation: select Clone from ADSF file.

Path: Browse to the storage container and select the file associated with the current IDE disk.

Bus Type: Select SCSI (This is the critical fix).

Index: Ensure it doesn't conflict with existing disks (usually index 1 or higher for data).

Click Add.

Once the new SCSI disk is added, find the original IDE/SATA disk and click the X to remove it.

Click Save.

Note: You do not need to power on the VM to verify. The change from IDE to SCSI allows the VM to use the Nutanix VirtIO drivers for maximum storage performance.

NEW QUESTION # 15

Task 3

An administrator needs to assess performance gains provided by AHV Turbo at the guest level. To perform the test the administrator created a Windows 10 VM named Turbo with the following configuration.

1 vCPU

8 GB RAM
SATA Controller
40 GB vDisk

The stress test application is multi-threaded capable, but the performance is not as expected with AHV Turbo enabled. Configure the VM to better leverage AHV Turbo.

Note: Do not power on the VM. Configure or prepare the VM for configuration as best you can without powering it on.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure the VM to better leverage AHV Turbo, you can follow these steps:

Log in to Prism Element of cluster A using the credentials provided.

Go to VM > Table and select the VM named Turbo.

Click on Update and go to Hardware tab.

Increase the number of vCPUs to match the number of multiqueues that you want to enable. For example, if you want to enable 8 multiqueues, set the vCPUs to 8. This will improve the performance of multi-threaded workloads by allowing them to use multiple processors.

Change the SCSI Controller type from SATA to VirtIO. This will enable the use of VirtIO drivers, which are required for AHV Turbo.

Click Save to apply the changes.

Power off the VM if it is running and mount the Nutanix VirtIO ISO image as a CD-ROM device. You can download the ISO image from Nutanix Portal.

Power on the VM and install the latest Nutanix VirtIO drivers for Windows 10. You can follow the instructions from Nutanix Support Portal.

After installing the drivers, power off the VM and unmount the Nutanix VirtIO ISO image.

Power on the VM and log in to Windows 10.

Open a command prompt as administrator and run the following command to enable multiqueue for the VirtIO NIC:

ethtool -L eth0 combined 8

Replace eth0 with the name of your network interface and 8 with the number of multiqueues that you want to enable. You can use ipconfig /all to find out your network interface name.

Restart the VM for the changes to take effect.

You have now configured the VM to better leverage AHV Turbo. You can run your stress test application again and observe the performance gains.

<https://portal.nutanix.com/page/documents/kbs/details?targetId=kA00e000000LKPdCAO> change vCPU to 2/4 ?

Change SATA Controller to SCSI:

aci vm.get Turbo

Output Example:

```
Turbo {  
  config {  
    agent_vm: False  
    allow_live_migrate: True  
    boot {  
      boot_device_order: "kCdrom"  
      boot_device_order: "kDisk"  
      boot_device_order: "kNetwork"  
      uefi_boot: False  
    }  
    cpu_passthrough: False  
    disable_branding: False  
    disk_list {  
      addr {  
        bus: "ide"  
        index: 0  
      }  
      cdrom: True  
      device_uuid: "994b7840-dc7b-463e-a9bb-1950d7138671"  
      empty: True  
    }  
    disk_list {
```

```

addr {
bus: "sata"
index: 0
}
container_id: 4
container_uuid: "49b3e1a4-4201-4a3a-8abc-447c663a2a3e"
device_uuid: "622550e4-fb91-49dd-8fc7-9e90e89a7b0e"
naa_id: "naa.6506b8dcda1de6e9ce911de7d3a22111"
storage_vdisk_uuid: "7e98a626-4cb3-47df-a1e2-8627cf90eae6"
vmdisk_size: 10737418240
vmdisk_uuid: "17e0413b-9326-4572-942f-68101f2bc716"
}
flash_mode: False
hwclock_timezone: "UTC"
machine_type: "pc"
memory_mb: 2048
name: "Turbo"
nic_list {
connected: True
mac_addr: "50:6b:8d:b2:a5:e4"
network_name: "network"
network_type: "kNativeNetwork"
network_uuid: "86a0d7ca-acfd-48db-b15c-5d654ff39096"
type: "kNormalNic"
uuid: "b9e3e127-966c-43f3-b33c-13608154c8bf"
vlan_mode: "kAccess"
}
num_cores_per_vcpu: 2
num_threads_per_core: 1
num_vcpus: 2
num_vnuma_nodes: 0
vga_console: True
vm_type: "kGuestVM"
}
is_rfl_vm: False
logical_timestamp: 2
state: "Off"
uuid: "9670901f-8c5b-4586-a699-41f0c9ab26c3"
}
acli vm.disk_create Turbo clone_from_vmdisk=17e0413b-9326-4572-942f-68101f2bc716 bus=scsi remove the old disk acl
vm.disk_delete 17e0413b-9326-4572-942f-68101f2bc716 disk_addr=sata.0

```

NEW QUESTION # 16

Task 8

Depending on the order you perform the exam items, the access information and credentials could change. Please refer to the other item performed on Cluster B if you have problems accessing the cluster.

The infosec team has requested that audit logs for API Requests and replication capabilities be enabled for all clusters for the top 4 severity levels and pushed to their syslog system using highest reliability possible. They have requested no other logs to be included.

Syslog configuration:

Syslog Name: Corp_syslog

Syslog IP: 34.69.43.123

Port: 514

Ensure the cluster is configured to meet these requirements.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure the cluster to meet the requirements of the infosec team, you need to do the following steps:

Log in to Prism Central and go to Network > Syslog Servers > Configure Syslog Server. Enter Corp_syslog as the Server Name, 34.69.43.123 as the IP Address, and 514 as the Port. Select TCP as the Transport Protocol and enable RELP (Reliable Logging Protocol). This will create a syslog server with the highest reliability possible.

Click Edit against Data Sources and select Cluster B as the cluster. Select API Requests and Replication as the data sources and set the log level to CRITICAL for both of them. This will enable audit logs for API requests and replication capabilities for the top 4 severity levels (EMERGENCY, ALERT, CRITICAL, and ERROR) and push them to the syslog server. Click Save.

Repeat step 2 for any other clusters that you want to configure with the same requirements.

□

To configure the Nutanix clusters to enable audit logs for API Requests and replication capabilities, and push them to the syslog system with the highest reliability possible, you can follow these steps:

Log in to the Nutanix Prism web console using your administrator credentials.

Navigate to the "Settings" section or the configuration settings interface within Prism

Locate the "Syslog Configuration" or "Logging" option and click on it.

Configure the syslog settings as follows:

Syslog Name: Enter "Corp_syslog" as the name for the syslog configuration.

Syslog IP: Set the IP address to "34.69.43.123", which is the IP address of the syslog system.

Port: Set the port to "514", which is the default port for syslog.

Enable the option for highest reliability or persistent logging, if available. This ensures that logs are sent reliably and not lost in case of network interruptions.

Save the syslog configuration.

Enable Audit Logs for API Requests:

In the Nutanix Prism web console, navigate to the "Cluster" section or the cluster management interface.

Select the desired cluster where you want to enable audit logs.

Locate the "Audit Configuration" or "Security Configuration" option and click on it.

Look for the settings related to audit logs and API requests. Enable the audit logging feature and select the top 4 severity levels to be logged.

Save the audit configuration.

Enable Audit Logs for Replication Capabilities:

In the Nutanix Prism web console, navigate to the "Cluster" section or the cluster management interface.

Select the desired cluster where you want to enable audit logs.

Locate the "Audit Configuration" or "Security Configuration" option and click on it.

Look for the settings related to audit logs and replication capabilities. Enable the audit logging feature and select the top 4 severity levels to be logged.

Save the audit configuration.

After completing these steps, the Nutanix clusters will be configured to enable audit logs for API Requests and replication capabilities. The logs will be sent to the specified syslog system with the highest reliability possible.

ncli

```
<ncli> rsyslog-config set-status enable=false
<ncli> rsyslog-config add-server name=Corp_Syslog ip-address=34.69.43.123 port=514 network-protocol=tcp relp-enabled=false
<ncli> rsyslog-config add-module server-name= Corp_Syslog module-name=APLOS level=INFO
<ncli> rsyslog-config add-module server-name= Corp_Syslog module-name=CEREBRO level=INFO
<ncli> rsyslog-config set-status enable=true
https://portal.nutanix.com/page/documents/kbs/details?targetId=kA00e0000009CEECA2
```

NEW QUESTION # 17

Task 7

An administrator has environment that will soon be upgraded to 6.5. In the meantime, they need to implement log and apply a security policy named Staging_Production, such that not VM in the Staging Environment can communicate with any VM in the production Environment. Configure the environment to satisfy this requirement.

Note: All other configurations not indicated must be left at their default values.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure the environment to satisfy the requirement of implementing a security policy named Staging_Production, such that no VM in the Staging Environment can communicate with any VM in the production Environment, you need to do the following steps:

Log in to Prism Central and go to Network > Security Policies > Create Security Policy. Enter Staging_Production as the name of

the security policy and select Cluster A as the cluster.

In the Scope section, select VMs as the entity type and add the VMs that belong to the Staging Environment and the Production Environment as the entities. You can use tags or categories to filter the VMs based on their environment.

In the Rules section, create a new rule with the following settings:

Direction: Bidirectional

Protocol: Any

Source: Staging Environment

Destination: Production Environment

Action: Deny

Save the security policy and apply it to the cluster.

This will create a security policy that will block any traffic between the VMs in the Staging Environment and the VMs in the Production Environment. You can verify that the security policy is working by trying to ping or access any VM in the Production Environment from any VM in the Staging Environment, or vice versa. You should not be able to do so.

.....

NEW QUESTION # 18

.....

Stop hesitating. If you want to experience our NCM-MCI exam dumps, hurry to click Dumps4PDF.com to try our pdf real questions and answers. You can free download a part of the dumps. Before you make a decision to buy Dumps4PDF exam questions and answers, you can visit Dumps4PDF to know more details so that it can make you understand the website better. In addition, about FULL REFUND policy that you fail the NCM-MCI Exam, you can understand that information in advance. Dumps4PDF.com is the website which absolutely guarantees your interests and can imagine ourselves to be in your position.

NCM-MCI Accurate Prep Material: <https://www.dumps4pdf.com/NCM-MCI-valid-braindumps.html>

Respect the user's choice, will not impose the user must purchase the NCM-MCI study materials, For example, if you choose to study our learning materials on our windows software, you will find the interface our learning materials are concise and beautiful, so it can allow you to study NCM-MCI learning materials in a concise and undisturbed environment, Nutanix NCM-MCI Free Braindumps We use the largest and most trusted Credit Cards; it can ensure your money safe.

We also profiled some of the pioneering scientists and technologists NCM-MCI Exam Bible who are feverishly engineering that tree, each focused on a different branch, After earning his B.Sc.

Respect the user's choice, will not impose the user must purchase the NCM-MCI Study Materials, For example, if you choose to study our learning materials on our windows software, you will find the interface our learning materials are concise and beautiful, so it can allow you to study NCM-MCI learning materials in a concise and undisturbed environment.

Hot NCM-MCI Free Braindumps | Valid Nutanix NCM-MCI: Nutanix Certified Master - Multicloud Infrastructure v6.10 100% Pass

We use the largest and most trusted Credit Cards; it can ensure your money NCM-MCI safe, Would you like to climb to the higher position and enjoy a considerable salary, You will have a big future as long as you choose us!

- Questions For The Nutanix NCM-MCI Exam With A Money-Back Guarantee Search for NCM-MCI and download it for free on “ www.prepawayexam.com ” website Study Materials NCM-MCI Review
- NCM-MCI Free Brain Dumps Simulation NCM-MCI Questions NCM-MCI Certified Questions Open www.pdfvce.com enter ➡ NCM-MCI and obtain a free download Actual NCM-MCI Test Pdf
- NCM-MCI Reliable Exam Testking Study Materials NCM-MCI Review Actual NCM-MCI Test Pdf Open website www.pdfdumps.com and search for **【 NCM-MCI 】** for free download Exam Questions NCM-MCI Vce
- 2026 100% Free NCM-MCI –Latest 100% Free Free Braindumps | NCM-MCI Accurate Prep Material Search for NCM-MCI and easily obtain a free download on ➡ www.pdfvce.com NCM-MCI Latest Exam Answers
- Quiz 2026 NCM-MCI: Nutanix Certified Master - Multicloud Infrastructure v6.10 – Reliable Free Braindumps Enter ➡ www.practicevce.com and search for “ NCM-MCI ” to download for free Test NCM-MCI Answers
- Quiz 2026 NCM-MCI: Nutanix Certified Master - Multicloud Infrastructure v6.10 – Reliable Free Braindumps Search for “ NCM-MCI ” on ➡ www.pdfvce.com immediately to obtain a free download Pass NCM-MCI Rate
- Questions For The Nutanix NCM-MCI Exam With A Money-Back Guarantee Enter www.validtorrent.com and search for { NCM-MCI } to download for free NCM-MCI Latest Exam Answers
- Nutanix NCM-MCI Dumps - A Way To Prepare Quickly For Exam The page for free download of NCM-MCI

- on 《 www.pdfvce.com 》 will open immediately □ NCM-MCI Reliable Exam Testking
- Valid NCM-MCI Vce Dumps □ NCM-MCI Paper □ NCM-MCI Certified Questions ↳ Search for ➔ NCM-MCI □ on □ www.vce4dumps.com □ immediately to obtain a free download □ NCM-MCI Certified Questions
- Hot NCM-MCI Free Braindumps | Reliable NCM-MCI: Nutanix Certified Master - Multicloud Infrastructure v6.10 100% Pass □ Search for ✓ NCM-MCI □ ✓ □ on 【 www.pdfvce.com 】 immediately to obtain a free download □ Review NCM-MCI Guide
- Nutanix Certified Master - Multicloud Infrastructure v6.10 Guaranteed Questions - NCM-MCI Exam Training Pdf - Nutanix Certified Master - Multicloud Infrastructure v6.10 Valid Test Review □ Easily obtain free download of □ NCM-MCI □ by searching on 《 www.pdf4dumps.com 》 □ Actual NCM-MCI Test Pdf
- www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, myportal.utt.edu.tt, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, Disposable vapes