

認定するPSE-Cortex-Pro-24 | 信頼的なPSE-Cortex-Pro-24対策学習試験 | 試験の準備方法Palo Alto Networks Systems Engineer Professional - Cortex赤本合格率



P.S. JpshikenがGoogle Driveで共有している無料かつ新しいPSE-Cortex-Pro-24ダンプ: <https://drive.google.com/open?id=1tnjKvYjnKIUXYaC62rFyLIKScmZxh96M>

JpshikenのPalo Alto NetworksのPSE-Cortex-Pro-24試験トレーニング資料は必要とするすべての人に成功をもたらすことができます。Palo Alto NetworksのPSE-Cortex-Pro-24試験は挑戦がある認定試験です。現在、書籍の以外にインターネットは知識の宝庫として見られています。Jpshikenで、あなたにあなたの宝庫を見つけられます。JpshikenはPalo Alto NetworksのPSE-Cortex-Pro-24試験に関連する知識が全部含まれていますから、あなたにとって難しい問題を全て解決して差し上げます。

今日の職場では、さまざまなトレーニング資料とツールが常に混乱を招き、品質をテストするために余分な時間を費やしているため、学習に時間を浪費しています。実際、当社のPSE-Cortex-Pro-24テスト問題を完全に信じて、PSE-Cortex-Pro-24試験に合格することを100%保証します。また、PSE-Cortex-Pro-24テスト問題を購入してから1年間無料で更新できます。また、PSE-Cortex-Pro-24試験問題を購入する前に無料試用版を入手できます。PSE-Cortex-Pro-24試験ダンプの利点は数え切れないほどあります。PSE-Cortex-Pro-24学習ガイドを購入するだけです！

>> PSE-Cortex-Pro-24対策学習 <<

PSE-Cortex-Pro-24赤本合格率、PSE-Cortex-Pro-24問題数

私たちPalo Alto Networksが提供するPSE-Cortex-Pro-24クイズトレントは、理論と実践の最新の開発に基づいた深い経験を持つ専門家によってコンパイルされているため、非常に価値があります。製品を購入する前に、まず製品を試してください。JpshikenのPSE-Cortex-Pro-24試験の合格に役立つだけでなく、時間とエネルギーを節約できるため、PSE-Cortex-Pro-24試験準備を購入する価値があります。お客様の満足が私たちのサービスの目的です。PSE-Cortex-Pro-24クイズトレントを簡単にPalo Alto Networks Systems Engineer Professional - Cortex購入してください。

Palo Alto Networks Systems Engineer Professional - Cortex 認定 PSE-Cortex-Pro-24 試験問題 (Q40-Q45):

質問 # 40

Cortex XSOAR has extracted a malicious IP address involved in command-and-control traffic.

What is the best method to automatically block this IP from communicating with endpoints without requiring a configuration change on the firewall?

- A. Add the IP address to a threat intelligence management malicious IP list to elevate priority of future alerts.
- B. Create a NetOps ticket requesting a configuration change to the firewall to block the IP.
- C. Add the IP address to an external dynamic list used by the firewall.
- D. Block the IP address by creating a deny rule in the firewall.

正解: A

解説:

Reference: <https://xsoar.pan.dev/docs/reference/playbooks/block-ip---generic-v3>

質問 # 41

During the TMS instance activation, a tenant (Customer) provides the following information for the fields in the Activation - Step 2 of 2 window.

Field	Value
Company Name	XNet Education Systems
Instance Name	xnet50
Subdomain	xnet
Region	EU

During the service instance provisioning which three DNS host names are created? (Choose three.)

- A. ch-xnet.traps.paloaltonetworks.com
- B. xnettraps.paloaltonetworks.com
- C. cc-xnet50.traps.paloaltonetworks.com
- D. hc-xnet50.traps.paloaltonetworks.com
- E. cc.xnet50traps.paloaltonetworks.com
- F. cc-xnet.traps.paloaltonetworks.com

正解: A、C、F

質問 # 42

Which two filter operators are available in Cortex XDR? (Choose two.)

- A. <>
- B. !*
- C. not Contains
- D. =>

正解: B、C

解説:

<https://docs.paloaltonetworks.com/cortex/cortex-xdr/cortex-xdr-pro-admin/get-started-with-cortex-xdr-pro/use-cortex-xdr/manage-tables.html>

質問 # 43

What are two capabilities of a War Room? (Choose two.)

- **A. act as an audit trail for an investigation**
- B. create widgets for an investigation
- **C. run ad-hoc automation commands**
- D. create playbooks for orchestration

正解: A、C

解説:

Reference: <https://www.paloaltonetworks.com/cortex/cortex-xsoar>

質問 # 44

A customer has purchased Cortex Data Lake storage with the following configuration, which requires 2 TB of Cortex Data Lake to order:

support for 300 total Cortex XDR clients all forwarding Cortex XDR data with 30-day retention storage for higher fidelity logs to support Cortex XDR advanced analytics The customer now needs 1000 total Cortex XDR clients, but continues with 300 clients forwarding Cortex XDR data with 30-day retention.

What is the new total storage requirement for Cortex Data Lake storage to order?

- A. 16 TB
- **B. 2 TB**
- C. 8 TB
- D. 4 TB

正解: B

解説:

Cortex Data Lake (now known as Strata Logging Service in some contexts, but still referred to as Cortex Data Lake for XDR purposes) is the cloud-based storage solution that supports Cortex XDR by storing endpoint telemetry, logs, and analytics data. The customer's storage needs depend on the number of Cortex XDR clients, the subset forwarding data, the retention period, and the type of data stored (e.g., higher fidelity logs for advanced analytics). Let's break down the problem step-by-step to determine the new storage requirement.

Initial Configuration:

- * Total Cortex XDR Clients: 300
- * Clients Forwarding Cortex XDR Data: 300 (all clients are forwarding data)
- * Retention Period: 30 days
- * Additional Requirement: Storage for higher fidelity logs to support Cortex XDR advanced analytics
- * Initial Storage Ordered: 2 TB

This configuration implies that 2 TB was sufficient to support 300 clients, all forwarding data, with a 30-day retention period, including the additional storage needed for advanced analytics logs.

New Configuration:

- * Total Cortex XDR Clients: 1,000
- * Clients Forwarding Cortex XDR Data: 300 (unchanged from the initial setup)
- * Retention Period: 30 days (unchanged)
- * Additional Requirement: Storage for higher fidelity logs to support Cortex XDR advanced analytics (unchanged) The key change is the increase in total Cortex XDR clients from 300 to 1,000, but the number of clients forwarding data remains 300, and the retention period and analytics requirements are unchanged. We need to determine how this affects the storage requirement.

Cortex Data Lake Storage Sizing for Cortex XDR:

Palo Alto Networks provides sizing guidelines for Cortex Data Lake based on the number of endpoints forwarding data, the retention period, and the type of data stored. The storage requirement is primarily driven by:

- * Clients Forwarding Data: Only the endpoints actively sending telemetry to Cortex Data Lake (e.g., Cortex XDR Pro endpoints with enhanced data collection) contribute significantly to storage needs.
- * Retention Period: The number of days data is retained directly scales the storage requirement.
- * Data Type: Higher fidelity logs for advanced analytics (e.g., XDR Pro features like behavioral analytics) increase storage per endpoint compared to basic logs.
- * Cortex XDR Prevent: Provides basic endpoint protection with minimal data forwarding (e.g., alerts only), typically included in a 30-day retention baseline with minimal storage impact.
- * Cortex XDR Pro: Includes enhanced endpoint data collection (e.g., process execution, network activity) for advanced analytics, significantly increasing storage needs when enabled.

The problem states that all 300 initial clients were forwarding data, and the same 300 continue to do so in the new setup, with support for advanced analytics. This suggests these are likely Cortex XDR Pro clients, as Pro is required for full telemetry and analytics capabilities.

Storage Calculation:

Palo Alto Networks doesn't publish exact per-endpoint storage figures publicly, but we can infer the requirement from the initial configuration and industry benchmarks:

- * Initial Setup (300 Clients, 30 Days, 2 TB):

- * 2 TB supports 300 clients forwarding data for 30 days with advanced analytics.

- * Per client, this approximates to: $2\text{ TB} \div 300\text{ clients} = 0.00667\text{ TB/client}$ or $6.67\text{ GB per client}$ for 30 days with higher fidelity logs.

- * This aligns with typical XDR Pro storage estimates, where enhanced data collection (e.g., 5-10 GB per endpoint per 30 days) is common depending on activity levels and analytics features.

- * New Setup (1,000 Total Clients, 300 Forwarding, 30 Days):

- * Clients Forwarding Data: Still 300, unchanged.

- * Retention: Still 30 days, unchanged.

- * Analytics Logs: Still required, unchanged.

- * Storage is driven by the 300 clients forwarding data, not the total number of clients. The additional 700 clients (1,000 - 300 = 700) are not forwarding data, suggesting they might be on Cortex XDR Prevent licenses or not fully activated for data collection, contributing negligible storage (e.g., only alerts, which are minimal).

Thus, the storage requirement remains:

$300\text{ clients} \times 6.67\text{ GB/client} = 2,001\text{ GB} \approx 2\text{ TB}$

References:

Cortex XDR Documentation: Indicates that storage is calculated based on endpoints with data collection enabled, not total agents (e.g., docs-cortex.paloaltonetworks.com).

Cortex Data Lake Sizing: Palo Alto's sizing tools (e.g., Strata Logging Service Estimator) emphasize active data sources and retention, not total licenses.

Industry Norms: XDR solutions typically require 5-15 GB per endpoint per 30 days for advanced analytics, consistent with the 2 TB for 300 clients.

質問 #45

.....

何よりもまず、国際市場のさまざまな国の人々のさまざまなニーズに応えるために、このWebサイトでPSE-Cortex-Pro-24学習質問の3種類のバージョンを用意しました。第二に、PSE-Cortex-Pro-24実践教材の支払い後、年間を通じて当社から最新のトレーニング教材を無料で入手できることを保証できます。最後になりましたが、私たちは週7日、1日24時間でお客様に最も思いやりのあるアフターサービスを提供します。

PSE-Cortex-Pro-24赤本合格率: https://www.jpshiken.com/PSE-Cortex-Pro-24_shiken.html

Palo Alto Networks PSE-Cortex-Pro-24対策学習 しかし必ずしも大量の時間とエネルギーで復習しなくて、弊社が丹精にできあがった問題集を使って、試験なんて問題ではありません、Palo Alto Networks PSE-Cortex-Pro-24対策学習 JPshikenという学習サイトは絶対あなたのベストチョイスです、Jpshiken PSE-Cortex-Pro-24赤本合格率の練習資料を利用すれば、あなたはこの資料の特別と素晴らしさをはっきり感じるすることができます、完全なPSE-Cortex-Pro-24試験の質問と回答は、PSE-Cortex-Pro-24実際の試験の知識のポイントと一致しています、Palo Alto Networks PSE-Cortex-Pro-24対策学習 手順は簡単で、クライアントの時間を節約できます、JpshikenのPSE-Cortex-Pro-24問題集の超低い価格に反して、Jpshikenに提供される問題集は最高の品質を持っています。

あら、わたくしが掃きますわと云って、台所から出た梅を、好いよ、お前PSE-Cortex-Pro-24日本語受験攻略は煮物を見ていておくれ、わたし用が無いからしているのだよと云って追い返した、こんな身体してるのに、よく今まで無事だったなって思いますよ。

更新する-ハイパスレートのPSE-Cortex-Pro-24対策学習試験-試験の準備方法PSE-Cortex-Pro-24赤本合格率

しかし必ずしも大量の時間とエネルギーで復習しなくて、弊社が丹精にできあがった問題集を使って、試験なPSE-Cortex-Pro-24なんて問題ではありません、JPshikenという学習サイトは絶対あなたのベストチョイスです、Jpshikenの練習資料を利用すれば、あなたはこの資料の特別と素晴らしさをはっきり感じるすることができます。

完全なPSE-Cortex-Pro-24試験の質問と回答は、PSE-Cortex-Pro-24実際の試験の知識のポイントと一致していま

す、手順は簡単で、クライアントの時間を節約できます。

- [illegible]

さらに、Jpshiken PSE-Cortex-Pro-24ダンプの一部が現在無料で提供されています: <https://drive.google.com/open?id=1tnjKvYjnKIUXYaC62rFyLIKScmZxh96M>