

# Valid 2V0-15.25 Test Questions - 2V0-15.25 Testdump

VMware 2V0-15.25 Exam  
VMware Cloud Foundation 9.0 Support  
<https://www.passquestion.com/2v0-15-25.html>



Pass VMware 2V0-15.25 Exam with PassQuestion 2V0-15.25 questions and answers in the first attempt.  
<https://www.passquestion.com/>

To keep constantly update can be walk in front, which is also our TorrentValid's idea. Therefore, we regularly check 2V0-15.25 exam to find whether has update or not. Once the update comes out, we will inform our customers who are using our products so that they can have a latest understanding of 2V0-15.25 Exam. All the update service is free during one year after you purchased our 2V0-15.25 exam software.

In this cut-throat competitive world of VMware, the VMware 2V0-15.25 certification is the most desired one. But what creates an obstacle in the way of the aspirants of the VMware Cloud Foundation 9.0 Support (2V0-15.25) certificate is their failure to find up-to-date, unique, and reliable VMware Cloud Foundation 9.0 Support (2V0-15.25) practice material to succeed in passing the VMware 2V0-15.25 certification exam.

>> **Valid 2V0-15.25 Test Questions <<**

## Free PDF Quiz 2026 VMware 2V0-15.25: VMware Cloud Foundation 9.0 Support – The Best Valid Test Questions

Our website offer standard 2V0-15.25 practice questions that will play a big part in the certification exam. Valid 2V0-15.25 exam answers and questions are fully guaranteed and enough for you to clear test easily. Free demo of 2V0-15.25 Dumps PDF allowing you to try before you buy and one-year free update will be allowed after purchased. Please feel free to contact us if you have any questions about our dumps files.

## VMware 2V0-15.25 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none"><li>Install, Configure, Administrate the VMware by Broadcom Solution: This area covers installing, configuring, and managing VMware solutions including VCF Fleet deployment, expansion, and reduction operations.</li></ul>
Topic 2	<ul style="list-style-type: none"><li>IT Architectures, Technologies, Standards: This domain covers fundamental frameworks, tools, and best practices for building scalable, secure, and interoperable enterprise IT systems.</li></ul>
Topic 3	<ul style="list-style-type: none"><li>Plan and Design the VMware by Broadcom Solution: This domain addresses architectural planning and design principles for creating scalable, secure virtual environments aligned with business requirements.</li></ul>
Topic 4	<ul style="list-style-type: none"><li>Troubleshoot and Optimize the VMware by Broadcom Solution: This domain focuses on troubleshooting VCF deployment, upgrades, conversions, workload domains, fleet operations (certificates, passwords, identity), licensing, compute resources, storage (vSAN, supplemental storage), networking (VDS, NSX), VCF Operations tools, Identity Broker automation, and HCX workload migrations.</li></ul>
Topic 5	<ul style="list-style-type: none"><li>VMware by Broadcom Solution: This section focuses on understanding VMware by Broadcom's virtualization and cloud infrastructure platform for managing modern enterprise workloads.</li></ul>

## VMware Cloud Foundation 9.0 Support Sample Questions (Q51-Q56):

### NEW QUESTION # 51

An administrator logs into the VMware NSX Manager UI and discovers a time sync issue that has been reported in the VMWare Cloud Foundation (VCF) installer.

The administrator performs the following steps:

1. Validates that the NTP server IP addresses are present in the NTP configuration on the VCF Installer.
2. Validates that the DNS records are correctly set for the FQDN and IP address of the two NTP servers.
3. Validates that the NTP servers can be pinged by name and IP address from the VCF Installer.
4. Validates that the time between the NTP servers and the VCF Installer is synchronized successfully.

What additional step should the administrator perform to help identify the cause of the error?

- A. Confirm that the ESX hosts have been configured to use host time synchronization.
- B. Confirm that the NTP service has an allowed rule in the iptables on the VCF Installer.
- C. Confirm that the NTP server details have been specified in the deployment parameter workbook using the required FQDN format.
- D. **Confirm that the time on the ESX hosts allocated for the management domain is synchronized with the same NTP servers as the VCF Installer.**

### Answer: D

Explanation:

During VMware Cloud Foundation bring-up, time synchronization across all management components is mandatory. The VCF Installer, ESXi hosts, NSX Manager nodes, and vCenter must all sync to the same NTP servers. If even one host or component has a time skew exceeding VMware's allowed limits, VCF will report time sync errors during bring-up or post-deployment.

The administrator validated NTP configuration, DNS resolution, ping connectivity, and time sync only on the VCF Installer appliance, but did not verify the ESXi hosts' time synchronization. NSX Manager obtains its time reference from the underlying ESXi host during deployment, so if the ESXi hosts are not synchronized with the same NTP sources, NSX Manager will drift, triggering the exact error described.

Option B (iptables) does not apply—the VCF Installer does not block outbound NTP by default.

Option C refers to workbook formatting, which would fail earlier in deployment—not after NSX Manager is running.

Option A is incorrect because ESXi should never use "host time sync"; NTP must be used.

### NEW QUESTION # 52

An administrator is automating the deployment of a new VMware Cloud Foundation (VCF) fleet using VCF Installer. The VCF fleet

must include VCF Automation being deployed in a simple deployment model.

The administrator creates a JSON file, but during the installation attempt the VCF Installer returns an error indicating that the JSON validation has failed.

What is the cause of the errors?

- A. Second IP address for VCF Automation is not specified.
- B. VCF components binaries are not downloaded.
- C. A separate distributed switch was defined for vSAN traffic.
- D. NSX Manager size was defined as large.

**Answer: A**

Explanation:

In VCF 9.0, when deploying VCF Automation using the VCF Installer in a Simple Deployment Model, the appliance requires two IP addresses:

\* Primary IP- Management interface

\* Secondary IP- Required for service separation and internal routing for Automation services VMware's JSON schema for VCF Installer enforces this requirement. If the second IP is missing, incorrectly formatted, or placed under the wrong JSON section, the installer validation will fail immediately with a JSON schema error before deployment begins.

This is one of the most common causes of validation failure for VCF Automation deployment.

Option A (component binaries missing) produces a bundle download error, not JSON schema failure.

Option C (NSX Manager size = large) is allowed and does not break JSON validation.

Option D (separate vDS for vSAN) is allowed if defined correctly and also does not cause JSON schema failure.

### NEW QUESTION # 53

A user wishes to publish a VMware Cloud Foundation (VCF) Operations Orchestrator workflow to their VCF Automation project catalog, but is blocked from publishing any workflows.

The following information has been provided:

\* In the VCF Automation Organization portal, the user cannot see the Workflows option under Content Hub.

\* The organization is not a Provider Consumption Organization.

Which are the two likely causes of this issue? (Choose two.)

- A. The user is logged in the Project Advanced User rights
- B. An embedded VCF Operations Orchestrator is not integrated with their Organization.
- C. The user is logged in with Project User rights.
- D. An external VCF Operations Orchestrator is not integrated with their Organization.
- E. The user is logged in with Project Administrator rights.

**Answer: B,D**

Explanation:

In VMware Cloud Foundation 9.0, publishing a VCF Operations Orchestrator workflow to a VCF Automation project catalog requires that the organization has a valid integration with VCF Operations Orchestrator. The question states that the user cannot see the Workflows option under Content Hub, and the organization is not a Provider Consumption Organization (PCO). According to the VCF 9.0 documentation, only organizations with VCF Operations Orchestrator integration are allowed to publish workflows into the catalog. Both embedded and external orchestrator integrations must be configured depending on the environment. If no orchestrator (embedded or external) is integrated with the organization, workflows cannot be listed or published. This aligns with the documented VCF Automation and VCF Operations Orchestrator design requirements, which specify that workflow publishing is only available when the orchestrator instance is properly registered.

Additionally, user role permission issues could prevent workflow visibility, but the key blockers described in the scenario are the missing workflow section and the organization type. Because the organization is not a PCO, advanced provider features—including workflow publishing—are disabled unless a proper orchestrator integration exists. Therefore, the two most likely causes are:

- \* A: An external VCF Operations Orchestrator is not integrated with their Organization.
- \* D: An embedded VCF Operations Orchestrator is not integrated with their Organization.

These two conditions directly match the documented behavior in VMware Cloud Foundation 9.0.

### NEW QUESTION # 54

An administrator recently deployed a new three-node VMware vSAN Express Storage Architecture (ESA) cluster to an existing workload domain. After creating a number of Virtual Machines (VMs), the administrator discovers that storage is being consumed a

lot quicker than expected.

While investigating the issue, the administrator discovers that the datastore default policy has been set to RAID-1 by Auto-Policy Management rather than the expected RAID-5.

What is a possible cause?

- A. The vSAN storage policy has Force Provisioning enabled.
- **B. The vSAN ESA cluster must have a minimum of four hosts.**
- C. The RAID-5 policy is only supported on a vSAN ESA storage cluster.
- D. The vSAN ESA cluster has Host Rebuild Reserved enabled.

**Answer: B**

Explanation:

In vSAN Express Storage Architecture (ESA), Auto-Policy Management determines which default storage policies can be used based on the number of hosts in the cluster. RAID-5 and RAID-6 policies require a minimum number of hosts to satisfy fault domain and component placement rules.

For vSAN ESA, the minimum hosts required are:

- \* RAID-1 (FTT=1) # minimum 3 hosts
- \* RAID-5 (FTT=1) # minimum 4 hosts
- \* RAID-6 (FTT=2) # minimum 6 hosts

In this scenario, the administrator deployed a three-host ESA cluster. Since RAID-5 requires at least four ESA-capable hosts, vSAN Auto-Policy Management automatically falls back to RAID-1, the highest level of resilience possible with the available cluster size.

This results in significantly higher storage consumption, which matches exactly what the administrator observed.

Option A is incorrect because RAID-5 is fully supported on ESA—but only with enough hosts.

Option C (Force Provisioning) does not change the default policy selected.

Option D (Host Rebuild Reserve) does not control RAID policy selection.

## NEW QUESTION # 55

In VMware Cloud Foundation (VCF) Automation an administrator is troubleshooting an issue with a newly created Organization. When the Organization administrator attempts to create a Namespace, they receive an error "Failed to list VPC after selecting a region."

The administrator logs into the NSX Manager for the Region and does not see an NSX Project for the Organization. What could cause these symptoms?

- A. The Provider Administrator hasn't granted the Organization Administrator role to the First User.
- **B. The Provider Administrator hasn't set up the Organization's Networking Configuration for the selected Region.**
- C. The Organization Administrator hasn't created a VPC in the selected Region.
- D. The Organization Administrator hasn't created a Project in the selected Region.

**Answer: B**

Explanation:

In VMware Cloud Foundation 9.0 Automation, every Organization requires a properly configured Networking Configuration for each Region in which it operates. This configuration step—performed by the Provider Administrator—creates the NSX Project corresponding to the Organization, enabling Namespace creation, VPC visibility, and workload provisioning.

The error "Failed to list VPC after selecting a region" combined with the absence of an NSX Project in NSX Manager is a direct indicator that the Organization's Networking Configuration was never initialized. VCF Automation automatically creates the NSX Project only when the Provider Admin completes this step.

Option B is invalid because the Organization Administrator cannot create NSX Projects manually; they are system-generated during networking setup.

Option C is incorrect because role assignment affects administrative permissions, not NSX project creation.

Option D is also incorrect—the Organization Admin cannot create a VPC until the NSX Project exists.

## NEW QUESTION # 56

.....

And you can also use the VMware 2V0-15.25 PDF on smart devices like smartphones, laptops, and tablets. The second one is the web-based VMware 2V0-15.25 practice exam which can be accessed through the browsers like Firefox, Safari, and VMware Chrome. The customers don't need to download or install excessive plugins or software to get the full advantage from web-based

## 2V0-15.25 Practice Tests.

**2V0-15.25 Testdump:** <https://www.torrentvalid.com/2V0-15.25-valid-braindumps-torrent.html>