

Salesforce-MuleSoft-Developer-I試験内容 & Salesforce-MuleSoft-Developer-I認定デベロッパー



2026年It-Passportsの最新Salesforce-MuleSoft-Developer-I PDFダンプおよびSalesforce-MuleSoft-Developer-I試験エンジンの無料共有: <https://drive.google.com/open?id=18Q2tu3tvgDunlQBRmFj-fzZpqI2hsOXH>

時には、進める小さなステップは人生の中での大きなステップとするかもしれません。SalesforceのSalesforce-MuleSoft-Developer-I試験は小さな試験だけでなく、あなたの職業生涯に重要な影響を及ぼすことができます。これはあなたの能力を認めます。SalesforceのSalesforce-MuleSoft-Developer-I試験のほかの認証試験も大切なのです。それに、これらの資料は我々It-Passportsのウェブサイトで見つけることができます。

Salesforce Salesforce-MuleSoft-Developer-I 認定試験の出題範囲:

トピック	出題範囲
トピック 1	Building API Implementation Interfaces: This topic involves manually creating a RESTful interface for a Mule application and generating a REST Connector from a RAML specification. It also includes describing the features and benefits of APIkit.
トピック 2	Processing Records: Processing records includes methods for processing individual records in a collection and explaining how Mule events are processed by the For Each scope. It also involves using the Batch Job with Batch Steps and a Batch Aggregator.

トピック 3	Designing APIs: Designing APIs involves describing the lifecycle of the modern API and using RAML to define various aspects of an API. It includes identifying when to use query parameters vs URI parameters, and defining API parameters.
トピック 4	Using Connectors: It focuses on retrieving data from REST services using HTTP Request or REST Connector. Moreover, the topic covers using a Web Service Consumer connector for SOAP web services and the Transform Message component.
トピック 5	Debugging and Troubleshooting Mule Applications: Using breakpoints to inspect a Mule event during runtime, installing missing Maven dependencies, and reading and deciphering Mule log error messages are sub-topics of this topic.
トピック 6	Deploying and Managing APIs and Integrations: It includes packaging Mule applications for deployment and deploying them to CloudHub. This topic also involves using CloudHub properties, creating and deploying API proxies, connecting an API implementation to API Manager, and applying policies to secure an API.
トピック 7	Transforming Data with DataWeave: It involves writing DataWeave scripts and using DataWeave functions. This topic also includes defining and using DataWeave variables, functions, and modules, and applying correct syntax.
トピック 8	Creating Application Networks: The topic of creating Application Networks encompasses understanding MuleSoft's proposal for closing the IT delivery gap and describing the role and characteristics of the modern API. It also includes the purpose and roles of a Center for Enablement (C4E), and the benefits of API-led.

>> Salesforce-MuleSoft-Developer-I試験内容 <<

Salesforce Salesforce-MuleSoft-Developer-I認定デベロッパー、Salesforce-MuleSoft-Developer-I受験トレーニング

Salesforce-MuleSoft-Developer-I練習問題を買いたい場合、自分のメールアドレスを記入してください。そうすれば、支払ったら、すぐお客様にSalesforce-MuleSoft-Developer-I練習問題を送付できます。だから、それは重要な情報です。また、もしSalesforce-MuleSoft-Developer-I練習問題は更新されましたら、弊社は最新版をお客様のメールボックスに送付致します。

Salesforce Certified MuleSoft Developer (Mule-Dev-201) 認定 Salesforce-MuleSoft-Developer-I 試験問題 (Q41-Q46):

質問 # 41

An API was designed in API Designer, published to Anypoint Exchange, then imported into API Manager.

A Mule application implements this API and is deployed to CloudHub. API Manager manages this deployed API implementation. What is the easiest and most idiomatic (used for its intended purpose) way to enforce a Client ID Enforcement policy on this Mule application?

- A. In API Designer, add Client ID Enforcement policy requirements to the API specification
- **B. In API Manager, apply a Client ID Enforcement policy for the API instance**
- C. In Anypoint Design Center, code a custom policy for Client ID Enforcement and then publish the custom policy to the API portal in Anypoint Exchange
- D. In Anypoint Studio, code a custom policy for Client ID Enforcement and then add the custom policy to Runtime Manager for the Mule application deployment

正解: B

質問 # 42

A web client submits a request to `http://localhost:8081?firstName=john`. What is the correct DataWeave expression to access the `firstName` parameter?

- A. `#[message.inboundProperties.'http.query.params'.firstName]`
- B. `#[message.queryParams.firstName]`
- C. `#[attributes.queryParams.firstName]`
- D. `#[attributes.'http.query.params'.firstName]`

正解: C

質問 # 43

A company has defined two RAML fragments, Book Data Type and Book Example to be used in APIs. What would be valid RAML to use these fragments ?

```
1  #%RAML 1.0 DataType
2  # bookDataType.raml
3
4  "type": "object"
5  "properties":
6    id: integer
7    title: string
8    author: string
9    publisher: string
10   year: integer
11   ISBN:
12     type: string
13     required: true
14
15
```

```
1  #%RAML 1.0 NamedExample
2  # bookExample.raml
3
4  bookExample:
5    ID: 101
6    title: Shakespeare
7    author: Encyclopedia Britannica
8    publisher: John Wiley & Sons
9    year: 2007
10   ISBN: "0471767840"
```

- A. 1. `1. #%RAML 1.0`
2. `title: Books`
3. `Book: !include bookDataType.raml`
4. `/books:`
5. `post:`
6. `body:`
7. `application/json:`
8. `type: Book`
9. `examples:`
10. `input: !include bookExample.raml`
11. `responses:`
12. `201:`
13. `body:`
14. `application/json:`
15. `example:`
16. `message: Book added`
- B. 1. `1. #%RAML 1.0`
2. `title: Books`

- 3. Book: bookDataType.raml
- 4. /books:
- 5. post:
- 6. body:
- 7. application/json:
- 8. type: Book
- 9. examples:
- 10. input: bookExample.raml
- 11. responses:
- 12. 201:
- 13. body:
- 14. application/json:
- 15. example:
- 16. message: Book added
- C. 1. #%RAML 1.0
- 2. title: Books
- 3. types:
- 4. Book: ABC/Examples/bookDataType.raml
- 5. /books:
- 6. post:
- 7. body:
- 8. application/json:
- 9. type: Book
- 10. examples:
- 11. input: ABC/Examples/bookExample.raml
- 12. responses:
- 13. 201:
- 14. body:
- 15. application/json:
- 16. example:
- 17. message: Book added
- D. 1. #%RAML 1.0
- 2. title: Books
- 3. Book: bookDataType.raml
- 4. /books:
- 5. post:
- 6. body:
- 7. application/json:
- 8. type: Book
- 9. examples:
- 10. input: bookExample.raml
- 11. responses:
- 12. 201:
- 13. body:
- 14. application/json:
- 15. example:
- 16. message: Book added

正解： B

解説:

* RAML file contains lot of information that could be considered as "not API-describing". Sort of "economy-class" members. Equally important, but not necessarily part of the main RAML file.

* Through !includes, RAML allows us to build file-distributed API definitions, which is not only useful to encourage code reuse but also improves readability.

* We can create RAML fragments with such code and then include them in main RAML project using !include like:

types:

Book: !include bookDataType.raml and

examples:

input: !include bookExample.raml

* Additionally for

---- Correct Answer: D

質問 # 44

An app team is developing a mobile banking app. It took them two months to create their own APIs to access transaction information from a central database. The app team later found out that another team had already built an API that accesses the transaction information they need.

According to MuleSoft, what organization structure could have saved the app team two months of development time?

- A. Central API Review Board
- B. Center of Excellence
- C. MuleSoft Support Center
- **D. Center for Enablement**

正解: D

解説:


Reference:

Center for Enablement is correct answer .It is a cross-functional team typically staffed with members from central IT, line-of-business departments, and digital innovation teams charged with productizing, publishing, and harvesting reusable assets and best practices. In this case , app team would have checked first with Center for Enablement before developing their own API's. Hence could have avoided re-work

質問 # 45

Refer to the exhibits.

As a mulesoft developer, what you would change in Database connector configuration to resolve this error?



The diagram shows a flow named 'DBPolling1Flow'. It starts with a 'Database' icon (cylinder) labeled 'On Table Row'. An arrow points to a 'Salesforce' icon (cloud with 'salesforce' text) labeled 'Logger payload'. Below the flow is a box labeled 'Error handling'.

The error log screenshot shows the following text:

```
ERROR 2021-07-04 09:30:38,737 [[MuleRuntime].uber.11: {mule_app}.uber@org.mule.runtime.module.extension.internal.runtime.source.ExtensionMessageSource.lambda$org.mule.runtime.api.connection.ConnectionException: Could not obtain connection from data source
Caused by: org.mule.extension.db.api.exception.connection.ConnectionCreationException: Could not obtain connection from data source
Caused by: org.mule.runtime.extension.api.exception.ModuleException: java.sql.SQLException: Error trying to load driver: com.mysql.jdbc.Driver : Cannot lo
Class 'com.mysql.jdbc.Driver' has no package mapping for region 'domain/default/app/mule_app'.
Cannot load class 'com.mysql.jdbc.Driver': [
Class 'com.mysql.jdbc.Driver' has no package mapping for region '/domain/default',
Class 'com.mysql.jdbc.Driver' not found in classloader for artifact 'container'.]]
Caused by: java.sql.SQLException: Error trying to load driver: com.mysql.jdbc.Driver : Cannot load class 'com.mysql.jdbc.Driver': [
Class 'com.mysql.jdbc.Driver' has no package mapping for region 'domain/default/app/mule_app'.
Cannot load class 'com.mysql.jdbc.Driver': [
Class 'com.mysql.jdbc.Driver' has no package mapping for region '/domain/default',
Class 'com.mysql.jdbc.Driver' not found in classloader for artifact 'container'.]]
at org.mule.extension.db.internal.domain.connection.JdbcConnectionFactory.createConnection(JdbcConnectionFactory.java:57) ~[mule-db-connector-1.9.
at org.mule.extension.db.internal.domain.connection.DbConnectionProvider.connect(DbConnectionProvider.java:139) ~[mule-db-connector-1.9.3-mule-plu
at org.mule.extension.db.internal.domain.connection.DbConnectionProvider.connect(DbConnectionProvider.java:71) ~[mule-db-connector-1.9.3-mule-plug
at org.mule.runtime.module.extension.internal.runtime.config.ClassloaderConnectionProviderWrapper.connect(ClassloaderConnectionProviderWrapper.jav
at org.mule.runtime.core.internal.connection.ConnectionUtils.connect(ConnectionUtils.java:49) ~[?:?]
at org.mule.runtime.core.internal.connection.AbstractConnectionProviderWrapper.connect(AbstractConnectionProviderWrapper.java:64) ~[?:?]
at org.mule.runtime.core.internal.connection.AbstractConnectionProviderWrapper.connect(ErrorHandlerConnectionProviderWrapper.java:64)
at org.mule.runtime.core.internal.connection.ConnectionUtils.connect(ConnectionUtils.java:49) ~[?:?]
at org.mule.runtime.core.internal.connection.AbstractConnectionProviderWrapper.connect(AbstractConnectionProviderWrapper.java:64) ~[?:?]
at org.mule.runtime.core.internal.connection.DefaultConnectionProviderWrapper.connect(DefaultConnectionProviderWrapper.java:52) ~[?:?]
```

- A. Configure the correct database name
- **B. Configure the correct JDBC driver**

- C. Configure the correct table name
- D. Configure the correct host URL

正解: B

解説:

Correct answer is Configure the correct JDBC driver as error message suggests the same

* Caused by: java.sql.SQLException: Error trying to load driver: com.mysql.jdbc.Driver:

Cannot load class 'com.mysql.jdbc.Driver':

* Class 'com.mysql.jdbc.Driver' has no package mapping for region 'domain/default/app/mule_app'.

* Cannot load class 'com.mysql.jdbc.Driver':

質問 # 46

.....

SalesforceのSalesforce-MuleSoft-Developer-Iの認定試験の受験生は試験に合格することが難しいというのをよく知っています。しかし、試験に合格することが成功への唯一の道ですから、試験を受けることを選ばなければなりません。職業価値を高めるために、あなたは認定試験に合格する必要があります。It-Passportsが開発された試験の問題と解答は異なるターゲットに含まれていますし、カバー率が高いですから、それを超える書籍や資料が絶対ありません。大勢の人たちの利用結果によると、It-Passportsの合格率は100パーセントに達したので、絶対あなたが試験を受けることに重要な助けになります。It-Passportsは唯一のあなたの向いている試験に合格する方法で、It-Passportsを選んだら、美しい未来を選んだということになります。

Salesforce-MuleSoft-Developer-I認定デベロッパー: <https://www.it-passports.com/Salesforce-MuleSoft-Developer-I.html>

- 認定する-実際のSalesforce-MuleSoft-Developer-I試験内容試験-試験の準備方法Salesforce-MuleSoft-Developer-I認定デベロッパー □ “Salesforce-MuleSoft-Developer-I”の試験問題は ➡ www.passtest.jp □□□で無料配信中Salesforce-MuleSoft-Developer-I無料過去問
- Salesforce-MuleSoft-Developer-I資格認定試験 □ Salesforce-MuleSoft-Developer-I日本語試験対策 ♥ Salesforce-MuleSoft-Developer-I復習内容 □ 今すぐ[www.goshiken.com]を開き、 ➡ Salesforce-MuleSoft-Developer-I □を検索して無料でダウンロードしてくださいSalesforce-MuleSoft-Developer-I試験関連赤本
- Salesforce-MuleSoft-Developer-I無料過去問 □ Salesforce-MuleSoft-Developer-Iウェブトレーニング □ Salesforce-MuleSoft-Developer-I試験関連赤本 □ 《 www.passtest.jp 》から簡単に《 Salesforce-MuleSoft-Developer-I 》を無料でダウンロードできますSalesforce-MuleSoft-Developer-Iテスト内容
- Salesforce Salesforce-MuleSoft-Developer-I 対応一発合格 □ (www.goshiken.com) で▶ Salesforce-MuleSoft-Developer-I ◀を検索し、無料でダウンロードしてくださいSalesforce-MuleSoft-Developer-I予想試験
- Salesforce-MuleSoft-Developer-I試験の準備方法 | 完璧なSalesforce-MuleSoft-Developer-I試験内容試験 | 正確なSalesforce Certified MuleSoft Developer (Mule-Dev-201)認定デベロッパー □ ✓ www.goshiken.com □✓□から ➡ Salesforce-MuleSoft-Developer-I □□□を検索して、試験資料を無料でダウンロードしてくださいSalesforce-MuleSoft-Developer-I日本語試験対策
- 一夜漬け Salesforce 認定 Salesforce-MuleSoft-Developer-I 問題集 直前対策テキスト □ ☼ Salesforce-MuleSoft-Developer-I □☼□の試験問題は☼ www.goshiken.com □☼□で無料配信中Salesforce-MuleSoft-Developer-I資格勉強
- 認定する-実際のSalesforce-MuleSoft-Developer-I試験内容試験-試験の準備方法Salesforce-MuleSoft-Developer-I認定デベロッパー ☉ ➡ www.passtest.jp □□□サイトに最新□ Salesforce-MuleSoft-Developer-I □問題集をダウンロードSalesforce-MuleSoft-Developer-I試験関連赤本
- Salesforce-MuleSoft-Developer-I日本語対策 □ Salesforce-MuleSoft-Developer-I試験関連赤本 □ Salesforce-MuleSoft-Developer-I資格認定試験 □ ウェブサイト ➡ www.goshiken.com □から□ Salesforce-MuleSoft-Developer-I □を開いて検索し、無料でダウンロードしてくださいSalesforce-MuleSoft-Developer-I予想試験
- Salesforce-MuleSoft-Developer-I日本語 □ Salesforce-MuleSoft-Developer-Iトレーニングサンプル □ Salesforce-MuleSoft-Developer-I日本語対策 ♣ 時間限定無料で使える ➡ Salesforce-MuleSoft-Developer-I □の試験問題は ➡ www.passtest.jp □サイトで検索Salesforce-MuleSoft-Developer-Iウェブトレーニング
- 一夜漬け Salesforce 認定 Salesforce-MuleSoft-Developer-I 問題集 直前対策テキスト □ (www.goshiken.com) に移動し、□ Salesforce-MuleSoft-Developer-I □を検索して、無料でダウンロード可能な試験資料を探しますSalesforce-MuleSoft-Developer-I無料問題
- Salesforce-MuleSoft-Developer-I日本語 □ Salesforce-MuleSoft-Developer-I試験関連赤本 □ Salesforce-MuleSoft-Developer-I無料過去問 □ ➡ www.topexam.jp □サイトに最新□ Salesforce-MuleSoft-Developer-I □問題集をダウンロードSalesforce-MuleSoft-Developer-I資格認定試験
- bbs.t-firefly.com, bbs.t-firefly.com, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, elearning.eauqardho.edu.so, www.stes.tyc.edu.tw, motionentrance.edu.np, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, bbs.t-firefly.com, Disposable

vapes

P.S. It-PassportsがGoogle Driveで共有している無料かつ新しいSalesforce-MuleSoft-Developer-Iダ
ブ: <https://drive.google.com/open?id=18Q2tu3tvgDunlQBRmFj-fzZpqI2hsOXH>