


CCRN-Pediatric合格率 & CCRN-Pediatric日本語版問題集



無料でクラウドストレージから最新のJPTestKing CCRN-Pediatric PDFダンプをダウンロードする：<https://drive.google.com/open?id=1X71v7WjVTXII9TcmZ1fcfsvSosKK7Mn>

この時代の変革とともに私たちは努力して積極的に進歩すべきです。AACNのCCRN-Pediatric試験に参加するのを決めるとき、あなたは強い心を持っているのを証明します。我々JPTestKingはあなたのような積極的な人に目標を達成させます。我々の提供した一番新しくて全面的なAACNのCCRN-Pediatric資料はあなたのすべての需要を満たすことができます。

AACN CCRN-Pediatric試験は、心臓血管、呼吸器、神経、消化器、内分泌および腎臓系など、重症看護に関連する幅広いトピックをカバーしています。また、疼痛管理、薬理学、血液動態学、プロフェッショナルケアリング、倫理的考慮事項などのトピックも含まれます。試験は150の多肢選択問題から構成され、受験者には3時間が与えられます。

>> CCRN-Pediatric合格率 <<

CCRN-Pediatric日本語版問題集、CCRN-Pediatric勉強ガイド

当社AACNのCCRN-Pediatric試験トレントはPDF、ソフトウェア、オンライン3モードで利用できます。これにより、学習教材を紙、携帯電話、またはコンピューターで切り替え、CCRN-Pediatricの対応するバージョンでいつでもどこでも学習できます。模擬試験。システムを購入する前に、CCRN-Pediatric模擬テストにより無料の試用サービスが提供されるため、Critical Care Nursing Exam顧客は購入前にシステムを完全に理解できます。オンライン支払いが成功した後、5～10分でカスタマーサービスからメールを受信し、すぐにCCRN-Pediatricトレーニング

ング準備を学び始めます。

看護師は、CCRNと麻痺の試験を受ける資格を得るために、米国で現在の無制限のRNライセンスと、過去2年間で重篤な小児患者の最低1,750時間の直接的なベッドサイドケアを行う必要があります。看護師は、AACNが提供する学習資料、レビューコースへの参加、および/またはオンライン模擬試験に参加することにより、試験の準備をすることができます。CCRNと葉状の認定を達成することは、重症の小児患者に質の高いケアを提供するという看護師のコミットメントを示しており、小児救命救急看護のキャリアの機会を高めることができます。

AACN Critical Care Nursing Exam 認定 CCRN-Pediatric 試験問題 (Q137-Q142):

質問 # 137

Following a traumatic brain injury, an intubated 2-year-old patient requires an infusion of cisatracurium (Nimbex) to assist with intracranial pressure. On day 3, the ventilator's mean airway pressure begins to alarm frequently and suctioning needs have increased. The patient's vital signs are:

- * BP: 99/58
- * HR: 148
- * RR: 20
- * T: 102.2°F (39°C)
- * ICP: 19
- * CPP: 53
- * WBC: 22,000
- * Na#: 153 mEq/L

A nurse should anticipate the patient will require:

- **A. A sputum culture**
- B. Mannitol (Osmitrol) 2 g/kg
- C. Albuterol (Proventil) treatment
- D. A head CT

正解: A

解説:

The elevated WBC count, fever, rising airway pressures, and increased secretions are consistent with a developing ventilator-associated pneumonia (VAP). A sputum culture is needed to identify the infectious agent and guide antibiotic therapy.

"Signs of VAP include increased airway secretions, elevated temperature, and rising ventilator pressures.

Diagnostic workup includes obtaining sputum culture to guide treatment." (Referenced from CCRN Pediatric - Direct Care: Pulmonary, Ventilator Complications and Infection)

質問 # 138

A 3-year-old heart transplant patient is experiencing signs of rejection. Which of the following best supports this?

- A. Bilaterally diminished breath sounds
- **B. HR of 145 and urine output of 0.5/kg/hr**
- C. BP of 98/55 and RR of 34
- D. Serum glucose of 230 mg/dL and LDL of 184

正解: B

解説:

Tachycardia and decreased urine output are early clinical signs of cardiac allograft rejection in pediatric transplant recipients. Because transplanted hearts are denervated, tachycardia is often the first compensatory response to decreased cardiac output, while low urine output reflects end-organ hypoperfusion.

"Rejection may present subtly with signs like persistent tachycardia, fatigue, or poor perfusion. Urine output is a sensitive measure of systemic perfusion." (Referenced from CCRN Pediatric - Direct Care: Cardiovascular, Heart Transplant Rejection Indicators)

質問 # 139

What nursing action should be done in an infant who receives IVF via a scalp vein:

- A. explain to the parents that they cant hold the client while the IV therapy is ongoing.
- **B. restrain the extremities when there's no one to see the child.**
- C. assess for signs of infiltration behind the occiput
- D. assess the pupils every 1 hour for any untoward reaction.

正解: B

解説:

Explanation: Extremities need to be restrained as infants use them to dislodge the needle. Pupillary reaction and assessing at the occiput do not relate to scalp vein and IV therapy.

質問 # 140

For acute otitis media, the treatment is prompt antibiotic therapy. Delayed treatment may result in complications of:

- A. Tonsillitis
- B. Diabetes mellitus
- C. Eardrum Problems
- **D. Brain damage**

正解: D

解説:

Explanation: One of the complications of recurring acute otitis media is risk for having Meningitis, thereby causing possible brain damage. That is why patient must follow a complete treatment regimen and follow up care.

質問 # 141

Robert, a 17-year-old father, consulted a nurse and said "I don't know if I'm using the condoms properly". The nurse should respond correctly that condoms should be:

- A. blown first to check for any holes
- B. lubricated before use
- **C. done after an erection**
- D. fitted against the tip of the penis without space

正解: C

解説:

Explanation: Condoms should be positioned after the penis is erected to maintain the fit.

質問 # 142

.....

CCRN-Pediatric日本語版問題集: <https://www.jpctestking.com/CCRN-Pediatric-exam.html>

- CCRN-Pediatric難易度受験料 □ CCRN-Pediatric出題範囲 □ CCRN-Pediatric問題数 □▷ www.xhs1991.com ◁ サイトで▷ CCRN-Pediatric □の最新問題が使えるCCRN-Pediatric基礎問題集
- CCRN-Pediatric日本語版 □ CCRN-Pediatric受験記 □ CCRN-Pediatric出題範囲 □ 最新※ CCRN-Pediatric □※□問題集ファイルは※ www.goshiken.com □※□にて検索CCRN-Pediatric資格トレーニング
- 価格が手頃なAACN CCRN-Pediatric認定試験に対する好評を得た参考書 □✓ CCRN-Pediatric □✓□を無料でダウンロード□ www.xhs1991.com □で検索するだけCCRN-Pediatric日本語認定
- 素晴らしいCCRN-Pediatric合格率 | 最初の試行で簡単に勉強して試験に合格する - 正確なAACN Critical Care Nursing Exam □ 今すぐ《 www.goshiken.com 》で⇒ CCRN-Pediatric □を検索し、無料でダウンロードしてくださいCCRN-Pediatric出題範囲
- 試験の準備方法-便利なCCRN-Pediatric合格率試験-最高のCCRN-Pediatric日本語版問題集 □▷ CCRN-Pediatric ◁を無料でダウンロード (www.passtest.jp) ウェブサイトを入力するだけCCRN-Pediatric日本語認定

- 無料でクラウドストレージから最新のJPTestKing CCRN-Pediatric PDFダンプをダウンロードする: <https://drive.google.com/open?id=1X71v7WjVTXI9TcmZ1fcfsvSosKK7Mn>

無料でクラウドストレージから最新のJPTestKing CCRN-Pediatric PDFダンプをダウンロードする: <https://drive.google.com/open?id=1X71v7WjVTXI9TcmZ1fcfsvSosKK7Mn>