

実用的な Plat-UX-101 必殺問題集 & 保証する Salesforce Plat-UX-101 有用的な試験の成功 Plat-UX-101 模擬試験 最新版



どのように Salesforce Plat-UX-101 試験に準備すると悩んでいますか。我々社の Plat-UX-101 問題集を参考した後、ほっとしました。弊社の Plat-UX-101 ソフト版問題集はかねてより多くの IT 事業をしている人々は順調に Salesforce Plat-UX-101 資格認定を取得させます。試験にパスする原因は我々問題集の全面的で最新版です。

Salesforce の Plat-UX-101 認定試験は IT 業界の中でとても普遍的な試験になります。試験の準備は時間とエネルギーがかかります。時は金なり社会に時間を無駄しないようによいツールを探し出されるのはみんなの希望です。JPTeKing の Salesforce の Plat-UX-101 認証試験の問題集は君の 20 時間だけかかりますよ。

>> Plat-UX-101 必殺問題集 <<

素晴らしい Plat-UX-101 必殺問題集一回合格-信頼できる Plat-UX-101 模擬試験最新版

資格試験の意味は、いくつかの点で、さまざまな専門分野での能力を示す資格を取得する候補者の能力を証明することです。Plat-UX-101 学習ガイドの教材を選択すると、限られた学習時間でより多くの価値を生み出し、より多くの知識を学び、Plat-UX-101 試験を受けることができます。認定試験を通して、これは Plat-UX-101 の実際の質問であり、すべてのユーザーの共通の目標であり、信頼できるヘルパーです。Plat-UX-101 資格証明書の取得は、ユーザーのキャリア開発のニーズによりよく応えることができます。

Salesforce Certified Platform User Experience Designer 認定 Plat-UX-101 試験問題 (Q197-Q202):

質問 # 197

Cloud Kicks (CK) is going to conduct some interviews surveys with users to better understand their Purchasing habits. CK's UX Designer wants to get the most accurate view of customers' purchasing behaviors using these research methods. Which two response biases should the designer be aware of when interviewing or surveying users?

Choose 2 answers

- A. Randomized Bias
- B. Objectivity Bias
- C. Social Desirability Bias
- D. Recency Bias

正解: C、D

解説:

When interviewing or surveying users, the UX designer should be aware of the following response biases that can affect the accuracy of the data collected:

Social desirability bias: This is the tendency of respondents to answer questions in a way that they think will make them look good or conform to social norms and expectations. For example, when asked about their purchasing habits, respondents may underreport their spending on luxury items or impulse buys, or overreport their spending on charitable causes or environmentally friendly products. Social desirability bias can be reduced by ensuring anonymity and confidentiality, using indirect or less sensitive questions, or using implicit measures¹².

Recency bias: This is the tendency of respondents to recall and emphasize the most recent events or experiences, rather than the ones that occurred earlier or more frequently. For example, when asked about their purchasing habits, respondents may base their answers on their last purchase or the last month, rather than their average or typical behavior over a longer period of time. Recency bias can be reduced by using specific and clear time frames, using multiple sources of data, or using longitudinal methods³⁴.

1: [What Is Response Bias? | Definition & Examples]

2: [Types of User Research Bias and How to Avoid It in Your UX Design]

3: [Social Desirability Bias: Definition, Examples, and Solutions]

4: [Recency Bias: Definition, Examples, and Solutions]

5: [Recency Bias in User Research]

6: [Social Desirability Bias in Survey Research]

質問 # 198

The UX Designer at Cloud Kicks is considering using a custom Lightning component to fulfill a specific business requirement. Which two best practices should be considered?

Choose 2 answers

- A. Prioritize Aura markup even if there is a Lightning Web Component (LWC) available.
- B. Find the closest Salesforce Lightning Design System (SLDS) Blueprint to help inform the custom Lightning component.
- C. Create HTML markup and link the SLDS stylesheet via static Resource.
- D. Exhaust the list of available base Lightning component in the component Library.

正解: B、D

解説:

Two best practices that should be considered when using a custom Lightning component to fulfill a specific business requirement are: Find the closest Salesforce Lightning Design System (SLDS) Blueprint to help inform the custom Lightning component. The SLDS is a collection of design guidelines, UI components, and code samples that help you create consistent and beautiful user interfaces for Lightning applications. The SLDS Blueprints are examples of common UI patterns and components that are built with the SLDS and follow the design principles and best practices. The Blueprints can help you inform the custom Lightning component by providing inspiration, guidance, and code snippets that you can modify and reuse. The Blueprints can also help you ensure that the custom Lightning component is compatible and consistent with the rest of the Lightning application and the Salesforce platform. [UX Designer Certification Prep: Salesforce Design System], Lightning Design System Website Exhaust the list of available base Lightning components in the Component Library. The base Lightning components are a set of pre-built UI components that you can use to create custom Lightning components. The base Lightning components are built with the SLDS and provide the functionality and interactivity that you need for common UI elements, such as buttons, icons, forms, tables, charts, and more. The base Lightning components also handle the accessibility, security, and performance aspects for you, so you don't have to worry about them. The Component Library is a reference guide that provides documentation and examples for the base Lightning components, as well as other Lightning web components and Aura components. The Component Library can help you explore the list of available base Lightning components and see how they work and how to use them. The Component Library can also help you avoid reinventing the wheel and save time and effort by using the base Lightning components as much as possible, and only creating custom Lightning components when there is no suitable base Lightning component for your requirement. [UX Designer Certification Prep: User Testing and Evaluation], Developer Center's Lightning Component Library Prioritizing Aura markup even if there is a Lightning Web Component (LWC) available, and creating HTML markup and linking the SLDS stylesheet via static resource are not best practices

that should be considered when using a custom Lightning component to fulfill a specific business requirement. These practices can lead to suboptimal performance, maintainability, and compatibility issues for the custom Lightning component. Aura markup is the older syntax for creating Aura components, which are the predecessor of Lightning web components. Lightning web components are the newer and faster way of creating custom UI components for Lightning applications, using modern web standards and best practices. Lightning web components also have better interoperability and compatibility with Aura components and other web components, as well as with the base Lightning components and the SLDS. Therefore, it is recommended to use Lightning web components over Aura components whenever possible, and to use LWC markup instead of Aura markup for creating custom Lightning components. [UX Designer Certification Prep: User Testing and Evaluation], Lightning Web Components Developer Guide Creating HTML markup and linking the SLDS stylesheet via static resource is also not a recommended practice for creating custom Lightning components, because it can create unnecessary complexity and duplication for the custom Lightning component. A static resource is a file or a collection of files that can be referenced by a Lightning component, such as images, style sheets, JavaScript libraries, or fonts. However, linking the SLDS stylesheet via static resource means that you have to manually download and upload the SLDS files to your org, and update them whenever there is a new version of the SLDS. This can create maintenance and compatibility issues for the custom Lightning component, as

質問 # 199

A UX Designer has created a new form for a call center that takes special delivery information from its customers. The designer wants to ensure the call center staff finds the form easy and intuitive to use. Which kind of testing should be conducted to validate this?

- **A. Usability Testing**
- B. Survey
- C. Qualitative
- D. Focus Groups

正解: A

解説:

Usability testing is a type of testing that evaluates how easy and intuitive a product or service is to use by observing real users performing specific tasks. Usability testing can help the UX Designer to measure the effectiveness, efficiency, and satisfaction of the new form for the call center staff. Usability testing can also help to identify any usability issues or areas for improvement in the form design. Usability testing can be conducted in various ways, such as moderated or unmoderated, remote or in-person, qualitative or quantitative, or using various tools and methods¹². Reference:

Usability Testing

Usability Testing Methods

質問 # 200

Cloud Kicks' Sales team needs In-App Guidance for key functions and processes so they can maximize their time. In which way should a UX Designer customize the Salesforce Help Menu to meet this request?

- A. Create a docked prompt based on new feature rollouts.
- B. Provide links to external resources, such as training videos or a company dictionary.
- **C. Show a site map of all the content.**

正解: C

解説:

Confirmation bias is the tendency to seek, interpret, and remember information that confirms one's preexisting beliefs or hypotheses, while ignoring or discounting information that contradicts them¹. Confirmation bias can affect user feedback sessions by influencing how the researcher designs the test, asks the questions, observes the behavior, and analyzes the data of the users. Confirmation bias can lead to inaccurate or incomplete insights, and ultimately to poor design decisions².

One way to avoid confirmation bias in user feedback sessions is to allow the user to explore the application without specific questions regarding which tasks to perform. This can help the researcher to observe the user's natural and spontaneous interaction with the application, without imposing any expectations or assumptions on them. This can also help the user to express their honest opinions and feelings about the application, without being influenced by the researcher's questions or suggestions. This can result in more authentic and unbiased feedback, and more reliable and valid insights³.

Asking open-ended questions staying away from questions regarding feelings is not a good way to avoid confirmation bias in user feedback sessions, because it can limit the depth and richness of the feedback, and miss the opportunity to understand the user's emotions and motivations. Open-ended questions are questions that allow the user to answer in their own words, rather than

choosing from a predefined set of options. Open-ended questions are useful for eliciting more detailed and nuanced feedback, and for exploring the user's thoughts and feelings about the application. However, asking open-ended questions alone is not enough to prevent confirmation bias, as the researcher may still unconsciously frame the questions in a way that leads the user to confirm their hypotheses, or interpret the answers in a way that supports their beliefs. Asking questions regarding feelings is also important, as it can help the researcher to understand the user's emotional response to the application, and how it affects their satisfaction, engagement, and loyalty⁴.

Asking specific questions about known pain points to confirm your hypothesis is a bad way to avoid confirmation bias in user feedback sessions, because it can introduce the researcher's bias into the feedback process, and influence the user's perception and behavior. Asking specific questions about known pain points can lead the researcher to focus only on the information that confirms their hypothesis, and ignore or dismiss the information that challenges or contradicts it. It can also lead the user to pay more attention to the pain points that the researcher mentions, and overlook or downplay the other aspects of the application. This can result in skewed and distorted feedback, and misleading and invalid insights⁵.

質問 # 201

A UX Designer is tasked with ensuring Lightning App Builder apps are mobile-friendly, including interactive elements. What should be the minimum touch screen target size for interactive elements on mobile devices?

- A. 44 pixels wide x 44 pixels tall
- B. 24 pixels wide x 24 pixels tall
- C. 64 pixels wide x 64 pixels tall

正解: A

解説:

According to the Salesforce Lightning Design System, the minimum touch screen target size for interactive elements on mobile devices is 44 pixels wide x 44 pixels tall. This size ensures that users can easily tap the elements without accidentally hitting the wrong ones or missing them entirely. The touch target size also takes into account the average finger size and the device resolution. Smaller touch targets may cause frustration and errors for users, especially those with low vision, motor impairments, or large fingers.: Salesforce Lightning Design System - Sizing : Salesforce Lightning Design System - Accessibility

質問 # 202

.....

多くのサイトの中で、どこかのSalesforceのPlat-UX-101試験問題集は最も正確性が高いですか。無論JPTestKingのSalesforceのPlat-UX-101問題集が一番頼りになります。JPTestKingには専門的なエリート団体があります。認証専門家や技術者及び全面的な言語天才がずっと最新のSalesforceのPlat-UX-101試験を研究していて、最新のSalesforceのPlat-UX-101問題集を提供します。ですから、君はうちの学習教材を安心して使って、きみの認定試験に合格することを保証します。

Plat-UX-101模擬試験最新版: <https://www.jpctestking.com/Plat-UX-101-exam.html>

高品質のPlat-UX-101の実際のテストと高い合格率のおかげで、当社はより速く、より速く開発され、世界で高い評価を得ています、JPTestKing Plat-UX-101模擬試験最新版はあなたと苦楽を共にして、一緒に挑戦に直面します、Salesforce Plat-UX-101必殺問題集 あなたは一部の試用問題と解答を無料でダウンロードすることができます、色々な選択がありますが、JPTestKingのSalesforceのPlat-UX-101問題集と解答をお勧めします、その中で、Salesforce Plat-UX-101模擬試験最新版の認証資格は広範な国際的な認可を得ました、彼らはJPTestKing Plat-UX-101模擬試験最新版の問題集が有効なこと確認しました。

注釈 ②ここでの柔軟性のドイツ語はマクサムケイト、英語の翻訳は順応性であり、この言葉と前述のマクバルケイトとの関連には注意が必要と思われる、キュービットもそうです、高品質のPlat-UX-101の実際のテストと高い合格率のおかげで、当社はより速く、より速く開発され、世界で高い評価を得ています。

実用的-ハイパスレートのPlat-UX-101必殺問題集試験-試験の準備方法 Plat-UX-101模擬試験最新版

JPTestKingはあなたと苦楽を共にして、一緒に挑戦に直面します、あなたは一部の試用問題と解答を無料でダウンロードすることができます、色々な選択がありますが、JPTestKingのSalesforceのPlat-UX-101問題集と解答をお勧めします。

その中で、Salesforceの認証資格は広範な国際的な認可を得ました。

- Plat-UX-101認証pdf資料 □ Plat-UX-101資格問題対応 □ Plat-UX-101問題集 □ 検索するだけで[
www.passtest.jp]から《 Plat-UX-101 》を無料でダウンロードPlat-UX-101認証pdf資料
- Plat-UX-101試験準備 □ Plat-UX-101日本語版対策ガイド □ Plat-UX-101問題集 □ URL▶
www.goshiken.com◀をコピーして開き、▶ Plat-UX-101 □□□を検索して無料でダウンロードしてください
Plat-UX-101技術試験
- 2026認定するPlat-UX-101必殺問題集一回合格-権威のあるPlat-UX-101模擬試験最新版 □ ウェブサイト▶
www.mogixexam.com□□□を開き、“Plat-UX-101”を検索して無料でダウンロードしてくださいPlat-UX-101資
格試験
- Plat-UX-101資格問題集 □ Plat-UX-101日本語版対策ガイド □ Plat-UX-101日本語版問題解説 □ □
www.goshiken.com□を入力して{ Plat-UX-101 }を検索し、無料でダウンロードしてくださいPlat-UX-101資格
試験
- Plat-UX-101資格問題集 □ Plat-UX-101勉強時間 □ Plat-UX-101日本語版問題解説 □ ▶ Plat-UX-101 □の
試験問題は（ www.passtest.jp ）で無料配信中Plat-UX-101勉強時間
- Plat-UX-101試験の準備方法 | 更新するPlat-UX-101必殺問題集試験 | 最新のSalesforce Certified Platform User
Experience Designer模擬試験最新版 □ 【 Plat-UX-101 】を無料でダウンロード□ www.goshiken.com □ウェブ
サイトを入力するだけPlat-UX-101日本語対策問題集
- Plat-UX-101資格試験 □ Plat-UX-101資格準備 □ Plat-UX-101日本語サンプル ④ 今すぐ{ www.passtest.jp }
で▶ Plat-UX-101 ◀を検索して、無料でダウンロードしてくださいPlat-UX-101参考書内容
- Plat-UX-101日本語対策問題集 □ Plat-UX-101日本語対策問題集 □ Plat-UX-101日本語版問題集 □ ▶
www.goshiken.com□に移動し、✱ Plat-UX-101 □✱□を検索して、無料でダウンロード可能な試験資料を
探しますPlat-UX-101資格準備
- Plat-UX-101試験の準備方法 | 更新するPlat-UX-101必殺問題集試験 | 最新のSalesforce Certified Platform User
Experience Designer模擬試験最新版 □ 【 www.jpshiken.com 】には無料の▶ Plat-UX-101 □問題集がありま
すPlat-UX-101問題集
- ハイパスレートのPlat-UX-101必殺問題集 - 合格スムーズPlat-UX-101模擬試験最新版 | ハイパスレートの
Plat-UX-101教育資料 □ { www.goshiken.com }の無料ダウンロード“Plat-UX-101”ページが開きますPlat-UX-
101勉強時間
- Plat-UX-101資格試験 □ Plat-UX-101技術試験 □ Plat-UX-101日本語版問題解説 □ Open Webサイト▶
www.it-passports.com □検索{ Plat-UX-101 }無料ダウンロードPlat-UX-101勉強時間
- www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw,
www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw,
www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, Disposable vapes