

Free PDF 2026 SAP C-ADBTP-2601: Administrating SAP Business Technology Platform(C_ADBTP_2601)– High Hit-Rate Valid Braindumps Free



We know that the standard for most workers become higher and higher; so we also set higher goal on our C-ADBTP-2601 guide questions. Different from other practice materials in the market our training materials put customers' interests in front of other points, committing us to the advanced learning materials all along. Until now, we have simplified the most complicated C-ADBTP-2601 Guide questions and designed a straightforward operation system, with the natural and seamless user interfaces of C-ADBTP-2601 exam question grown to be more fluent, we assure that our practice materials provide you a total ease of use.

The certificate is of significance in our daily life. At present we will provide all candidates who want to pass the C-ADBTP-2601 exam with three different versions for your choice. APP version of our C-ADBTP-2601 exam questions can work in an offline state. If you use the quiz prep, you can use our latest C-ADBTP-2601 exam torrent in anywhere and anytime. How can you have the chance to enjoy the study with our C-ADBTP-2601 Practice Guide in an offline state? You just need to download the version that can work in an offline state, and the first time you need to use the version of our C-ADBTP-2601 quiz torrent online.

>> Valid Braindumps C-ADBTP-2601 Free <<

SAP C-ADBTP-2601 1 year of Free Updates

Though there are three different versions of our C-ADBTP-2601 practice guide to cater to all needs of our worthy customers: the PDF, Software and APP online. I love the Software version the most. The software version of our C-ADBTP-2601 exam questions can be used in the Windows system, which is designed by the experts from our company. The functions of the software version are very special. For example, the software version of our C-ADBTP-2601 Learning Engine can simulate the real exam environment.

SAP Administrating SAP Business Technology Platform(C_ADBTP_2601) Sample Questions (Q10-Q15):

NEW QUESTION # 10

SIMULATION

Create Directories and Subaccounts

In a global account for SAP Business Technology Platform (BTP), create a hierarchy of subaccounts using directories.

Task 1: Create Directories

In your SAP BTP cockpit, create the directory Americas (Description: Americas Accounts) with your global account as the parent.

Create the directory Eurasia (Description: Eurasia Accounts) with your global account as the parent.

Create the directory Partner (Description: Partner Accounts) with the Americas directory as the parent. Add the label access with value external.

Create the directory Human Resources (Description: Human Resources Accounts) with the Eurasia directory as the parent. Add the label access with value internal.

Answer:

Explanation:

See the Explanation below for complete solution

Explanation:

Task 1: Create Directories

You need to create these directories:

Americas

Eurasia

Partner under Americas with label access=external

Human Resources under Eurasia with label access=internal

Before You Start

Log in to the SAP BTP Cockpit.

Make sure you are inside the correct Global Account.

Open the left-side navigation menu.

Why this is important:

All directories in this task must be created inside the correct global account hierarchy. If you create them in the wrong location, the simulation result will be incorrect.

Step 1 - Create Directory Americas

What to do

In the SAP BTP Cockpit, select your Global Account.

In the left navigation menu, click Directories.

Click Create or Create Directory.

Fill the fields as follows:

Name: Americas

Description: Americas Accounts

Parent: your Global Account

Click Create.

Create Directory

Display Name *
Americas

Parent *
BTP Admin Certification xxxx

Description
Americas Accounts

> **Advanced**

Cockpit supports multi-level directories in your account structure.
You can add your new directory directly to the root global account or to an existing directory by choosing the location under **Parent**.

Create Cancel

Explanation:

This creates a top-level directory directly under the global account.

It will later be used as the parent for the Partner directory.

What to verify

After creation, you should see:

Americas

listed under the directories of the global account.

Step 2 - Create Directory Eurasia

What to do

Stay in Directories.

Click Create Directory again.

Fill the fields:

Name: Eurasia

Description: Eurasia Accounts
Parent: your Global Account
Click Create.

Create Directory

Display Name *
Eurasia

Description
Eurasia Accounts

Parent *
BTP Admin Certification xxxxx

> **Advanced**

Cockpit supports multi-level directories in your account structure.
You can add your new directory directly to the root global account or to an existing directory by choosing the location under Parent.

Create Cancel

Explanation:
This creates another top-level directory, parallel to Americas.

What to verify

You should now see both:

Americas

Eurasia

under the global account.

Step 3 - Create Directory Partner under Americas

What to do

In the Directories area, select Americas.

Click Create Directory.

Enter:

Name: Partner

Description: Partner Accounts

Parent: Americas

Locate the Labels section.

Add a new label:

Key: access

Value: external

Click Create.

Name	Type	Endowment	Provider	Region	Changed On
BTP Admin Certification xxxxx	Global Account				March 25, 2026, 9:11:2...
Americas	Directory				March 26, 2026, 3:27:5...
Eurasia	Directory				March 26, 2026, 3:28...

Context menu for Eurasia:
Edit
Go to Overview
More Info
Create Directory
Create Subaccount
Delete

Select Parent

Search

Show only directories I can create in Expand All Collapse All

▼ BTP Admin Certification xxxx

Americas

EMEA

APAC

Select Cancel

Create Directory

Display Name*	Description
<input type="text" value="Partner"/>	<input type="text" value="Partner Accounts"/>
Parent*	
<input type="text" value="Americas"/>	

▼ **Advanced**

Enable entitlement management ? Enable user management ?

Add labels to this directory. ?

Name:	Values:
<input type="text" value="access"/>	<input type="text" value="external"/>

Explanation:

This creates Partner as a child directory under Americas.

The label is required and must be entered exactly:

access = external

This label helps classify the directory.

What to verify

Under Americas, you should now see:

Partner

and the directory should contain the label:

access=external

Step 4 - Create Directory Human Resources under Eurasia

What to do

Go back to the Directories list.

Select Eurasia.

Click Create Directory.

Enter:

Name: Human Resources

Description: Human Resources Accounts

Parent: Eurasia

In the Labels section, add:

Key: access

Value: internal

Click Create.

Create Directory

Display Name *
Human Resources

Parent *
Eurasia

Description
Human Resources Accounts

Advanced

Enable entitlement management Enable user management

Add labels to this directory.

Name: access Values: internal x

Create **Cancel**

Explanation:

This creates Human Resources as a child directory under Eurasia.

The required label is:

access = internal

What to verify

Under Eurasia, you should now see:

Human Resources

and the label should be:

access=internal

Final Expected Directory Structure

After completing Task 1, your structure must be exactly like this:

Global Account

Americas

Partner

Label: access=external

Eurasia

Human Resources

Label: access=internal

Name	Type	Environment	Provider	Region	Labels	Changed On
STP Admin Certification XXXX	Global Account					March 20, 2026, 6:56:2...
Americas	Directory					March 22, 2026, 4:25:1...
Partner	Directory				1 label	March 22, 2026, 4:29:2...
Eurasia	Directory					March 22, 2026, 4:26:0...
Human Resources	Directory				1 label	March 22, 2026, 4:31:0...

Important Checks Before Moving On

Verify all of the following:

Americas exists

Eurasia exists

Partner is under Americas
Human Resources is under Eurasia
Partner has label access=external
Human Resources has label access=internal
All names and descriptions are entered exactly as required
Common Mistakes to Avoid

1. Wrong parent

Partner must be created under Americas

Human Resources must be created under Eurasia

2. Wrong label key or value

Use exactly:

access → external

access → internal

3. Spelling errors

Be careful with:

Americas

Eurasia

Partner

Human Resources

4. Creating all directories directly under the global account

Only Americas and Eurasia are direct children of the global account.

Partner and Human Resources must be child directories.

NEW QUESTION # 11

SIMULATION

Establish Shared Services

Task 1: Create a Shared Services Directory and Subaccounts

In your SAP BTP cockpit, create the directory Shared Services (Description: Shared Accounts) with your global account as the parent.

In the Shared Services directory, create the subaccount SH Dev (Description: Shared Services Development) with subdomain `btppops#####-sh-dev` in the region Amazon Web Services (AWS) → Europe (Frankfurt) `cf-eu10`.

In the Shared Services directory, create the subaccount SH Ops (Description: Shared Services Operations) with subdomain `btppops#####-sh-ops` in the region Amazon Web Services (AWS) → Europe (Frankfurt) `cf-eu10`.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Make sure you are working in the correct global account before creating anything.

Why this matters:

The new directory and both subaccounts must be created inside the correct global account hierarchy.

Part A - Create the Shared Services Directory

Step 1 - Open Directories

What to do

In the SAP BTP Cockpit, open your Global Account.

In the left navigation menu, click Directories.



Explanation:

This is where you create and manage directory structures under the global account.

What to verify

You should now see the list of existing directories.

Step 2 - Create the Directory Shared Services

What to do

Click Create or Create Directory.

Enter the following values:

Name: Shared Services

Description: Shared Accounts

Parent: your Global Account

Click Create.

Create Directory

Display Name*
Shared Services

Description
Shared Accounts

Parent*
BTP Admin Certification

> **Advanced**

Cockpit supports multi-level directories in your account structure.
You can add your new directory directly to the root global account or to an existing directory by choosing the location under **Parent**.

SAP

Create Cancel

Explanation:

This creates a new top-level directory directly under the global account.

It will be used to hold the shared-services subaccounts.

What to verify

You should now see:

Shared Services

under the global account.

Part B - Create the SH Dev Subaccount

Step 3 - Open the Shared Services Directory

What to do

In the directory list, select Shared Services.

Explanation:

Both required subaccounts must be created inside this directory.

What to verify

You should now be inside the Shared Services directory.

Step 4 - Open Subaccounts

What to do

Inside Shared Services, open Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the subaccount creation screen.

Step 5 - Create SH Dev

What to do

Enter the following:

Display Name / Name: SH Dev

Description: Shared Services Development

Subdomain: btpops#####-sh-dev

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Explanation:

This creates the shared services development subaccount in the required AWS Frankfurt region.

What to verify

After creation, you should see:

SH Dev

inside the Shared Services directory.

Create Subaccount

Display Name *
SH Dev

Description
Shared Services Development

Region *
Europe (Frankfurt) - AWS

Subdomain *
btopops-xxxx-sh-dev

Parent *
Shared Services

Cockpit supports multi-level directories in your account structure. You can add your new subaccount directly to the root global account or to an existing directory by choosing the location under Parent.

Create Cancel

Part C - Create the SH Ops Subaccount

Step 6 - Start a New Subaccount

What to do

Still inside Shared Services, click Create → Subaccount again.

Explanation:

This opens the form for the second required subaccount.

Step 7 - Create SH Ops

What to do

Enter the following:

Display Name / Name: SH Ops

Description: Shared Services Operations

Subdomain: btopops#####-sh-ops

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Create Subaccount

Display Name *
SH Ops

Description
Shared Services Operations

Region *
Europe (Frankfurt) - AWS

Subdomain *
btopops-xxxx-sh-ops

Parent *
Shared Services

Cockpit supports multi-level directories in your account structure. You can add your new subaccount directly to the root global account or to an existing directory by choosing the location under Parent.

Create Cancel

Explanation:

This creates the shared services operations subaccount in the same required region.

What to verify

After creation, you should see:

SH Ops

inside the Shared Services directory.

Final Expected Result for Task 1

You should now have:

Directory

Shared Services

Description: Shared Accounts

Parent: Global Account

Subaccounts inside Shared Services

SH Dev

Description: Shared Services Development

Subdomain: btpops#####-sh-dev


Region: AWS → Europe (Frankfurt) cf-eu10

SH Ops

Description: Shared Services Operations

Subdomain: btpops#####-sh-ops

Region: AWS → Europe (Frankfurt) cf-eu10



The screenshot shows the SAP Cloud Connector interface. A large 'SAP' logo is overlaid on the top left. The main content is a table listing various accounts and subaccounts. The table has columns for Name, Type, Environment, Provider, Labels, and Changed On. The 'Shared Services' directory is expanded, showing subaccounts for 'SH Dev' and 'SH Ops'. Both subaccounts are listed as 'Subaccount' type, 'Multi-Environment' environment, and 'Amazon Web Services (AWS)' provider, located in the 'Europe (Frankfurt) - AWS' region. The 'SH Dev' subaccount has a subdomain of 'btpops#####-sh-dev' and the 'SH Ops' subaccount has a subdomain of 'btpops#####-sh-ops'. Both were created on March 26, 2020.

Name	Type	Environment	Provider	Labels	Changed On
Global Account	Global Account				March 25, 2020, 5:11:2...
Directory	Directory				March 26, 2020, 3:27:5...
Partner	Directory (Managed)			1 label	March 26, 2020, 3:50:1...
AM PA Dev Test	Subaccount	Multi-Environment	Microsoft Azure	US West (WA)	March 26, 2020, 3:35:3...
AM PA Prod	Subaccount	Multi-Environment	Microsoft Azure	US West (WA)	March 26, 2020, 3:39:3...
Europe	Directory				March 26, 2020, 3:28:2...
Human Resources	Directory			1 label	March 26, 2020, 3:43:0...
EU HCM Dev	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2020, 3:43:4...
EU HCM Prod	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2020, 3:48:3...
EU HCM Test	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2020, 3:46:5...
Shared Services	Directory				March 26, 2020, 4:14:2...
SH Dev	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2020, 4:15:5...
SH Ops	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2020, 4:17:0...

Common Mistakes to Avoid

1. Creating the directory in the wrong place

Shared Services must be created with:

parent = Global Account

2. Creating the subaccounts outside the directory

Both subaccounts must be created inside:

Shared Services

3. Wrong subdomain values

Use exactly:

btpops#####-sh-dev

btpops#####-sh-ops

Only replace ##### with your global account number.

4. Wrong region

Both subaccounts must use:

Amazon Web Services (AWS)

Europe (Frankfurt)

cf-eu10

5. Mixing up SH Dev and SH Ops

Be careful:

SH Dev = Shared Services Development

SH Ops = Shared Services Operations

NEW QUESTION # 12

SIMULATION

Task 3: Create Subaccounts with Default Provider and Region

In the Human Resources directory, create the subaccount EU HCM Dev (Description: Human Resources Development) with subdomain btpops#####-eu-hcm-dev in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.2.

In the Human Resources directory, create the subaccount EU HCM Test (Description: Human Resources Testing) with subdomain

btpops#####-eu-hcm-test using EU HCM Dev as source subaccount.3.

In the Human Resources directory, create the subaccount EU HCM Prod (Description: Human Resources Production) with subdomain btpops#####-eu-hcm-prod using EU HCM Dev as source subaccount. Set the subaccount as used in production.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

You must create these 3 subaccounts inside the Human Resources directory:

EU HCM Dev

EU HCM Test

EU HCM Prod

Important:

Replace ##### with your global account number

Enter names, descriptions, and subdomains exactly

EU HCM Prod must be marked as used in production

Task 3 - Create Subaccounts with Default Provider and Region

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open the Human Resources directory.

Why this matters:

All 3 subaccounts in this task must be created inside Human Resources. If you create them anywhere else, the result will be incorrect.

Step 1 - Open the Human Resources Directory

What to do

In the left menu, choose Directories.

In the list, select Human Resources.

Explanation:

This is the parent directory where the required HR subaccounts must be created.

What to verify

You should now be inside the Human Resources directory.

Step 2 - Start Creating EU HCM Dev

What to do

Inside Human Resources, open Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the form to create the first HR subaccount.

Step 3 - Enter Values for EU HCM Dev

What to do

Enter the following:

Display Name / Name: EU HCM Dev

Description: Human Resources Development

Subdomain: btpops#####-eu-hcm-dev

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Create Subaccount

Display Name* Description

Region*

Subdomain* Parent*

SAP Cockpit supports multi-level directories in your account structure. You can add your new subaccount directly to the root global account or to an existing directory by choosing the location under **Parent**.

Create **Cancel**

Explanation:

This creates the development subaccount for HR and defines the required provider and region.

This first subaccount is important because it will be used as the source subaccount for the next two subaccounts.

What to verify

After creation, you should see:

EU HCM Dev

under the Human Resources directory.

Step 4 - Confirm EU HCM Dev Exists

What to do

Check the subaccounts list in Human Resources.

Explanation:

You must make sure EU HCM Dev is available before you create the next subaccounts, because both EU HCM Test and EU HCM Prod must use it as the source subaccount.

What to verify

You should see:

EU HCM Dev

If it is missing, create it correctly before moving on.

Step 5 - Start Creating EU HCM Test

What to do

Still in the Human Resources directory, click Create → Subaccount again.

Explanation:

This opens the form for the test subaccount.

Step 6 - Enter Values for EU HCM Test

What to do

Enter:

Display Name / Name: EU HCM Test

Description: Human Resources Testing

Subdomain: btpops#####-eu-hcm-test

Then select:

Source Subaccount: EU HCM Dev

Then click Create.

Create Subaccount

Display Name*

Region*

Subdomain*

Description

Parent*

Advanced

Used for production

Enable beta features

Add labels to this subaccount.

Name:

Values:

Explanation:

This creates the testing subaccount by using EU HCM Dev as the source subaccount.

This helps keep the configuration aligned with the development subaccount.

What to verify

After creation, you should see:

EU HCM Test

under Human Resources.



The screenshot shows a table of subaccounts in SAP. The table has columns for Name, Type, Environment, Provider, Region, and Changed On. The subaccounts are organized into folders: Americas, Eurasia, and Human Resources. Under Human Resources, the subaccount 'EU HCM Test' is visible, with a 'Parent' column showing it is linked to 'EU HCM Dev'.

Name	Type	Environment	Provider	Region	Changed On
BTP Admin Certification xxxx	Global Account				March 25, 2026, 5:11:2...
Americas	Directory				March 26, 2026, 3:27:5...
Partner	Directory				March 26, 2026, 3:30:3...
AM PA Dev Test	Subaccount	Multi-Environment	Microsoft Azure	US West (WA)	March 26, 2026, 3:35:3...
AM PA Prod	Subaccount	Multi-Environment	Microsoft Azure	US West (WA)	March 26, 2026, 3:39:3...
Eurasia	Directory				March 26, 2026, 3:28:2...
Human Resources	Directory				March 26, 2026, 3:43:0...
EU HCM Dev	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2026, 3:43:4...
EU HCM Test	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2026, 3:46:5...

Step 7 - Start Creating EU HCM Prod

What to do

In Human Resources, click Create → Subaccount once more.

Explanation:

This opens the form for the production subaccount.

Step 8 - Enter Values for EU HCM Prod

What to do

Enter:

Display Name / Name: EU HCM Prod

Description: Human Resources Production

Subdomain: btpops####-eu-hcm-prod

Then select:

Source Subaccount: EU HCM Dev

Enable:

Used in Production: Yes

Then click Create.

Explanation:

This creates the production HR subaccount based on EU HCM Dev and marks it as a production system. The production setting is mandatory here.

What to verify

After creation, you should see:

EU HCM Prod

under Human Resources, and it should be marked as used in production.

Create Subaccount

Display Name *
EU HCM Prod

Description
Human Resources Production

Region *
Europe (Frankfurt) - AWS

Subdomain *
bt pops xxxx-eu-hcm-prod

Parent *
Human Resources

Advanced

Used for production

Enable beta features

Add labels to this subaccount.

Name: Values:

Enter label name

SAP

Create Cancel

Final Expected Result for Task 3

Inside the Human Resources directory, you must have these 3 subaccounts:

1. EU HCM Dev

Description: Human Resources Development

Subdomain: bt pops####-eu-hcm-dev

Region: Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10

2. EU HCM Test

Description: Human Resources Testing

Subdomain: bt pops####-eu-hcm-test

Source Subaccount: EU HCM Dev

3. EU HCM Prod

Description: Human Resources Production

Subdomain: bt pops####-eu-hcm-prod

Source Subaccount: EU HCM Dev

Used in Production: Yes

Name	Type	Environment	Provider	Region	Changed On
BT Admin Certification XXXX	Global Account				March 25, 2020, 5:12:...
Americas	Directory				March 26, 2020, 9:27:...
Partner	Directory				March 26, 2020, 9:30:...
MS FA Dev Test	Subaccount	Multi-Environment	Microsoft Azure	US West (94)	March 26, 2020, 9:30:...
MS FA Prod	Subaccount	Multi-Environment	Microsoft Azure	US West (94)	March 26, 2020, 9:30:...
Europe	Directory				March 26, 2020, 9:29:...
Human Resources	Directory				March 26, 2020, 9:43:...
EU HCM Dev	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2020, 9:43:...
EU HCM Test	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2020, 9:43:...
EU HCM Prod	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2020, 9:45:...

Common Mistakes to Avoid

1. Creating the subaccounts in the wrong directory

All 3 must be created inside:

Human Resources

Not under:

Global Account

Americas

Eurasia

Partner

2. Wrong subdomain values

Use exactly:

btpops####-eu-hcm-dev

btpops####-eu-hcm-test

btpops####-eu-hcm-prod

Only replace #### with your global account number.

3. Wrong region for EU HCM Dev

It must be:

Amazon Web Services (AWS)

Europe (Frankfurt)

cf-eu10

4. Wrong source subaccount

For both:

EU HCM Test

EU HCM Prod

you must select:

EU HCM Dev

5. Forgetting the production flag

For EU HCM Prod, make sure:

Used in Production is enabled

NEW QUESTION # 13

SIMULATION

Create a Service Instance in Cloud Foundry

Enable a service instance of the HTML5 Application Repository Service for Cloud Foundry.

Create a Service Instance in a Cloud Foundry Environment

In your SAP BTP cockpit, in the EU HCM Dev subaccount, create the service instance html5-eu-hcm-dev for the HTML5 Application Repository Service with the service plan app-host in the Cloud Foundry space activity-recording

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open Human Resources.

Open the EU HCM Dev subaccount.

This matters because the task must be completed in EU HCM Dev, and the service instance must be created in the specific Cloud Foundry space activity-recording. SAP Help also confirms that the HTML5 Application Repository is used in the Cloud Foundry environment and that the app-host plan is the host service used to store HTML5 application content.

Step 1 - Open the Cloud Foundry space

In EU HCM Dev, go to:

Cloud Foundry

Spaces

Select the space:

activity-recording

SAP Help describes creating Cloud Foundry service instances by first navigating to the subaccount, opening Cloud Foundry Spaces, selecting the target space, and then using that space's Services > Service Instances area.

Step 2 - Open Service Instances in the space

Inside the activity-recording space, go to:


Services

Service Instances

This is the Cloud Foundry-space-level location used for creating service instances in that space.

Step 3 - Start creating the new instance

Click Create.



A wizard opens for the new service instance. SAP Help describes this as the standard cockpit flow for creating service instances in Cloud Foundry spaces.

Step 4 - Choose the required service

In the service selection, choose:

HTML5 Application Repository Service

SAP Help documents the HTML5 Application Repository as the service used for centrally storing HTML5 applications' static content on SAP BTP in the Cloud Foundry environment.

New Instance or Subscription

1 Basic Info 2 Parameters 3 Review

Enter basic info for your instance or subscription.

Service: * ⓘ Can't find what you're looking for?

HTML5 Application Repository Service

Plan: *

app-host

Instance Name: * ⓘ

html5-eu-hcm-dev

Next > **Create** Cancel

Step 5 - Choose the required service plan

Select the service plan:

app-host

SAP Help states that the app-host service plan is used to deploy applications to the HTML5 Application Repository.

Step 6 - Enter the instance name

Set the service instance name to:

html5-eu-hcm-dev

Then continue and confirm creation.

SAP Help recommends using a CLI-friendly name for service instances, and the task gives the exact required name.

Space: activity-recording - Service Instances Create | ☆

All: 1

Note that space level does not currently support role management, instance sharing, or the display of "created by" and "modified by" information.

Search: [] Service: [All] Plan: [All] Status: [All]

Instances (1)

Instance	Service	Plan	Credentials	Status	
html5-eu-hcm-dev	HTML5 Application Repository Service	app-host		Created	⋮ >

Step 7 - Verify the space is correct

Before final confirmation, verify the target Cloud Foundry space is:

activity-recording

This is important because Cloud Foundry service instances are created within a specific space, not only at the subaccount level.

Step 8 - Create and confirm

Click Create or Finish.

Wait for the status to change from in-progress to created.

SAP Help notes that after creation, the instance appears in the service instances table and its status can be checked there.

Final expected result

Inside EU HCM Dev, in Cloud Foundry space activity-recording, you should have a service instance with:

Service: HTML5 Application Repository Service

Plan: app-host

Instance Name: html5-eu-hcm-dev

Common mistakes to avoid


Creating the instance in the wrong subaccount; it must be EU HCM Dev.

Creating it in the wrong Cloud Foundry space; it must be activity-recording.

Choosing the wrong service; use HTML5 Application Repository Service.

Choosing the wrong plan; use app-host. SAP Help specifically links app-host with hosting deployed HTML5 app content.

Typing the wrong instance name; use exactly html5-eu-hcm-dev.



The screenshot shows a table of SAP Cloud Foundry service instances. The table has columns for Name, Type, Environment, Provider, Region, Labels, and Changed On. The instances are organized into a hierarchy: Global Account, Americas (Partner), Europe (Human Resources), and Shared Services. Specific instances include AM FA Dev Test, AM FA Prod, EU HCM Dev, EU HCM Prod, EU HCM Test, SH Dev, and SH Ops. A large SAP logo watermark is overlaid on the bottom right of the table.

Name	Type	Environment	Provider	Region	Labels	Changed On
BTP Admin Certification	Global Account					March 25, 2026, 5:11:2...
Americas	Directory					March 25, 2026, 3:27:5...
Partner	Directory (Managed)				1 label	March 25, 2026, 3:50:1...
AM FA Dev Test	Subaccount	Multi-Environment	Microsoft Azure	US West (OR)		March 25, 2026, 3:35:3...
AM FA Prod	Subaccount	Multi-Environment	Microsoft Azure	US West (OR)		March 25, 2026, 3:39:3...
Europe	Directory					March 25, 2026, 3:28:2...
Human Resources	Directory				1 label	March 25, 2026, 3:43:0...
EU HCM Dev	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS		March 25, 2026, 3:43:4...
EU HCM Prod	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS		March 25, 2026, 3:48:3...
EU HCM Test	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS		March 25, 2026, 3:46:5...
Shared Services	Directory					March 25, 2026, 4:14:2...
SH Dev	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS		March 25, 2026, 4:15:5...
SH Ops	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS		March 25, 2026, 4:17:0...

NEW QUESTION # 14

.....

With the pass rate reaching 98.65%, C-ADBTP-2601 exam materials have gained popularity among candidates. We have received feedbacks from customers, and we examine and review C-ADBTP-2601 exam bootcamp on a continuous basis, so that exam dumps you receive are the latest version. In order to build up your confidence for C-ADBTP-2601 training materials, we are pass guarantee and money back guarantee, if you fail to pass the exam we will give you full refund. You can receive download link for C-ADBTP-2601 Exam Materials within ten minutes, and if you don't, you can contact with us, we will have professional staff to solve this problem for you.

C-ADBTP-2601 Latest Dumps Free: <https://www.practicematerial.com/C-ADBTP-2601-exam-materials.html>

Everything will be changed if you buy our C-ADBTP-2601 actual study guide, and you will be surprised with not only high grades but also the certification that you got for the help of our C-ADBTP-2601 exam questions, We have online and offline chat service stuff, who possess professional knowledge for C-ADBTP-2601 exam materials, if you have any questions, don't hesitate to contact us, Our C-ADBTP-2601 exam materials don't require you to spend a lot of time learning, you can go to the C-ADBTP-2601 exam after you use them for twenty to thirty hours.

Upon making your choice, Xbox One will take a few minutes to render the C-ADBTP-2601 clip and to upload it, Signing up with an Internet advertiser and placing an ad on your site can be confusing the first few times you do it.

Free Download Valid Brindumps C-ADBTP-2601 Free & Leader in Qualification Exams & Efficient C-ADBTP-2601: Administrating SAP Business Technology Platform(C_ADBTP_2601)

Everything will be changed if you buy our C-ADBTP-2601 actual study guide, and you will be surprised with not only high grades but also the certification that you got for the help of our C-ADBTP-2601 exam questions.

We have online and offline chat service staff, who possess professional knowledge for C-ADBTP-2601 exam materials, if you have any questions, don't hesitate to contact us.

Our C-ADBTP-2601 exam materials don't require you to spend a lot of time learning, you can go to the C-ADBTP-2601 exam after you use them for twenty to thirty hours.

But our C-ADBTP-2601 dumps torrent save you from all this, providing only to the point of Administrating SAP Business Technology Platform(C_ADBTP_2601) pass guaranteed and much needed information that is necessary to get through exam.

The three versions of C-ADBTP-2601 study guide: Administrating SAP Business Technology Platform(C_ADBTP_2601) are the windows software, the app version and the pdf version.

- Hot Valid Braindumps C-ADBTP-2601 Free | Amazing Pass Rate For C-ADBTP-2601: Administrating SAP Business Technology Platform(C_ADBTP_2601) | Free PDF C-ADBTP-2601 Latest Dumps Free Search on { www.easy4engine.com } for [C-ADBTP-2601] to obtain exam materials for free download Free C-ADBTP-2601 Braindumps
- Latest C-ADBTP-2601 Braindumps C-ADBTP-2601 Braindumps C-ADBTP-2601 Reliable Exam Materials Copy URL ➔ www.pdfvce.com open and search for C-ADBTP-2601 to download for free C-ADBTP-2601 Valid Braindumps Files
- C-ADBTP-2601 Books PDF Reliable C-ADBTP-2601 Source C-ADBTP-2601 Practice Tests Simply search for ☀ C-ADBTP-2601 ☀ for free download on ➔ www.dumpsquestion.com C-ADBTP-2601 100% Exam Coverage
- 100% Pass Quiz Marvelous SAP Valid Braindumps C-ADBTP-2601 Free Search for 【 C-ADBTP-2601 】 and obtain a free download on ➔ www.pdfvce.com Valid Exam C-ADBTP-2601 Vce Free
- C-ADBTP-2601 Verified Answers Reliable C-ADBTP-2601 Study Notes C-ADBTP-2601 Verified Answers ☺ Immediately open www.prepawaypdf.com and search for ➤ C-ADBTP-2601 to obtain a free download Reliable C-ADBTP-2601 Source
- C-ADBTP-2601 Books PDF C-ADBTP-2601 Practice Tests C-ADBTP-2601 Latest Exam Notes Enter ⇒ www.pdfvce.com ⇐ and search for ☀ C-ADBTP-2601 ☀ to download for free Reliable C-ADBTP-2601 Study Notes
- Free trial and up to 1 year of free updates of SAP C-ADBTP-2601 Dumps Search on 《 www.validtorrent.com 》 for C-ADBTP-2601 to obtain exam materials for free download Reliable C-ADBTP-2601 Study Notes
- Latest C-ADBTP-2601 Dumps Book C-ADBTP-2601 100% Exam Coverage Latest C-ADBTP-2601 Test Question Search for 《 C-ADBTP-2601 》 and obtain a free download on ➔ www.pdfvce.com C-ADBTP-2601 Valid Braindumps Files
- C-ADBTP-2601 Exam Topics Pdf C-ADBTP-2601 Verified Answers C-ADBTP-2601 Latest Exam Notes Open ⇒ www.prepawaypdf.com ⇐ and search for ✓ C-ADBTP-2601 ✓ to download exam materials for free C-ADBTP-2601 100% Exam Coverage
- Reliable C-ADBTP-2601 Source Latest Test C-ADBTP-2601 Discount C-ADBTP-2601 Braindumps Easily obtain (C-ADBTP-2601) for free download through [www.pdfvce.com] C-ADBTP-2601 Reliable Exam Materials
- 100% Pass 2026 C-ADBTP-2601: Unparalleled Valid Braindumps Administrating SAP Business Technology Platform(C_ADBTP_2601) Free Open ➔ www.testkingpass.com enter ➔ C-ADBTP-2601 and obtain a free download Reliable C-ADBTP-2601 Study Notes
- tiffanyvooh448491.blogdmls.com, bookmarksbay.com, hubwebsites.com, alysarvla146544.blog-kids.com, bookmarkoffire.com, sociallawy.com, p.me-page.com, vinnyxhfo832690.get-blogging.com, agnesbljj937717.blog4youth.com, qasimbiuf644999.plpwiki.com, Disposable vapes