

PECB ISO-45001-Lead-Auditor学習資料、ISO-45001-Lead-Auditor問題数



2026年It-Passportsの最新ISO-45001-Lead-Auditor PDFダンプおよびISO-45001-Lead-Auditor試験エンジンの無料共有: https://drive.google.com/open?id=1p7Z4pLWfkSNUZ33F_sCPM0uOthmPem5

幸せの生活は自分で作られて得ることです。だから、大人気なIT仕事に従事したいあなたは今から準備して努力するのではないでしょうか？さあ、ここで我々社のPECBのISO-45001-Lead-Auditor試験模擬問題を推薦させてくださいませんか。我が社のISO-45001-Lead-Auditor問題集は必ずあなたの成功へ道の助力になれます。

今の競争の激しいIT業界ではPECBのISO-45001-Lead-Auditor試験にパスした方はメリットがおおくなります。給料もほかの人と比べて高くて仕事の内容も豊富です。でも、この試験はそれほど簡単ではありません。

>> PECB ISO-45001-Lead-Auditor学習資料 <<

ISO-45001-Lead-Auditor問題数 & ISO-45001-Lead-Auditor試験攻略

「誠実さと品質」をモットーに、あなたのような大切なお客様にビッグリーグのISO-45001-Lead-Auditor試験問題を提供できるように最善を尽くします。当社は顧客との相互作用を重視しています。ISO-45001-Lead-Auditor試験の品質を重視するだけでなく、より良いアフターサービスの構築も考慮に入っています。すべてのユーザーに即座にヘルプを提供することは私たちの責任です。ISO-45001-Lead-Auditor試験について質問がある場合は、遠慮なくメッセージを残したり、メールを送信してください。カスタマーサービススタッフは、ISO-45001-Lead-Auditor試験ガイドの質問にお答えします。

PECB Certified ISO 45001 Lead Auditor Exam 認定 ISO-45001-Lead-Auditor 試験問題 (Q45-Q50):

質問 #45

Select the two options which represent an advantage of using a sampling plan for the audit.

- A. Overrules the auditor's instincts
- B. Implements the audit plan efficiently

- C. May require an increased audit duration
- D. May miss key issues
- E. Gives confidence in the audit results
- F. Use of the plan for consecutive audits without review

正解: B、E

質問 #46

What is the definition of the term 'audit' as per clause 3.32 of ISO 45001:2018?

- A. A systematic process to assess the risks in a workplace
- B. A legal requirement to comply with health and safety standards
- C. A document that outlines safety procedures and guidelines
- D. An evaluation of the effectiveness of health and safety measures

正解: D

解説:

According to Clause 3.32 of ISO 45001:2018, an audit is defined as a systematic, independent, and documented process for obtaining objective evidence and evaluating it to determine the extent to which audit criteria are fulfilled.

This involves assessing the effectiveness of health and safety measures implemented in the organization's OH&S management system. Analysis of Options:

A . A systematic process to assess the risks in a workplace:

Incorrect. While audits may include risk assessments, the purpose is broader and involves evaluating the entire OH&S management system.

B . An evaluation of the effectiveness of health and safety measures:

Correct. This aligns with the definition of an audit as per ISO 45001:2018.

C . A legal requirement to comply with health and safety standards:

Incorrect. An audit is not necessarily a legal requirement but a process to assess conformity.

D . A document that outlines safety procedures and guidelines:

Incorrect. An audit is a process, not a document.

ISO Reference:

Clause 3.32: Audit definition.

質問 #47

Showitoff is an organisation specialising in the design and production of wall decorating material for the domestic market. During an ISO 45001 certification audit of the site, the auditor comes across an open, walled area just outside the maintenance department. It contains various scraps of wood and metal as well as several rusty components. Several heavy concrete beams are leaning against a thin brick wall in which cracks are visible. When asked about it, the OHS Manager states that he presume that the material come from maintenance work, so it is the Maintenance Manager's responsibility.

The auditor interviews the Maintenance Manager in his department. He asks about the area outside and is told that it contains some excess materials that the Manager likes to keep in case they come in handy at some stage. The auditor points out that the wall appears to be unstable collapse at any moment. The Maintenance Manager is not aware of such a situation.

Which three statement represent good audit practice?

- A. The auditor should consider surveying more areas of the site for other potentially unsafe situations.
- B. The audit should demand that the Maintenance Manager deals with the wall.
- C. The auditor should check whether the organization has identified the safety hazards associated with the walled area.
- D. The auditor should advise the organisation to get rid of the walled area.
- E. The audit should ask the Maintenance Manager to conduct a safety survey.
- F. The audit should refer the organization to the health and safety authorities.
- G. The audit should raise a nonconformity against ISO 45001.
- H. The audit should check the lines of communication between the OHS Manager and maintenance Manager.

正解: A、C、H

解説:

Comprehensive Detailed Explanation along with All ISO 45001 Audit Reference Clause 6.1.2 of ISO 45001:2018 emphasizes the identification of hazards and assessment of risks, and Clause 5.4 highlights the importance of consultation and communication among

roles. The auditor's role includes verifying conformity to these clauses through evidence gathering and observation.

Analysis of Options:

A :The auditor should advise the organization to get rid of the walled area.

This is outside the scope of an auditor's role, which is to observe and report findings, not to dictate specific actions.

B :The auditor should ask the Maintenance Manager to conduct a safety survey.

While safety surveys are useful, asking the Maintenance Manager to conduct one is not the auditor's responsibility.

C :The auditor should check the lines of communication between the OHS Manager and Maintenance Manager.

This aligns with ISO 45001:2018, Clause 5.4, as communication gaps may have contributed to the situation.

D :The auditor should check whether the organization has identified the safety hazards associated with the walled area.

Clause 6.1.2 requires hazard identification. The auditor must determine whether this has been done.

E :The auditor should consider surveying more areas of the site for other potentially unsafe situations.

Broadening the audit scope to identify additional risks is a good practice in line with Clause 9.2.2.

F :The auditor should demand that the Maintenance Manager deals with the wall.

Demanding action is not within the auditor's authority. The auditor should raise findings instead.

G :The auditor should raise a nonconformity against ISO 45001.

While this may be appropriate depending on evidence, raising a nonconformity is not a replacement for good audit practices.

H :The auditor should refer the organization to health and safety authorities.

This step is extreme and should only occur if there is an imminent danger and no action is being taken.

ISO Reference:

Clause 6.1.2: Hazard identification and risk assessment.

Clause 5.4: Worker consultation and participation.

Clause 9.2.2: Internal audit program and execution.

質問 # 48

Which of the following standards talk about the Environment Management System? Select all the correct options, and then select Submit.

- A. ISO 14501
- B. ISO 14001
- C. Integrated Management system
- D. ISO 45001

正解: B、C

解説:

Analysis of Options:

* A. Integrated Management System:Correct. An Integrated Management System (IMS) combines multiple standards like ISO 45001, ISO 14001, and ISO 9001, addressing environment management as part of the integration.

* B. ISO 14501:Incorrect. ISO 14501 pertains to milk and milk products, not environmental management.

* C. ISO 45001:Incorrect. ISO 45001 focuses on Occupational Health and Safety, not environmental management.

* D. ISO 14001:Correct. ISO 14001 is the primary standard for Environmental Management Systems.

ISO References:

* ISO 14001: Environment Management Systems.

* Integrated Management Systems: Combines standards like ISO 14001 and ISO 45001.

質問 # 49

What does ISO 45001 say are the hazards that have to be considered when planning a health and safety management system? Select the ONE best answer.

- A. Work hazards and environmental factors such as bad weather
- B. Work activities where there is the possibility of danger
- C. Hot-work, working at height, enclosed space entry, and work on electrical equipment
- D. Work activities, workplace design, and human factors such as hours of work and bullying and harassment

正解: D

解説:

ISO 45001:2018 requires a holistic approach to occupational health and safety. This means considering all aspects that could impact worker well-being, not just obvious physical hazards. The correct answer encompasses work activities (the tasks themselves),

workplace design (the physical environment), and human factors (psychological and social aspects like working hours and harassment). It's the most comprehensive and aligned with the standard's philosophy ISO 45001:2018, Clause 6.1.2, outlines requirements for hazard identification. Hazards to consider include work activities, workplace design, human factors, and social factors that may impact OH&S. These go beyond traditional physical risks and include psychosocial and organizational hazards.

Analysis of Options:

* A. Work activities, workplace design, and human factors such as hours of work and bullying and harassment:Correct. This comprehensively addresses hazard categories outlined in ISO 45001, Clause

6.1.2.

* B. Work activities where there is the possibility of danger:Too general. ISO 45001 includes broader categories of hazards, including those related to organizational and social factors.

* C. Hot-work, working at height, enclosed space entry, and work on electrical equipment:Too narrow. These are specific hazards but do not encompass the full range outlined in ISO 45001.

* D. Work hazards and environmental factors such as bad weather:Incomplete. While environmental factors are relevant, ISO 45001 also includes workplace design, human factors, and psychosocial hazards.

ISO References:

* Clause 6.1.2.1: Hazard identification.

* Annex A.6.1.2: Examples of hazard categories, including workplace design and human factors.

質問 # 50

.....

ISO-45001-Lead-Auditor練習教材を購入したすべての学生は、PECBのISO-45001-Lead-Auditor学習教材が提供する内容に従い、毎日学習する限り、プロのISO-45001-Lead-Auditor資格試験に合格できると信じています。模擬試験を通じて定期的に自己検査を実施します。もちろん、It-Passports購入する前に、ISO-45001-Lead-Auditor学習教材は無料の試用サービスを提供します。当社のWebサイトにログオンしている限り、無料で試用版のPECB Certified ISO 45001 Lead Auditor Exam質問バンクをダウンロードできます。ISO-45001-Lead-Auditorテストエンジンを試した後、あなたはそれらを愛することになると信じています。

ISO-45001-Lead-Auditor問題数: <https://www.it-passports.com/ISO-45001-Lead-Auditor.html>

PECB ISO-45001-Lead-Auditor学習資料 あなたにも良いニュースです、PECB ISO-45001-Lead-Auditor学習資料 すべての顧客のニーズを満たすために、当社はこの分野で多くの主要な専門家と教授を採用しました、弊社の商品で君はもっと少ない時間と精力を使用して簡単にISO-45001-Lead-Auditor認定試験に合格できます、我々の優秀なISO-45001-Lead-Auditorテストエンジンだけでなく、良いカスタマーサービスを提供します、弊社のISO-45001-Lead-Auditor問題数 - PECB Certified ISO 45001 Lead Auditor Exam問題集はあなたにこのチャンスを全面的に与えられます、PECB ISO-45001-Lead-Auditor学習資料 実は良いトレーニング資料を選んだら試験に合格することは不可能ではないです、PECB ISO-45001-Lead-Auditor 学習資料 これは受験生の皆さんのために特別に作成し出された試験参考書です。

喰いたいんだろ、覚えておこうと心にメモする、あなたにも良いニュースです、すべての顧客のニーズを満たすために、当社はこの分野で多くの主要な専門家と教授を採用しました、弊社の商品で君はもっと少ない時間と精力を使用して簡単にISO-45001-Lead-Auditor認定試験に合格できます。

試験の準備方法-実際的なISO-45001-Lead-Auditor学習資料試験-一番優秀なISO-45001-Lead-Auditor問題数

我々の優秀なISO-45001-Lead-Auditorテストエンジンだけでなく、良いカスタマーサービスを提供します、弊社のPECB Certified ISO 45001 Lead Auditor Exam問題集はあなたにこのチャンスを全面的に与えられます。

- ISO-45001-Lead-Auditor基礎問題集 □ ISO-45001-Lead-Auditor出題範囲 □ ISO-45001-Lead-Auditor模擬試験 最新版 □ 最新➡ ISO-45001-Lead-Auditor □ 問題集ファイルは * www.japancert.com □ * □ にて検索ISO-45001-Lead-Auditor試験時間
- PECB ISO-45001-Lead-Auditor学習資料: PECB Certified ISO 45001 Lead Auditor Exam - GoShiken 合格のを助ける □ 時間限定無料で使える □ ISO-45001-Lead-Auditor □ の試験問題は ➡ www.goshiken.com □ サイトで検索ISO-45001-Lead-Auditor最新日本語版参考書
- 100%合格率のISO-45001-Lead-Auditor学習資料 - 合格スムーズISO-45001-Lead-Auditor問題数 | 最高のISO-45001-Lead-Auditor試験攻略 PECB Certified ISO 45001 Lead Auditor Exam □ ⇒ jp.fast2test.com で * ISO-45001-Lead-Auditor □ * □ を検索して、無料でダウンロードしてくださいISO-45001-Lead-Auditor試験時間
- ISO-45001-Lead-Auditor試験概要 □ ISO-45001-Lead-Auditor試験概要 □ ISO-45001-Lead-Auditor教育資料 □ 「 www.goshiken.com 」で[ISO-45001-Lead-Auditor]を検索し、無料でダウンロードしてくださいISO-45001-

Lead-Auditor試験時間

2026年It-Passportsの最新ISO-45001-Lead-Auditor PDFダンプ およびISO-45001-Lead-Auditor試験エンジンの無料共有: https://drive.google.com/open?id=1p7Z4pLWfKSNUZ33F_sCPM0uOthomPem5