


Valid F5 F5CAB1 Test Sample, F5CAB1 Latest Exam Dumps



P.S. Free & New F5CAB1 dumps are available on Google Drive shared by ExamCost: https://drive.google.com/open?id=1LI931YhacQTnV6b8VfhpAlly7S_v_JjD

We also offer a free demo version that gives you a golden opportunity to evaluate the reliability of the BIG-IP Administration Install, Initial Configuration, and Upgrade (F5CAB1) exam study material before purchasing. Vigorous practice is the only way to ace the BIG-IP Administration Install, Initial Configuration, and Upgrade (F5CAB1) test on the first try. And that is what ExamCost F5 F5CAB1 practice material does. Each format of updated F5 F5CAB1 preparation material excels in its way and helps you pass the BIG-IP Administration Install, Initial Configuration, and Upgrade (F5CAB1) examination on the first attempt.

F5 F5CAB1 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none">BIG IP Administration Data Plane Concepts: This section of the exam measures skills of Network Administrators and covers how BIG IP handles application traffic on the data plane. It includes understanding flow of traffic, key data path components, basic concepts of load balancing, and how security and performance features affect user traffic.

Topic 2	<ul style="list-style-type: none"> • BIG IP Administration Support and Troubleshooting: This section of the exam measures skills of Network Administrators and covers identifying and resolving common issues that affect BIG IP operation. It focuses on using logs, statistics, diagnostic tools, and basic troubleshooting methods to restore normal traffic flow and maintain stable application delivery.
Topic 3	<ul style="list-style-type: none"> • BIG IP Administration Install Initial Configuration and Upgrade: This section of the exam measures skills of System Administrators and covers the lifecycle tasks for deploying and maintaining a BIG IP system. It includes installing the platform, performing initial setup, applying licenses, configuring basic networking, and planning and executing software upgrades and hotfixes.
Topic 4	<ul style="list-style-type: none"> • BIG IP Administration Data Plane Configuration: This section of the exam measures skills of System Administrators and covers configuring BIG IP objects that control data plane behavior. It focuses on setting up virtual servers, pools, nodes, monitors, and profiles so that applications are delivered reliably and efficiently according to design requirements.
Topic 5	<ul style="list-style-type: none"> • BIG IP Administration Control Plane Administration: This section of the exam measures skills of System Administrators and covers managing the control plane where BIG IP is configured and administered. It includes working with user accounts, roles, device settings, configuration management, and using the graphical interface and command line for daily administrative tasks.

>> Valid F5 F5CAB1 Test Sample <<

Pass Guaranteed 2026 The Best F5 F5CAB1: Valid BIG-IP Administration Install, Initial Configuration, and Upgrade Test Sample

Do you want to pass the F5CAB1 exam with 100% success guarantee? Our F5CAB1 training quiz is your best choice. With the assistance of our study materials, you will advance quickly. Also, all F5CAB1 guide materials are compiled and developed by our professional experts. So you can totally rely on our F5CAB1 Exam simulating to aid you pass the exam. What is more, you will learn all knowledge systematically and logically, which can help you memorize better.

F5 BIG-IP Administration Install, Initial Configuration, and Upgrade Sample Questions (Q41-Q46):

NEW QUESTION # 41

A secondary administrator has been granted access to a BIG-IP device through its Management Interface, but is unable to access the Configuration Utility (WebUI). What command can be run from the CLI to capture the network traffic on the management interface and troubleshoot the issue? (Choose two.)

- A. `tcpdump -i tun0 -n port 443`
- B. `tcpdump -i 0.0 -n port 443`
- C. `tcpdump -i management -n port 443`
- **D. `tcpdump -i eth0 -n port 443`**
- **E. `tcpdump -i mgmt -n port 443`**

Answer: D,E

Explanation:

The BIG-IP has two distinct planes:

Management-plane -> handled entirely by the management interface (MGMT) Data-plane (TMM) -> handles Self IPs, VLAN interfaces, and traffic processing To capture traffic on the management interface, only the management-side NICs may be used:

`mgmt` -> Logical name for the management interface

`eth0` -> Physical Linux interface mapped to the management port on most BIG-IP platforms Both of these correctly capture inbound/outbound WebUI (HTTPS/443) traffic on the management port.

Why the correct answers are A and B

A). `tcpdump -i eth0 -n port 443`

On BIG-IP appliances and VMs, the management port maps to `eth0` at the Linux OS level.

Capturing on `eth0` correctly shows HTTPS traffic to the WebUI.

B). `tcpdump -i mgmt -n port 443`

`mgmt` is the BIG-IP alias for the management interface.

This is the preferred and most explicit capture interface for management-plane packet captures.

NEW QUESTION # 42

The Configuration Utility of a BIG-IP device is currently accessible via its management IP 10.53.1.245 from all VLANs.

The BIG-IP Administrator needs to restrict access so only hosts from the 10.0.0.0/24 subnet can access the Configuration Utility. Which TMSH command accomplishes this?

- A. `(tmos)# create /net acl MGMT.HTTP rule add { (permit tcp 10.0.0.0 0.0.0.255 host 10.53.1.245 http) }`
- B. `(tmos)# modify /ltm httpd allow replace-all-with {10.0.0.0/24}`
- C. `(tmos)# modify /sys httpd allow replace-all-with {10.0.0.0/24}`
- D. `(tmos)# create /net acl MGMT.HTTP rule add { (permit tcp 10.0.0.0/24 10.53.1.245 http) (deny ip any any http) }`

Answer: C

Explanation:

BIG-IP controls access to the web-based Configuration Utility (TMUI) through the `/sys httpd allow` list. This parameter specifies which client IPs or subnets may initiate HTTP/HTTPS connections to the management interface.

To restrict TMUI access to only the 10.0.0.0/24 subnet:

The correct method is to modify the HTTPD allow list so that it contains only this subnet.

This requires replacing the entire current list with the new subnet using:

```
modify /sys httpd allow replace-all-with {10.0.0.0/24}
```

This ensures that only clients within 10.0.0.0/24 can reach the Configuration Utility.

NEW QUESTION # 43

What is required when setting up an HA (High Availability) pair of BIG-IP devices?

- A. Same hardware model and version of software
- B. Configuration of load balancing on both devices
- C. Different software versions on each device
- D. Same IP address on both devices

Answer: A

Explanation:

For HA to function correctly, both devices need to be running the same software version and have the same hardware model to ensure compatibility and synchronization.

NEW QUESTION # 44

Which option in the BIG-IP Configuration utility is used to configure the system's routes?

- A. Traffic Management > Routes
- B. System > Network > VLANs
- C. System > Network > Routes
- D. Local Traffic > Routes

Answer: C

Explanation:

Routing settings for the BIG-IP system can be configured under System > Network > Routes in the Configuration utility.

NEW QUESTION # 45

How is a BIG-IP software upgrade typically performed?

