

Fortinet NSE6_SDW_AD-7.6시험준비 & NSE6_SDW_AD-7.6응시자료

Fortinet NSE6_SDW_AD-7.6 Exam

Fortinet NSE 6 - SD-WAN 7.6 Enterprise Administrator

https://www.passquestion.com/nse6_sdw_ad-7-6.html



35% OFF on All, Including NSE6_SDW_AD-7.6 Questions and Answers

Pass NSE6_SDW_AD-7.6 Exam with PassQuestion
NSE6_SDW_AD-7.6 questions and answers in the first attempt.

<https://www.passquestion.com/>

1 / 6

그 외, PassTIP NSE6_SDW_AD-7.6 시험 문제집 일부가 지금은 무료입니다: <https://drive.google.com/open?id=1YNDI9SvsiCrknb7DUrWRGe8T2PRah06z>

Fortinet NSE6_SDW_AD-7.6인증덤프가 PassTIP전문가들의 끈임 없는 노력 하에 최고의 버전으로 출시되었습니다. 여러분의 꿈을 이루어드리려고 말이죠. IT업계에서 자기만의 자리를 잡고 싶다면Fortinet NSE6_SDW_AD-7.6인증 시험이 아주 좋은 자격증입니다. 만약Fortinet NSE6_SDW_AD-7.6인증시험 자격증이 있다면 일에서도 많은 변화가 있을 것입니다, 연봉상승은 물론, 자기자신만의 공간도 넓어집니다.

Fortinet NSE6_SDW_AD-7.6 덤프의 높은 적중율에 놀란 회원분들이 계십니다. 고객님의 도와 Fortinet NSE6_SDW_AD-7.6 시험을 쉽게 패스하는게 저희의 취지이자 최선을 다해 더욱 높은 적중율을 자랑할수 있다록 노력하고 있습니다. 뿐만 아니라 PassTIP에서는한국어 온라인서비스상담, 구매후 일년무료업데이트서비스, 불합격받을수 환불혹은 덤프교환 등탄탄한 구매후 서비스를 제공해드립니다.

>> Fortinet NSE6_SDW_AD-7.6시험준비 <<

높은 통과율 NSE6_SDW_AD-7.6시험준비 덤프공부

Fortinet NSE6_SDW_AD-7.6덤프를 구매하시기전에 사이트에서 해당 덤프의 무료샘플을 다운받아 덤프품질을 체크해보실수 있습니다. NSE6_SDW_AD-7.6덤프를 구매하시면 구매일로부터 1년내에 덤프가 업데이트될때마다 업

데이트된 버전을 무료로 제공해드립니다. Fortinet NSE6_SDW_AD-7.6 덤프 업데이트 서비스는 덤프비용을 환불받을 시 자동으로 종료됩니다.

Fortinet NSE6_SDW_AD-7.6 시험요강:

주제	소개
주제 1	<ul style="list-style-type: none">• Centralized management: This domain focuses on deploying and managing SD-WAN using FortiManager for centralized control. It includes implementing branch configuration deployment and using SD-WAN Manager with overlay orchestration to simplify large-scale network management.
주제 2	<ul style="list-style-type: none">• Rules and routing: This section explains how to design and apply SD-WAN rules to control traffic steering across multiple WAN links. It also includes configuring SD-WAN routing to ensure proper path selection and connectivity between networks.
주제 3	<ul style="list-style-type: none">• Advanced IPsec: This section covers the deployment of advanced IPsec configurations within SD-WAN environments. It includes implementing hub-and-spoke IPsec topologies, configuring ADVPN, and supporting multihub, multiregion, and large-scale secure SD-WAN deployments.
주제 4	<ul style="list-style-type: none">• SD-WAN troubleshooting: This domain explains how to diagnose and resolve issues related to SD-WAN operation. It includes troubleshooting SD-WAN rules, session behavior, routing problems, and ADVPN connectivity to maintain reliable network performance.
주제 5	<ul style="list-style-type: none">• SD-WAN setup: This domain covers how to deploy an enterprise SD-WAN environment by designing SD-WAN members and zones and configuring them for efficient traffic management. It also focuses on implementing Performance SLAs to monitor link quality and ensure applications use the best available path.

최신 Fortinet NSE 6 NSE6_SDW_AD-7.6 무료 샘플문제 (Q76-Q81):

질문 # 76

Refer to the exhibit.

```
branch1_fgt # get router info routing-table all
...
S* 0.0.0.0/0 [1/0] via 192.2.0.2, port1, [1/0]
   [1/0] via 192.2.0.10, port2, [10/0]
C 10.0.1.0/24 is directly connected, port5
B 10.1.0.0/24 [200/0] via 192.168.1.61 (recursive is directly connected, HUB1-VPN1), 1d03h58m, [1/0]
   [200/0] via 192.168.1.125 (recursive is directly connected, HUB1-VPN2), 1d03h58m, [1/0]
   [200/0] via 192.168.1.189 (recursive is directly connected, HUB1-VPN3), 1d03h58m, [1/0]
C 10.200.99.1/32 is directly connected, Branch-Lo
B 10.2.0.0/16 [200/0] via 192.168.1.61 (recursive is directly connected, HUB1-VPN1), 00:03:01, [1/0]
   [200/0] via 192.168.1.125 (recursive is directly connected, HUB1-VPN2), 00:00:51, [1/0]
   [200/0] via 192.168.1.189 (recursive is directly connected, HUB1-VPN3), 00:00:51, [1/0]
B 10.2.5.0/24 [200/0] via 192.168.1.61 (recursive is directly connected, HUB1-VPN3), 00:00:01, [1/0]
...

branch1_fgt # diag sys sdwan service4

Service(3): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
Tie break: fib
Shortcut priority: 2
Gen(3), TOS(0x0/0x0), Protocol(0): src(1->65535):dst(1->65535), Mode(sla), sla-compare-order
Members(3):
  1: Seq_num(5 HUB1-VPN2 HUB1), alive, sla(0x1), gid(0), cfg_order(1), local cost(0), selected
  2: Seq_num(6 HUB1-VPN3 HUB1), alive, sla(0x1), gid(0), cfg_order(2), local cost(0), selected
  3: Seq_num(4 HUB1-VPN1 HUB1), alive, sla(0x0), gid(0), cfg_order(0), local cost(0), selected
Src address(1):
  10.0.1.0-10.0.1.255

Dst address(1):
  10.0.0.0-10.255.255.255

Service(4): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
Tie break: cfg
Shortcut priority: 2
Gen(2), TOS(0x0/0x0), Protocol(0): src(1->65535):dst(1->65535), Mode(sla), sla-compare-order
Members(2):
  1: Seq_num(2 port2 underlay), alive, sla(0x3), gid(0), cfg_order(1), local cost(0), selected
  2: Seq_num(1 port1 underlay), alive, sla(0x1), gid(0), cfg_order(0), local cost(0), selected
Src address(1):
  10.0.1.0-10.0.1.255

Dst address(1):
  10.2.0.0-10.2.255.255
```

Which SD-WAN rule and interface uses FortiGate to steer the traffic from the LAN subnet 10.0.1.0/24 to the corporate server 10.2.5.254?

- A. SD-WAN service rule 3 and interface HUB1-VPN3.
- **B. SD-WAN service rule 4 and interface port2.**
- C. SD-WAN service rule 4 and port1 or port2.
- D. SD-WAN service rule 3 and interface HUB1-VPN2.

정답: B

설명:

Traffic steering in Fortinet SD-WAN is based on defined rules and the corresponding outgoing interfaces. The exhibit (not shown here) would indicate that the traffic from the LAN subnet 10.0.1.0/24 to the server 10.2.5.254 is matched by SD-WAN rule 3 and sent out via the HUB1-VPN3 interface.

References:

[FCSS_SDW_AR-7.4 1-0.docx Q2]

FortiOS 7.4 SD-WAN Concept Guide - Rule Matching

질문 # 77

Refer to the exhibits.

Configuration for SD-WAN performance SLA, SD-WAN rule configuration, and application IDs
YouTube.

```
config system sdwan
```

```

config health-check
  edit "Passive"
    set detect-mode passive
    set members 3 4
  next
end
end

config system sdwan
config service
  edit 1
    set name "Facebook-YouTube"
    set src "all"
    set internet-service enable
    set internet-service-app-ctrl 15832 31077
    set health-check "Passive"
    set priority-member 3 4
    set passive-measurement enable
  next
end
end

branch1_fgt # get application name status | grep "id: 15832" -B1
app-name: "Facebook"
id: 15832

branch1_fgt # get application name status | grep "id: 31077" -B1
app-name: "YouTube"
id: 31077

```

Firewall policy configuration

```

config firewall policy
  edit 1
    set name "DIA"
    set uuid b973e4ec-5f90-51ec-cadb-017c830d9418
    set srcintf "port5"
    set dstintf "underlay"
    set action accept
    set srcaddr "LAN-net"
    set dstaddr "all"
    set schedule "always"
    set service "ALL"
    set passive-wan-health-measurement enable
    set utm-status enable
    set ssl-ssh-profile "certificate-inspection"
    set application-list "default"
    set logtraffic all
    set auto-asic-offload disable
    set nat enable
  next
end

```

Underlay zone status

```

branch1_fgt # diagnose sys sdwan zone | grep underlay -A1
Zone underlay index=3
  members(2): 3(port1) 4(port2)

```

The exhibits show the configuration for SD-WAN performance. SD-WAN rule, the application IDs of Facebook and YouTube along with the firewall policy configuration and the underlay zone status.

Which two statements are true about the health and performance of SD-WAN members 3 and 4? (Choose two.)

- A. Encrypted traffic is not used for the performance measurement.
- B. FortiGate identifies the member as dead when there is no Facebook and YouTube traffic passing through the member.
- C. Only related TCP traffic is used for performance measurement.
- D. The performance is an average of the metrics measured for Facebook and YouTube traffic passing through the member.

정답: B,D

질문 # 78

Refer to the exhibit, which shows the SD-WAN rule status and configuration.

SD-WAN rule status and configuration

```
branch1_fgt # diagnose sys sdwan service4 3

Service(3): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
Tie break: cfg
Shortcut priority:2
Gen(43), TOS(0x0/0x0), Protocol(0): src(1->65535):dst(1->65535), Mode(priority),
link-cost-factor(packet loss), link-cost-threshold(10), heath-check(HUB1_HC)
Members(3):
  1: Seq_num(4 HUB1-VPN1 HUB1), alive, latency: 96.349, selected
  2: Seq_num(5 HUB1-VPN2 HUB1), alive, latency: 141.278, selected
  3: Seq_num(6 HUB1-VPN3 HUB1), alive, latency: 190.984, selected
Src address(1):
  10.0.1.0-10.0.1.255

Dst address(1):
  10.0.0.0-10.255.255.255

branch1_fgt (service) # show
config service
edit 3
  set name "Corp"
  set mode priority
  set dst "Corp-net"
  set src "LAN-net"
  set health-check "HUB1_HC"
  set link-cost-factor packet-loss
  set link-cost-threshold 0
  set priority-members 4 5 6
next
```



Based on the exhibit, which change in the measured latency will first make HUB1-VPN3 the new preferred member?

- A. When HUB1-VPN3 has a latency of 80 ms
- B. When HUB1-VPN1 has a latency of 200 ms
- C. When HUB1-VPN3 has a lower latency than HUB1-VPN1 and HUB1-VPN2
- D. When HUB1-VPN3 has a latency of 90 ms

정답: B

설명:

The rule is in priority mode with HUB1-VPN1 (seq 4) as the first preferred member, HUB1-VPN2 second, and HUB1-VPN3 third. Latency itself does not cause HUB1-VPN3 to become preferred unless a higher- priority member fails SLA. If HUB1-VPN1's latency exceeds the SLA threshold (here simulated by latency reaching 200 ms), FortiGate stops using it and moves down the priority list. That is when HUB1-VPN3 could become the active path.

질문 # 79

Which two statements correctly describe what happens when traffic matches the implicit SD-WAN rule?

(Choose two.)

- A. The session information output displays no SD-WAN service id.
- B. The traffic is distributed, regardless of weight, through all available static routes.
- C. Traffic does not match any of the entries in the policy route table.
- D. FortiGate flags the session with may_dirty and vwl_default.
- E. Traffic is load balanced using the algorithm set for the v4-ecmp-mode setting.

정답: A,C

질문 # 80

Refer to the exhibits.

SD-WAN service details

```
branch1_fgt # diagnose sys sdwan service4

Service(1): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
Tie break: cfg
Shortcut priority: 2
Gen(2), TOS(0x0/0x0), Protocol(0): src(1->65535):dst(1->65535), Mode(manual)
Members(2):
  1: Seq_num(1 port1 underlay), alive, selected
  2: Seq_num(2 port2 underlay), alive, selected
Application Control(3): Microsoft.Portals(41469,0) Salesforce(16920,0) Collaboration(0,28)
Src address(1):
10.0.1.0-10.0.1.255

Service(2): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
Tie break: cfg
Shortcut priority: 2
Gen(2), TOS(0x0/0x0), Protocol(0): src(1->65535):dst(1->65535), Mode(manual)
Members(1):
  1: Seq_num(2 port2 underlay), alive, selected
Application Control(3): Facebook(15832,0) LinkedIn(16331,0) Game(0,8)
Src address(1):
10.0.1.0-10.0.1.255

branch1_fgt # diagnose sys sdwan internet-service-app-ctrl-list
List App Ctrl Database Entry(IPv4) in Kernel:

Max_App_Ctrl_Size=32768 Num_App_Ctrl_Entry=6

Microsoft.Portals(41469 28): IP=184.27.181.201 6 443
MSN.Game(16135 8): IP=13.107.246.36 6 443
Salesforce(16920 29): IP=23.205.255.92 6 443
GoToMeeting(16354 28): IP=23.205.106.86 6 443
GoToMeeting(16354 28): IP=23.212.249.144 6 443
Facebook(15832 23): IP=31.13.80.36 6 443

branch1_fgt # get router info routing-table all
...
```

in FortiAnalyzer

Application	Security Event List	SD-WAN Rule Name	Destination Interface
GoToMeeting	APP-2		port2
GoToMeeting	APP-2	Critical-DIA	port1
GoToMeeting	APP-2	Critical-DIA	port1
GoToMeeting	APP-2	Critical-DIA	port1
GoToMeeting	APP-2	Critical-DIA	port1
GoToMeeting	APP-2	Critical-DIA	port1
GoToMeeting	APP-2		port2
GoToMeeting	APP-2		port2

Category	Value
Security	APP Count: 2
General	Log ID: 000000013
General	Session ID: 769
General	Tran Display: snat
General	Virtual Domain: root
Source	Country: Reserved
Source	Device ID: FGVM01TM22000077
Source	Device Name: branch1_fgt
Source	IP: 10.0.1.101
Source	Interface: port5
Source	Interface Role: undefined
Source	NAT IP: 192.2.0.9
Source	NAT Port: 51042
Source	Port: 51042
Source	Source: 10.0.1.101
Source	UEBA Endpoint ID: 1025
Source	UEBA User ID: 3
Destination	Country: United States
Destination	End User ID: 3
Destination	Endpoint ID: 101
Destination	Host Name: www.gotomeeting.com
Destination	IP: 23.212.248.205
Destination	Interface: port2

An administrator is testing application steering in SD-WAN. Before generating test traffic, the administrator collected the information shown in the first exhibit. After generating GoToMeeting test traffic, the administrator examined the corresponding traffic log on FortiAnalyzer, which is shown in the second exhibit.

The administrator noticed that the traffic matched the implicit SD-WAN rule, but they expected the traffic to match rule ID 1. Which two reasons explain why some log messages show that the traffic matched the implicit SD-WAN rule?

(Choose two.)

- A. The session 3-tuple did not match any of the existing entries in the ISDB application cache.

- B. Full SSL inspection is not enabled on the matching firewall policy.
- C. FortiGate could not refresh the routing information on the session after the application was detected.
- D. No configured SD-WAN rule matches the traffic related to the collaboration application GoToMeeting

정답: A,D

질문 # 81

.....

PassTIP는 유일하게 여러분이 원하는 Fortinet 인증 NSE6_SDW_AD-7.6 시험 관련 자료를 해결해드릴 수 있는 사이트입니다. PassTIP에서 제공하는 자료로 응시는 문제없습니다, 여러분은 고득점으로 시험을 통과할 것입니다.

NSE6_SDW_AD-7.6 응시자료 : https://www.passtip.net/NSE6_SDW_AD-7.6-pass-exam.html

- NSE6_SDW_AD-7.6 유효한 최신덤프자료 □ NSE6_SDW_AD-7.6 최고패스자료 □ NSE6_SDW_AD-7.6 적중을 높은 시험덤프 □ 검색만 하면 【 www.dumpst.com 】 에서 「 NSE6_SDW_AD-7.6 」 무료 다운로드 NSE6_SDW_AD-7.6 시험대비 공부자료
- 최신버전 NSE6_SDW_AD-7.6 시험준비 덤프는 Fortinet NSE 6 - SD-WAN 7.6 Enterprise Administrator 시험패스의 유효 공부자료 □ [www.itdumpsk.com] 의 무료 다운로드 > NSE6_SDW_AD-7.6 <페이지가 지금 열립니다 NSE6_SDW_AD-7.6 합격보장 가능 시험대비자료
- 100% 유효한 NSE6_SDW_AD-7.6 시험준비 인증시험 덤프자료 □ 무료 다운로드를 위해 지금 【 www.koreadumps.com 】 에서 ✓ NSE6_SDW_AD-7.6 □ ✓ □ 검색 NSE6_SDW_AD-7.6 덤프
- 최신버전 NSE6_SDW_AD-7.6 시험준비 덤프는 Fortinet NSE 6 - SD-WAN 7.6 Enterprise Administrator 시험패스의 유효 공부자료 □ 무료로 다운로드하려면 “ www.itdumpsk.com ”로 이동하여 《 NSE6_SDW_AD-7.6 》를 검색하십시오 NSE6_SDW_AD-7.6 시험대비 최신버전 공부자료
- 시험패스에 유효한 NSE6_SDW_AD-7.6 시험준비 덤프 공부자료 □ ⇒ NSE6_SDW_AD-7.6 □ □ □ 를 무료로 다운로드하려면 ⇒ www.dumpst.com □ 웹사이트를 입력하세요 NSE6_SDW_AD-7.6 시험대비 최신 덤프 모음집
- NSE6_SDW_AD-7.6 시험대비 최신버전 덤프 □ NSE6_SDW_AD-7.6 시험대비 최신버전 공부자료 □ NSE6_SDW_AD-7.6 유효한 최신버전 덤프 □ 지금 「 www.itdumpsk.com 」 을 (를) 열고 무료 다운로드를 위해 > NSE6_SDW_AD-7.6 □ 를 검색하십시오 NSE6_SDW_AD-7.6 유효한 최신버전 덤프
- NSE6_SDW_AD-7.6 시험문제 □ NSE6_SDW_AD-7.6 유효한 최신덤프자료 □ NSE6_SDW_AD-7.6 시험유효덤프 □ ⇒ kr.fast2test.com □ 을 통해 쉽게 □ NSE6_SDW_AD-7.6 □ 무료 다운로드 받기 NSE6_SDW_AD-7.6 합격보장 가능 시험대비자료
- NSE6_SDW_AD-7.6 시험준비 공부 □ NSE6_SDW_AD-7.6 적중을 높은 시험덤프 공부 □ NSE6_SDW_AD-7.6 시험유효덤프 □ (www.itdumpsk.com) 웹사이트를 열고 > NSE6_SDW_AD-7.6 < 를 검색하여 무료 다운로드 NSE6_SDW_AD-7.6 덤프
- 최신버전 NSE6_SDW_AD-7.6 시험준비 덤프는 Fortinet NSE 6 - SD-WAN 7.6 Enterprise Administrator 시험패스의 유효 공부자료 □ ⇒ www.pass4test.net 에서 ✨ NSE6_SDW_AD-7.6 □ ✨ □ 를 검색하고 무료 다운로드 받기 NSE6_SDW_AD-7.6 적중을 높은 시험덤프 공부
- NSE6_SDW_AD-7.6 시험준비 덤프는 Fortinet NSE 6 - SD-WAN 7.6 Enterprise Administrator 시험패스의 지름길 □ □ 시험 자료를 무료로 다운로드하려면 ✨ www.itdumpsk.com □ ✨ □ 을 통해 ▶ NSE6_SDW_AD-7.6 ◀ 를 검색하십시오 NSE6_SDW_AD-7.6 시험문제
- NSE6_SDW_AD-7.6 시험유효덤프 □ NSE6_SDW_AD-7.6 시험대비 공부자료 □ NSE6_SDW_AD-7.6 시험문제 □ 무료로 쉽게 다운로드하려면 > www.koreadumps.com □ 에서 ⇒ NSE6_SDW_AD-7.6 □ 를 검색하세요 NSE6_SDW_AD-7.6 시험문제
- zaynyjsb506570.digitollblog.com, socialbookmarkgs.com, explorebookmarks.com, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, marleysaqd915308.thebindingwiki.com, kianaotff240345.blogofchange.com, faywwwun348677.nico-wiki.com, albiecddf832589.wikiannouncing.com, lulukhgs004618.blogginaway.com, ptbrainbusters.com, Disposable vapes

PassTIP NSE6_SDW_AD-7.6 최신 PDF 버전 시험 문제집을 무료로 Google Drive에서 다운로드 하세요:
<https://drive.google.com/open?id=1YNDI9Svsicrknb7DUrWRGe8T2PRah06z>