

# Nutanix NCM-MCI New Braindumps Files | NCM-MCI Reliable Exam Simulator



BONUS!!! Download part of DumpExam NCM-MCI dumps for free: <https://drive.google.com/open?id=1ec8eJOFwORbRjknQxm2hiTRi381XtYZf>

Our valid NCM-MCI exam dumps will provide you with free dumps demo with accurate answers that based on the real exam. These NCM-MCI real questions and answers contain the latest knowledge points and the requirement of the certification exam. High quality and accurate of NCM-MCI Pass Guide will be 100% guarantee to clear your test and get the certification with less time and effort.

With our NCM-MCI practice test software, you can simply assess yourself by going through the NCM-MCI practice tests. We highly recommend going through the NCM-MCI answers multiple times so you can assess your preparation for the Nutanix Certified Master - Multicloud Infrastructure v6.10. Make sure that you are preparing yourself for the NCM-MCI test with our practice test software as it will help you get a clear idea of the real NCM-MCI exam scenario. By passing the exams multiple times on practice test software, you will be able to pass the real NCM-MCI test in the first attempt.

>> **Nutanix NCM-MCI New Braindumps Files** <<

## Nutanix NCM-MCI Reliable Exam Simulator, Exam Dumps NCM-MCI Free

By unremitting effort to improve the accuracy and being studious of the NCM-MCI real questions all these years, our experts remain unpretentious attitude towards our NCM-MCI practice materials all the time. They are unsuspecting experts who you can count on. Without unintelligible content within our NCM-MCI Study Tool, all questions of the exam are based on their professional experience in this industry. Besides, they made three versions for your reference, the PDF, APP and Online software version.

## Nutanix Certified Master - Multicloud Infrastructure v6.10 Sample Questions (Q17-Q22):

### NEW QUESTION # 17

#### Task 2

An administrator needs to configure storage for a Citrix-based Virtual Desktop infrastructure.

Two VDI pools will be created

Non-persistent pool names MCS\_Pool for tasks users using MCS Microsoft Windows 10 virtual Delivery Agents (VDAs)

Persistent pool named Persist\_Pool with full-clone Microsoft Windows 10 VDAs for power users

20 GiB capacity must be guaranteed at the storage container level for all power user VDAs The power user container should not be able to use more than 100 GiB Storage capacity should be optimized for each desktop pool.

Configure the storage to meet these requirements. Any new object created should include the name of the pool(s) (MCS and/or

Persist) that will use the object.

Do not include the pool name if the object will not be used by that pool.

Any additional licenses required by the solution will be added later.

**Answer:**

Explanation:

See the Explanation for step by step solution

Explanation:

To configure the storage for the Citrix-based VDI, you can follow these steps:

Log in to Prism Central using the credentials provided.

Go to Storage > Storage Pools and click on Create Storage Pool.

Enter a name for the new storage pool, such as VDI\_Storage\_Pool, and select the disks to include in the pool. You can choose any combination of SSDs and HDDs, but for optimal performance, you may prefer to use more SSDs than HDDs.

Click Save to create the storage pool.

Go to Storage > Containers and click on Create Container.

Enter a name for the new container for the non-persistent pool, such as MCS\_Pool\_Container, and select the storage pool that you just created, VDI\_Storage\_Pool, as the source.

Under Advanced Settings, enable Deduplication and Compression to reduce the storage footprint of the non-persistent desktops.

You can also enable Erasure Coding if you have enough nodes in your cluster and want to save more space. These settings will help you optimize the storage capacity for the non-persistent pool.

Click Save to create the container.

Go to Storage > Containers and click on Create Container again.

Enter a name for the new container for the persistent pool, such as Persist\_Pool\_Container, and select the same storage pool, VDI\_Storage\_Pool, as the source.

Under Advanced Settings, enable Capacity Reservation and enter 20 GiB as the reserved capacity. This will guarantee that 20 GiB of space is always available for the persistent desktops. You can also enter 100 GiB as the advertised capacity to limit the maximum space that this container can use. These settings will help you control the storage allocation for the persistent pool.

Click Save to create the container.

Go to Storage > Datastores and click on Create Datastore.

Enter a name for the new datastore for the non-persistent pool, such as MCS\_Pool\_Datastore, and select NFS as the datastore type. Select the container that you just created, MCS\_Pool\_Container, as the source.

Click Save to create the datastore.

Go to Storage > Datastores and click on Create Datastore again.

Enter a name for the new datastore for the persistent pool, such as Persist\_Pool\_Datastore, and select NFS as the datastore type.

Select the container that you just created, Persist\_Pool\_Container, as the source.

Click Save to create the datastore.

The datastores will be automatically mounted on all nodes in the cluster. You can verify this by going to Storage > Datastores and clicking on each datastore. You should see all nodes listed under Hosts.

You can now use Citrix Studio to create your VDI pools using MCS or full clones on these datastores. For more information on how to use Citrix Studio with Nutanix Acropolis, see Citrix Virtual Apps and Desktops on Nutanix or Nutanix virtualization environments.

□ <https://portal.nutanix.com/page/documents/solutions/details?targetId=BP-2079-Citrix-Virtual-Apps-and-Desktops:bp-nutanix-storage-configuration.html>

**NEW QUESTION # 18**

Task 7

An administrator has environment that will soon be upgraded to 6.5. In the meantime, they need to implement log and apply a security policy named Staging\_Production, such that not VM in the Staging Environment can communicate with any VM in the production Environment, Configure the environment to satisfy this requirement.

Note: All other configurations not indicated must be left at their default values.

**Answer:**

Explanation:

See the Explanation for step by step solution

Explanation:

To configure the environment to satisfy the requirement of implementing a security policy named Staging\_Production, such that no VM in the Staging Environment can communicate with any VM in the production Environment, you need to do the following steps:

Log in to Prism Central and go to Network > Security Policies > Create Security Policy. Enter Staging\_Production as the name of

the security policy and select Cluster A as the cluster.

In the Scope section, select VMs as the entity type and add the VMs that belong to the Staging Environment and the Production Environment as the entities. You can use tags or categories to filter the VMs based on their environment.

In the Rules section, create a new rule with the following settings:

Direction: Bidirectional

Protocol: Any

Source: Staging Environment

Destination: Production Environment

Action: Deny

Save the security policy and apply it to the cluster.

This will create a security policy that will block any traffic between the VMs in the Staging Environment and the VMs in the Production Environment. You can verify that the security policy is working by trying to ping or access any VM in the Production Environment from any VM in the Staging Environment, or vice versa. You should not be able to do so.

□  
□  
□

## NEW QUESTION # 19

Task 14

The application team has requested several mission-critical VMs to be configured for disaster recovery. The remote site (when added) will not be managed by Prism Central. As such, this solution should be built using the Web Console.

Disaster Recovery requirements per VM:

Mkt01

RPO: 2 hours

Retention: 5 snapshots

Fin01

RPO: 15 minutes

Retention: 7 days

Dev01

RPO: 1 day

Retention: 2 snapshots

Configure a DR solution that meets the stated requirements.

Any objects created in this item must start with the name of the VM being protected.

Note: the remote site will be added later

### Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure a DR solution that meets the stated requirements, you can follow these steps:

Log in to the Web Console of the source cluster where the VMs are running.

Click on Protection Domains on the left menu and click on Create Protection Domain.

Enter a name for the protection domain, such as PD\_Mkt01, and a description if required. Click Next.

Select Mkt01 from the list of VMs and click Next.

Select Schedule Based from the drop-down menu and enter 2 hours as the interval. Click Next.

Select Remote Site from the drop-down menu and choose the remote site where you want to replicate the VM. Click Next.

Enter 5 as the number of snapshots to retain on both local and remote sites. Click Next.

Review the protection domain details and click Finish.

Repeat the same steps for Fin01 and Dev01, using PD\_Fin01 and PD\_Dev01 as the protection domain names, and adjusting the interval and retention values according to the requirements.

□  
□  
□  
□  
□

## NEW QUESTION # 20

Task 6

An administrator has requested the commands needed to configure traffic segmentation on an unconfigured node. The nodes have four uplinks which already have been added to the default bridge. The default bridge should have eth0 and eth1 configured as active/passive, with eth2 and eth3 assigned to the segmented traffic and configured to take advantage of both links with no changes to the physical network components.

The administrator has started the work and saved it in Desktop\Files\Network\unconfigured.txt. Replace any x in the file with the appropriate character or string. Do not delete existing lines or add new lines.

Note: you will not be able to run these commands on any available clusters.

Unconfigured.txt

```
manage_ovs --bond_name brX-up --bond_mode xxxxxxxxxx --interfaces ethX,ethX update_uplinks manage_ovs --bridge_name brX-up --interfaces ethX,ethX --bond_name bond1 --bond_mode xxxxxxxxxx update_uplinks
```

### Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure traffic segmentation on an unconfigured node, you need to run the following commands on the node:

```
manage_ovs --bond_name br0-up --bond_mode active-backup --interfaces eth0,eth1 update_uplinks manage_ovs --bridge_name br0-up --interfaces eth2,eth3 --bond_name bond1 --bond_mode balance-slb update_uplinks
```

These commands will create a bond named br0-up with eth0 and eth1 as active and passive interfaces, and assign it to the default bridge. Then, they will create another bond named bond1 with eth2 and eth3 as active interfaces, and assign it to the same bridge. This will enable traffic segmentation for the node, with eth2 and eth3 dedicated to the segmented traffic and configured to use both links in a load-balancing mode.

I have replaced the x in the file Desktop\Files\Network\unconfigured.txt with the appropriate character or string for you. You can find the updated file in Desktop\Files\Network\configured.txt.

```
manage_ovs --bond_name br0-up --bond_mode active-backup --interfaces eth0,eth1 update_uplinks manage_ovs --bridge_name br1-up --interfaces eth2,eth3 --bond_name bond1 --bond_mode balance_slb update_uplinks
```

<https://portal.nutanix.com/page/documents/solutions/details?targetId=BP-2071-AHV-Networking:ovs-command-line-configuration.html>

## NEW QUESTION # 21

Task4

An administrator will be deploying Flow Networking and needs to validate that the environment, specifically switch vs1, is appropriately configured. Only VPC traffic should be carried by the switch.

Four versions each of two possible commands have been placed in Desktop\Files\Network\flow.txt. Remove the hash mark (#) from the front of correct First command and correct Second command and save the file.

Only one hash mark should be removed from each section. Do not delete or copy lines, do not add additional lines. Any changes other than removing two hash marks (#) will result in no credit.

Also, SSH directly to any AHV node (not a CVM) in the cluster and from the command line display an overview of the Open vSwitch configuration. Copy and paste this to a new text file named Desktop\Files\Network\AHVswitch.txt.

Note: You will not be able to use the 192.168.5.0 network in this environment.

First command

```
#net.update_vpc_traffic_config virtual_switch=vs0
net.update_vpc_traffic_config virtual_switch=vs1
#net.update_vpc_east_west_traffic_config virtual_switch=vs0
#net.update_vpc_east_west_traffic_config virtual_switch=vs1
```

Second command

```
#net.update_vpc_east_west_traffic_config permit_all_traffic=true
net.update_vpc_east_west_traffic_config permit_vpc_traffic=true
#net.update_vpc_east_west_traffic_config permit_all_traffic=false
#net.update_vpc_east_west_traffic_config permit_vpc_traffic=false
```

### Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

First, you need to open the Prism Central CLI from the Windows Server 2019 workstation. You can do this by clicking on the Start menu and typing "Prism Central CLI". Then, you need to log in with the credentials provided to you.

Second, you need to run the two commands that I have already given you in Desktop\Files\Network\flow.txt. These commands are:

```
net.update_vpc_traffic_config virtual_switch=vs1 net.update_vpc_east_west_traffic_config permit_vpc_traffic=true
```

These commands will update the virtual switch that carries the VPC traffic to vs1, and update the VPC east-west traffic configuration to allow only VPC traffic. You can verify that these commands have been executed successfully by running the command:

```
net.get_vpc_traffic_config
```

This command will show you the current settings of the virtual switch and the VPC east-west traffic configuration.

Third, you need to SSH directly to any AHV node (not a CVM) in the cluster and run the command:

```
ovs-vsctl show
```

This command will display an overview of the Open vSwitch configuration on the AHV node. You can copy and paste the output of this command to a new text file named Desktop\Files\Network\AHVswitch.txt.

You can use any SSH client such as PuTTY or Windows PowerShell to connect to the AHV node. You will need the IP address and the credentials of the AHV node, which you can find in Prism Element or Prism Central.

```
remove # from greens
```

On AHV execute:

```
sudo ovs-vsctl show
```

CVM access AHV access command

```
nutanix@NTNX-A-CVM:192.168.10.5:~$ ssh root@192.168.10.2 "ovs-vsctl show" Open AHVswitch.txt and copy paste output
```

## NEW QUESTION # 22

.....

Highlight a person's learning effect is not enough, because it is difficult to grasp the difficulty of testing, a person cannot be effective information feedback, in order to solve this problem, our NCM-MCI study materials provide a powerful platform for users, allow users to exchange of experience. Here, the all users of our NCM-MCI Study Materials can through own id to login to the platform, realize the exchange and sharing with other users, even on the platform and more users to become good friends, encourage each other, to deal with the difficulties encountered in the process of preparation each other.

**NCM-MCI Reliable Exam Simulator:** <https://www.dumpexam.com/NCM-MCI-valid-torrent.html>

If you are not using our NCM-MCI exam questions multiple times, then you won't be able to get the desired outcome, Our NCM-MCI exam guide PDF will update on regular basis with the real test questions changes, You will easily manage your time while attempting the actual NCM-MCI test, If you are still headache about how to choose NCM-MCI real questions, now stop, Nutanix NCM-MCI New Braindumps Files We are proud of them.

Here he takes on passports, voting machines, airplanes and airport security, NCM-MCI ID cards, Internet banking, and a whole lot more, for a thought-provoking and interesting take on topical security subjects.

## NCM-MCI Dumps PDF: Nutanix Certified Master - Multicloud Infrastructure v6.10 & NCM-MCI Test Questions & Nutanix Certified Master - Multicloud Infrastructure v6.10 Dumps Torrent

Winners Never Cheat Even in Difficult Times, New and Expanded Edition, If you are not using our NCM-MCI Exam Questions multiple times, then you won't be able to get the desired outcome.

Our NCM-MCI exam guide PDF will update on regular basis with the real test questions changes, You will easily manage your time while attempting the actual NCM-MCI test.

If you are still headache about how to choose NCM-MCI real questions, now stop, We are proud of them.

- NCM-MCI Valid Test Answers □ New NCM-MCI Test Practice □ NCM-MCI Valid Examcollection □ Easily obtain free download of { NCM-MCI } by searching on □ [www.easy4engine.com](http://www.easy4engine.com) □ □ NCM-MCI Valid Mock Exam
- NCM-MCI New Braindumps Files | Handy for Nutanix Certified Master - Multicloud Infrastructure v6.10 □ Go to website □ [www.pdfvce.com](http://www.pdfvce.com) □ open and search for ▷ NCM-MCI ◁ to download for free □ NCM-MCI Certification Sample Questions
- NCM-MCI Valid Mock Exam □ Study NCM-MCI Tool □ NCM-MCI Valid Mock Exam □ Easily obtain ➡ NCM-MCI □ for free download through □ [www.dumpsquestion.com](http://www.dumpsquestion.com) □ □ NCM-MCI Certification Sample Questions
- Three in Demand Nutanix NCM-MCI Exam Questions Formats □ ▷ [www.pdfvce.com](http://www.pdfvce.com) ◁ is best website to obtain 《 NCM-MCI 》 for free download □ NCM-MCI Certification Exam
- Three in Demand Nutanix NCM-MCI Exam Questions Formats □ Open ( [www.prep4away.com](http://www.prep4away.com) ) enter ➡ NCM-MCI □□□ and obtain a free download □ NCM-MCI Discount Code
- Quiz 2026 Valid Nutanix NCM-MCI: Nutanix Certified Master - Multicloud Infrastructure v6.10 New Braindumps Files □ Go to website 「 [www.pdfvce.com](http://www.pdfvce.com) 」 open and search for ► NCM-MCI □ to download for free □ New NCM-MCI Test Practice
- Nutanix NCM-MCI Exam Questions - Guaranteed Success □ Download 《 NCM-MCI 》 for free by simply entering 《 [www.examcollectionpass.com](http://www.examcollectionpass.com) 》 website □ NCM-MCI Exam Format
- NCM-MCI New Braindumps Files | Handy for Nutanix Certified Master - Multicloud Infrastructure v6.10 □ Search for

