

FCSS_SDW_AR-7.4 - FCSS - SD-WAN 7.4 Architect Latest Certification Dumps

Download Fortinet FCSS_SDW_AR-7.4 Exam Dumps For Best Preparation

Exam : FCSS_SDW_AR-7.4

**Title : FCSS - SD-WAN 7.4
Architect**

https://www.passcert.com/FCSS_SDW_AR-7.4.html

1 / 13

What's more, part of that Pass4cram FCSS_SDW_AR-7.4 dumps now are free: <https://drive.google.com/open?id=1wGOhrF5wjRWqi1GCSHnAUREfibXfWILQ>

We provide the free demos before the clients decide to buy our FCSS_SDW_AR-7.4 study materials. The clients can visit our company's website to have a look at the demos freely. Through looking at the demos the clients can understand part of the contents of our FCSS_SDW_AR-7.4 study materials, the form of the questions and answers and our software, then confirm the value of our FCSS_SDW_AR-7.4 Study Materials. If the clients are satisfied with our FCSS_SDW_AR-7.4 study materials they can purchase them immediately. They can avoid spending unnecessary money and choose the most useful and efficient FCSS_SDW_AR-7.4 study materials.

Fortinet FCSS_SDW_AR-7.4 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none">• Configure Performances SLAs: Designed for network administrators, this part focuses on setting up performance Service Level Agreements (SLAs) within SD-WAN environments. Candidates must show proficiency in defining criteria to monitor and maintain network performance and reliability.

Topic 2	<ul style="list-style-type: none"> SD-WAN Troubleshooting: This part assesses the troubleshooting skills of network support specialists. Candidates should be able to diagnose and resolve issues related to SD-WAN rules, session behaviors, routing inconsistencies, and ADVPN connectivity problems to maintain seamless network operations.
Topic 3	<ul style="list-style-type: none"> SD-WAN Configuration: This section of the exam measures the skills of network engineers and covers configuring a basic SD-WAN setup. Candidates are expected to demonstrate their ability to define SD-WAN members and zones effectively, ensuring foundational network segmentation and management.
Topic 4	<ul style="list-style-type: none"> Advanced IPsec: Intended for security engineers, this section covers the deployment of advanced IPsec topologies for SD-WAN, including hub-and-spoke models, ADVPN configurations, and complex multi-hub or multi-region deployments. Candidates need to demonstrate expertise in securing wide-area networks using IPsec technologies.

>> FCSS_SDW_AR-7.4 Certification Dumps <<

Trustworthy FCSS_SDW_AR-7.4 Pdf | Test FCSS_SDW_AR-7.4 Cram Pdf


Will you feel that the product you have brought is not suitable for you? One trait of our FCSS_SDW_AR-7.4 exam prepare is that you can freely download a demo to have a try. Because there are excellent free trial services provided by our FCSS_SDW_AR-7.4 exam guides, our products will provide three demos that specially designed to help you pick the one you are satisfied. We will inform you that the FCSS_SDW_AR-7.4 Study Materials should be updated and send you the latest version in a year after your payment. We will also provide some discount for your updating after a year if you are satisfied with our FCSS_SDW_AR-7.4 exam prepare.

Fortinet FCSS - SD-WAN 7.4 Architect Sample Questions (Q25-Q30):

NEW QUESTION # 25

Refer to the exhibit.

FortiManager SD-WAN monitor



An administrator checks the status of an SD-WAN topology using the FortiManager SD-WAN monitor menus. All members are configured with one or two SLAs.

Which two conclusions can you draw from the output shown? (Choose two.)

- A. The template view should be used to see the hub devices.
- **B. One member of branch2_fgt is missing the SLAs.**
- C. branch2_fgt establishes six tunnels to the hubs and they are all up.
- **D. This SD-WAN topology contains only two branch devices.**

Answer: B,D

Explanation:

From the SD-WAN monitor in FortiManager:

"The SD-WAN monitor provides a summary view of the branch devices and their members. In the scenario shown, it is clear that branch2_fgt is missing SLA configuration for one member, as evidenced by the lack of performance metrics. The monitor also shows only two branches in the current topology, allowing quick assessment of branch health and configuration completeness." This kind of visibility is vital for proactive monitoring and rapid troubleshooting in SD-WAN environments.

References:


[FCSS_SDW_AR-7.4 1-0.docx Q18]

FortiManager SD-WAN Monitoring Guide, "Branch Device Health and SLA Status Visualization"

NEW QUESTION # 26

Refer to the exhibits.

IPsec template for branch_IPsec_1



IPsec template for Branch_IPsec_2



Error message in FortiManager



The exhibits show two IPsec templates to define Branch IPsec 1 and Branch_IPsec_2. Each template defines a VPN tunnel. The error message that FortiManager displayed when the administrator tried to assign the second template to the FortiGate device is also shown.

Which statement best describes the cause of the issue?

- A. You can assign only one template with a tunnel type of static to each FortiGate device.
- B. You should review the branch1_fgt configuration for configured tunnels in the rootVDM.
- C. You should use the same outgoing interface of both templates.
- **D. You can assign only one IPsec template to each FortiGate device.**

Answer: D

Explanation:

The FortiManager SD-WAN overlay system allows only one IPsec template to be assigned to each device per overlay operation. The guide clarifies:

"If you attempt to assign more than one IPsec template to a FortiGate device for the same overlay type, FortiManager will display an error, preventing duplicate or conflicting tunnel configurations. This limitation ensures a one-to-one mapping between device and overlay template per operation, maintaining configuration integrity and preventing routing issues." This prevents complex troubleshooting scenarios and enforces best practices for overlay design.

NEW QUESTION # 27

You manage an SD-WAN topology. You will soon deploy 50 new branches.

Which three tasks can you do in advance to simplify this deployment? (Choose three.)

- A. Create model devices.
- B. Update the DHCP server configuration.
- C. Create a ZTP template.
- D. Create policy blueprint.
- E. Define metadata variables value for each device.

Answer: A,C,D

Explanation:

Creating a ZTP (Zero Touch Provisioning) template automates onboarding of new branches.

Policy blueprints allow predefining consistent configurations for security and SD-WAN rules.

Model devices help preconfigure settings tied to device models, speeding up deployment.

NEW QUESTION # 28

You are planning a large SD-WAN deployment with approximately 1000 spokes and want to allow ADVPN between the spokes. Some remote sites use FortiSASE to connect to the company's SD-WAN hub. Which overlay routing configuration should you use?

- A. BGP on loopback with dynamic BGP for ADVPN shortcut routing.
- B. BGP on loopback with IPsec phase2 selectors for ADVPN shortcut routing.
- C. BGP per overlay with dynamic BGP for ADVPN shortcut routing.
- D. BGP per overlay with BGP next-hop convergence for ADVPN shortcut routing.

Answer: A


Explanation:

Using BGP on loopback with dynamic BGP enables scalable routing for large deployments and supports ADVPN shortcut routing with resilient, stable next-hop reachability across dynamic tunnels.

NEW QUESTION # 29

Refer to the exhibit. The administrator analyzed the traffic between a branch FortiGate and the server located in the data center, and noticed the behavior shown in the diagram. When the LAN clients located behind FGT1 establish a session to a server behind DC-1, the administrator observes that, on DC-1, the reply traffic is routed over T2, even though T1 is the preferred member in the matching SD-WAN rule.

What can the administrator do to instruct DC-1 to route the reply traffic through the member with the best performance?



- A. FortiGate route lookup for reply traffic only considers routes over the original ingress interface.
- B. Enable snat-route-change under config system global.

- Answer: D**

To ensure DC-1 responds via the best-performing SD-WAN member (T1) instead of defaulting to T2, enable auxiliary-session under config system settings, so reply traffic is evaluated against current route policies-not bound to the ingress interface.

• • • • •

Trustworthy FCSS SDW AR-7.4 Pdf: [https://www.pass4cram.com/FCSS SDW AR-7.4 free-download.html](https://www.pass4cram.com/FCSS%20SDW%20AR-7.4%20free-download.html)

- [illegible]

BONUS!!! Download part of Pass4cramFCSS_SDW_AR-7.4 dumps for free: <https://drive.google.com/open?id=1wGOhrF5wjrWqi1GCSHnAUREfbXfWILQ>