

# AD0-E605過去問、AD0-E605真実試験



さらに、Japancert AD0-E605ダンプの一部が現在無料で提供されています：<https://drive.google.com/open?id=1a0z1Nj22tkgbk8l9nmWYzuhh57dNZYuE>

最も効率的で直感的な学習方法を学習者に提供し、学習者が効率的に学習できるように最善を尽くします。AD0-E605試験リファレンスは、クライアントにインスタンスを提供し、クライアントが直感的に理解できるようにします。ナレッジポイントを具体的に示すためのAD0-E605テストガイドのインスタンスがあるという考慮事項に基づいています。実際のAD0-E605試験を刺激することにより、クライアントは実際のAD0-E605試験練習問題の習熟度を理解できます。したがって、クライアントは抽象的な概念を直感的に理解できます。

## Adobe AD0-E605 認定試験の出題範囲：

トピック	出題範囲
トピック 1	<ul style="list-style-type: none"><li>• Data Architecture: Covers translating RDBMS to Adobe RT-CDP's NoSQL model, best practices for profile modeling, and designing identity strategies and entity relationships.</li></ul>
トピック 2	<ul style="list-style-type: none"><li>• Segmentation: Covers methods for building audiences and segments, the various segmentation types and how they operate, and applying use cases to segment activation.</li></ul>
トピック 3	<ul style="list-style-type: none"><li>• Real-Time Customer Profile: Covers how profiles are assembled and composed, how the Identity Graph works, and the differences between edge and hub profiles.</li></ul>
トピック 4	<ul style="list-style-type: none"><li>• Data Ingestion: Covers general and edge data ingestion capabilities within the CDP and advanced architectural techniques for efficient data ingestion.</li></ul>
トピック 5	<ul style="list-style-type: none"><li>• Activation: Covers activation patterns within the CDP, guardrails governing activation, and how on-site personalization is configured and delivered.</li></ul>
トピック 6	<ul style="list-style-type: none"><li>• Administration: Covers monitoring tools, alerts, license usage types, and use cases for Attribute-Based Access Control (ABAC) within Adobe RT-CDP.</li></ul>

>> AD0-E605過去問 <<

## AD0-E605真実試験 & AD0-E605資格試験

AD0-E605学習ガイドは多くの利点を高め、購入する価値があります。購入する前に、AD0-E605試験トレントを無料でダウンロードして試用できます。Adobe製品を購入したら、すぐにAD0-E605学習資料をダウンロードできます。5~10分以内に製品を郵送します。古いクライアントには無料のアップデートと割引を提供します。AD0-E605試験の教材は高い合格率を高め、AD0-E605の学習準備には時間と労力がほとんどかからず、主に仕事やその他の重要なことに専念できます。

## Adobe Real-Time CDP Business Practitioner Professional 認定 AD0-E605 試験問題 (Q66-Q71):

### 質問 # 66

A marketer needs to ensure the smooth delivery of audience data to destinations in Adobe Experience Platform. The marketer has chosen to use the following alerts: Segment Job Failure, Segment Job Delay, Identity Service Flow Run Failure. Which additional alert can a marketer proactively monitor as part of the data delivery process?

- A. Segment Definition Disabled
- B. Sources Flow Run Failure
- C. Query service scheduled query failure
- **D. Identity Service Flow Run Delay**

正解: D

### 質問 # 67

A data engineer creates a custom identity namespace within Adobe Experience Platform. However, this custom Identity namespace is the wrong Identity type. What would the data engineer do to correct the situation?

- A. Edit the Identity Namespace type within the Adobe Experience Platform User-interface under Identities
- B. Using the Identity Namespace APIs, update the custom Identity type
- **C. Create a new custom Identity Namespace with the correct Identity type**
- D. Delete the custom Identity Namespace from the Adobe Experience Platform User-Interface under Identities

正解: C

解説:

In Adobe Experience Platform, once an Identity Namespace is created and saved, its core configuration- specifically the Identity Type (e.g., Cross-device, Phone, or Email)-becomes immutable. The platform's architecture does not allow for the editing of an existing namespace's type via the User Interface (UI) or the Identity Namespace APIs due to the potential for severe data corruption within the Identity Graph.

If an Identity Namespace is created with the wrong type, the only corrective action is to create a new custom Identity Namespace with the correct parameters. It is important to note that Identity Namespaces cannot be "deleted" in the traditional sense if they have already been used to ingest data or are linked in a graph. While you can hide them or stop using them, the original erroneous namespace will persist in the system's metadata.

Choosing Option C is the standard operational procedure. After creating the correct namespace, the data engineer must update the corresponding XDM schema to point to the new namespace and re-ingest or backfill the data to ensure that the Identity Service accurately reconciles the identities. Options A and B are technically impossible within the current AEP framework. Option D is incorrect because the platform generally restricts the deletion of namespaces once they are registered to prevent breaking existing identity links and historical profile fragments.

### 質問 # 68

A data engineer needs to send data collected from IoT devices into AEP Edge network using the Edge Network Server API. The engineer also needs to ensure that the APIs executed are secured and in real-time. What endpoint configuration is required to be set up by the data engineer?

- A. api.adobedc.net
- B. edge.adobedc.net
- C. realtime.adobedc.net
- **D. server.adobedc.net**

正解: D

### 質問 # 69

In a client Real-Time CDP implementation, a customer's in-store interaction data is ingested via HTTP APIs, and CRM data is ingested in batch mode four times a day. An example of what appears in each data feed appears below:  
In-Store Transaction Sample Data

-----  
id  
date  
loyalty\_id  
city  
store\_id  
email\_address  
receipt\_total  
CRM Sample Data  
-----

first\_name  
last\_name  
city  
email\_address  
loyalty\_id  
closest\_store\_id

The client wishes to target CRM profiles where a set of purchases were made at a particular set of stores, in a specific city, in the last 24 hours.

How soon could a customer be targeted in streaming destinations?

- A. Within an hour
- B. Within 72 hours
- C. Within minutes
- D. Within 24 hours

正解: C

#### 質問 # 70

A data architect has scheduled a couple of queries using Adobe Experience Platform (AEP) query service UI and wants to configure an alert in AEP UI to alert when the scheduled query fails. The architect clicks on the alert section in AEP UI to subscribe for query failure alerts and notices that the query run failure alert configuration is missing, but the architect was able to subscribe for source flow run alerts.

What is a possible reason for the query service alerts subscription not appearing in the UI?

- A. The data architect is missing the manage alert permissions for query services.
- B. The sandbox the data architect is using is not enabled for alert.
- C. The data architect has not enabled the Query Service API in the AEP environment.
- D. The data architect is trying to configure alert in the development sandbox.

正解: D

#### 質問 # 71

.....

Adobe AD0-E605試験材料は非常に有効的です。あなたがAD0-E605練習エンジンを購入した後、自分の夢を叶えます。AD0-E605試験材料を利用すれば、あなたは間違いなくAD0-E605試験に合格できます。AD0-E605試験に合格した顧客が非常に多くて、合格率は98~100%と高くなっているからです。AD0-E605試験材料は多くのお客様に評価されています。

AD0-E605真実試験: <https://www.japancert.com/AD0-E605.html>

- AD0-E605関連資格試験対応 □ AD0-E605資格準備 □ AD0-E605関連復習問題集 □ [ [www.jpctestking.com](http://www.jpctestking.com) ] から簡単に★ AD0-E605 □★□を無料でダウンロードできますAD0-E605試験感想
- 認定する-ハイパスレートのAD0-E605過去問試験-試験の準備方法AD0-E605真実試験 □▷ [www.goshiken.com](http://www.goshiken.com)◁にて限定無料の{ AD0-E605 }問題集をダウンロードせよAD0-E605受験資料更新版
- AD0-E605対応問題集 □ AD0-E605日本語対策 □ AD0-E605復習攻略問題 □ ➡ [jp.fast2test.com](http://jp.fast2test.com) □□□を入力して“AD0-E605”を検索し、無料でダウンロードしてくださいAD0-E605認定テキスト
- AD0-E605関連資格試験対応 □ AD0-E605資格取得講座 □ AD0-E605試験感想 □ ⇒ [www.goshiken.com](http://www.goshiken.com)⇐を開いて★ AD0-E605 □★□を検索し、試験資料を無料でダウンロードしてくださいAD0-E605資格取得講座

