


100% Pass Quiz C-ADBTP-2601 - Adminstrating SAP Business Technology Platform(C_ADBTP_2601) High Hit-Rate Demo Test



They work together and put all their expertise, knowledge, and experience and make sure the top standard of TestPassed C-ADBTP-2601 exam questions all the time. So we can say that the TestPassed C-ADBTP-2601 exam practice test questions are the ideal study material for quick Adminstrating SAP Business Technology Platform(C_ADBTP_2601) (C-ADBTP-2601) exam preparation. The TestPassed C-ADBTP-2601 exam questions are real, valid, and updated as per the latest SAP C-ADBTP-2601 exam syllabus and you can trust it and start SAP C-ADBTP-2601 exam preparation right now.

Why do we need so many certifications? One thing has to admit, more and more certifications you own, it may bring you more opportunities to obtain a better job, earn more salary. This is the reason why we need to recognize the importance of getting the test C-ADBTP-2601 certification. Therefore, our C-ADBTP-2601 Study Tool can help users pass the qualifying examinations that they are required to participate in faster and more efficiently as our C-ADBTP-2601 exam questions have a pass rate of more than 98%. Just buy our C-ADBTP-2601 practice guide, then you will pass your C-ADBTP-2601 exam.

>> Demo C-ADBTP-2601 Test <<

C-ADBTP-2601 Latest Test Report, C-ADBTP-2601 Trustworthy Pdf

The TestPassed is one of the top-rated and reliable platforms for quick and complete C-ADBTP-2601 exam preparation. The TestPassed has been offering real, valid, and updated Adminstrating SAP Business Technology Platform(C_ADBTP_2601) exam questions for many years. Over this long time period countless SAP C-ADBTP-2601 Exam candidates have passed their dream SAP C-ADBTP-2601 certification and doing jobs in the world's top brands.

SAP Adminstrating SAP Business Technology Platform(C_ADBTP_2601) Sample Questions (Q10-Q15):

NEW QUESTION # 10

SIMULATION

Task 2: Create Subaccounts in a Directory

In the Partner directory, create the subaccount AM PA Dev Test (Description: Partner Development and Testing) with subdomain btpops#####-am-pa-dev-test in the region Microsoft Azure → US West (WA) cf-us20.

In the Partner directory, create the subaccount AM PA Prod (Description: Partner Production) with subdomain btpops#####-am-pa-prod using AM PA Dev Test as source subaccount. Set the subaccount as used in production.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Task 2 - Create Subaccounts in a Directory

You must create these two subaccounts inside the Partner directory:

AM PA Dev Test

AM PA Prod

Important:

Replace ##### with your global account number

Enter all names and subdomains exactly

Be careful with hyphens and spaces

AM PA Prod must be marked as used in production

Before You Start

Log in to SAP BTP Cockpit.

Open your correct Global Account.

Go to Directories.

Open the Partner directory.

Why this matters:

Both subaccounts in this task must be created inside the Partner directory. If you create them under the global account or another directory, the task will be wrong.

Step 1 - Open the Partner Directory

What to do

In the left menu, click Directories.

In the directory list, select Partner.

Explanation:

The Partner directory is the container where both required subaccounts must be created.

What to verify

You should now be inside the Partner directory page.

Step 2 - Start Creating the First Subaccount

What to do

Inside the Partner directory, go to Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the subaccount creation screen.

What to verify

You should now see the form for creating a new subaccount.

Step 3 - Enter Data for AM PA Dev Test

What to do

Enter the following values:

Display Name / Name: AM PA Dev Test

Description: Partner Development and Testing

Subdomain: btpops#####-am-pa-dev-test

Then choose the region:

Cloud Provider: Microsoft Azure

Region: US West (WA)

Environment / Technical Region: cf-us20

After checking all values, click Create.

Create Subaccount

Display Name*

Region*

Subdomain*

Description

Parent*

> Advanced

Cockpit supports multi-level directories in your account structure. You can add your new subaccount directly to the root global account or to an existing directory by choosing the location under Parent.

SAP Create Cancel

Explanation:

This creates the development and testing subaccount for the Partner directory.

The important points are:

the subaccount name must match exactly

the subdomain must include your account number in place of #####

the region must be Microsoft Azure → US West (WA) cf-us20

What to verify

After creation, you should see the new subaccount:

AM PA Dev Test

inside the Partner directory.

Step 4 - Confirm the First Subaccount Exists

What to do

Check the subaccounts list under Partner.

Explanation:

Before creating the production subaccount, confirm that AM PA Dev Test was created successfully, because it will be used as the source subaccount for the next step.

What to verify

You should see:

AM PA Dev Test

If it is not there, do not continue until it is created correctly.

Name	Type	Environment	Provider	Changed On
STP Admin Certification	Global Account			March 25, 2026, 9:11:2...
Americas	Directory			March 26, 2026, 3:27:5...
Partner	Directory			March 26, 2026, 3:30:3...
AM PA Dev Test	Subaccount	Multi-Environment	Microsoft Azure	March 26, 2026, 3:35:3...

Step 5 - Start Creating the Second Subaccount

What to do

Still inside the Partner directory, click Create → Subaccount again.

Explanation:

This opens a new subaccount creation form for the production subaccount.

Step 6 - Enter Data for AM PA Prod

What to do

Enter the following values:

Display Name / Name: AM PA Prod

Description: Partner Production

Subdomain: btpops####-am-pa-prod
 Then set:
 Source Subaccount: AM PA Dev Test
 Enable the production setting:
 Used in Production: Yes
 Then click Create.

Explanation:

This creates the production subaccount by using AM PA Dev Test as the source subaccount.

Using a source subaccount means SAP BTP copies base settings from the selected source, which helps keep configuration aligned.

The production indicator is mandatory here because this is the production subaccount.

What to verify

After creation, you should see:

AM PA Prod

inside the Partner directory, and it should be marked as a production subaccount.

Final Expected Result for Task 2

Inside the Partner directory, you must have these two subaccounts:

1. AM PA Dev Test

Description: Partner Development and Testing

Subdomain: btpops####-am-pa-dev-test

Region: Microsoft Azure → US West (WA) cf-us20

2. AM PA Prod

Description: Partner Production

Subdomain: btpops####-am-pa-prod

Source Subaccount: AM PA Dev Test

Used in Production: Yes

Name	Type	Environment	Provider	Region	Changed On
BTP Admin Certification	Global Account				March 25, 2026, 9:11:2...
Americas	Directory				March 26, 2026, 3:27:5...
Partner	Directory				March 26, 2026, 3:30:3...
AM PA Dev Test	Subaccount	Multi Environment		US West (WA)	March 26, 2026, 3:35:3...
AM PA Prod	Subaccount	Multi Environment		US West (WA)	March 26, 2026, 3:39:3...

Common Mistakes to Avoid

1. Creating the subaccounts in the wrong place

Both subaccounts must be created in:

Partner directory
Not in:
Global Account
Americas
Eurasia
Human Resources
2. Wrong subdomain format
Use exactly:
btpops####-am-pa-dev-test
btpops####-am-pa-prod
Replace only #### with your global account number.
Do not:
remove hyphens
add spaces
misspell dev-test or pa-prod
3. Wrong region for AM PA Dev Test
It must be:
Microsoft Azure
US West (WA)
cf-us20
4. Forgetting the source subaccount for AM PA Prod
You must select:
AM PA Dev Test
as the source subaccount.
5. Forgetting the production flag
For AM PA Prod, make sure:
Used in Production is enabled

NEW QUESTION # 11

SIMULATION

Create Directories and Subaccounts

In a global account for SAP Business Technology Platform (BTP), create a hierarchy of subaccounts using directories.

Task 1: Create Directories

In your SAP BTP cockpit, create the directory Americas (Description: Americas Accounts) with your global account as the parent.

Create the directory Eurasia (Description: Eurasia Accounts) with your global account as the parent.

Create the directory Partner (Description: Partner Accounts) with the Americas directory as the parent. Add the label access with value external.

Create the directory Human Resources (Description: Human Resources Accounts) with the Eurasia directory as the parent. Add the label access with value internal.

Answer:

Explanation:

See the Explanation below for complete solution

Explanation:

Task 1: Create Directories

You need to create these directories:

Americas

Eurasia

Partner under Americas with label access=external

Human Resources under Eurasia with label access=internal

Before You Start

Log in to the SAP BTP Cockpit.

Make sure you are inside the correct Global Account.

Open the left-side navigation menu.

Why this is important:

All directories in this task must be created inside the correct global account hierarchy. If you create them in the wrong location, the simulation result will be incorrect.

Step 1 - Create Directory Americas

What to do

In the SAP BTP Cockpit, select your Global Account.

In the left navigation menu, click Directories.

Click Create or Create Directory.

Fill the fields as follows:


Name: Americas

Description: Americas Accounts

Parent: your Global Account

Click Create.

Create Directory



Display Name*

Americas

Description

Americas Accounts

Parent*

BTP Admin Certification xxx

> Advanced

Cockpit supports multi-level directories in your account structure.
You can add your new directory directly to the root global account or to an existing directory by choosing the location under Parent.

Create Cancel

Explanation:

This creates a top-level directory directly under the global account.

It will later be used as the parent for the Partner directory.

What to verify

After creation, you should see:

Americas

listed under the directories of the global account.

Step 2 - Create Directory Eurasia

What to do

Stay in Directories.

Click Create Directory again.

Fill the fields:

Name: Eurasia

Description: Eurasia Accounts

Parent: your Global Account

Click Create.

Create Directory

Display Name *
Eurasia

Description
Eurasia Accounts

Parent *
BTP Admin Certification xxxxx

Advanced

Cockpit supports multi-level directories in your account structure. You can add your new directory directly to the root global account or to an existing directory by choosing the location under **Parent**.

SAP

Explanation:

This creates another top-level directory, parallel to Americas.

What to verify

You should now see both:

Americas

Eurasia

under the global account.

Step 3 - Create Directory Partner under Americas

What to do

In the Directories area, select Americas.

Click Create Directory.

Enter:

Name: Partner

Description: Partner Accounts

Parent: Americas

Locate the Labels section.

Add a new label:

Key: access

Value: external

Click Create.

SAP

Name	Type	Environment	Provider	Changed On
BTP Admin Certification xxxxx	Global Account			March 25, 2026, 9:11:2...
Americas	Directory			March 26, 2026, 9:27:5...
Eurasia	Directory			March 26, 2026, 9:28...

testpassed.com

Directories

Expand All Collapse All

Create Directory

Labels

Go to Overview
More Info
Create Directory
Create Subaccount
Delete

Select Parent

Search

☐ Show only directories I can create in [Expand All](#) [Collapse All](#)

▼ BTP Admin Certification **xxxx**

- Americas
- Eurasia

Select **Cancel**

Create Directory

Display Name*
Partner

Description
Partner Accounts

Parent*
Americas

▼ **Advanced**

☐ Enable entitlement management **?** ☐ Enable user management **?**

Add labels to this directory. **?**

Name: access **Values:** external **?**

Create **Cancel**

Explanation:

This creates Partner as a child directory under Americas.

The label is required and must be entered exactly:

access = external

This label helps classify the directory.

What to verify

Under Americas, you should now see:

Partner

and the directory should contain the label:

access=external

Step 4 - Create Directory Human Resources under Eurasia

What to do

Go back to the Directories list.
 Select Eurasia.
 Click Create Directory.
 Enter:
 Name: Human Resources
 Description: Human Resources Accounts
 Parent: Eurasia
 In the Labels section, add:
 Key: access
 Value: internal
 Click Create.

Create Directory

Display Name*
 Human Resources

Description
 Human Resources Accounts

Parent*
 Eurasia

☐ Enable entitlement management ☐ Enable user management

Add labels to this directory:
 Name: access Values: internal x

Create **Cancel**

Explanation:
 This creates Human Resources as a child directory under Eurasia.

The required label is:

access = internal

What to verify

Under Eurasia, you should now see:

Human Resources

and the label should be:

access=internal

Final Expected Directory Structure

After completing Task 1, your structure must be exactly like this:

Global Account

Americas

Partner

Label: access=external

Eurasia

Human Resources

Label: access=internal

Name	Type	Entitlement	Provider	Labels	Changed On
STP Admin Certification	Global Account				March 20, 2020, 4:14:2
Americas	Directory			1 label	March 22, 2020, 4:25:1
Partner	Directory			1 label	March 22, 2020, 4:29:2
Eurasia	Directory			1 label	March 22, 2020, 4:26:0
Human Resources	Directory			1 label	March 22, 2020, 4:35:0

Important Checks Before Moving On

Verify all of the following:

Americas exists

Eurasia exists

Partner is under Americas

Human Resources is under Eurasia

Partner has label access=external

Human Resources has label access=internal

All names and descriptions are entered exactly as required

Common Mistakes to Avoid

1. Wrong parent

Partner must be created under Americas

Human Resources must be created under Eurasia

2. Wrong label key or value

Use exactly:

access → external

access → internal

3. Spelling errors

Be careful with:

Americas

Eurasia

Partner

Human Resources

4. Creating all directories directly under the global account

Only Americas and Eurasia are direct children of the global account.

Partner and Human Resources must be child directories.

NEW QUESTION # 12

SIMULATION

Enable a Cloud Foundry Environment

Task 2: Enable and Configure a Cloud Foundry Environment

In your SAP BTP cockpit, in the EU HCM Dev subaccount, enable the Cloud Foundry environment in the cf-eu10-004 landscape.

Set the instance name to cf-eu-hcm-dev and the org name to btpops#####-eu-hcm-dev.

In the EU HCM Dev subaccount, create a space with the name activity-recording.

In the EU HCM Dev subaccount, create a space quota with the name half-org-quot a. Halve the available org quota for memory, routes, service, and instance memory for an unlimited number of app instances. Assign the space quota to activity-recording.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open Human Resources.

Open the EU HCM Dev subaccount.

This matters because the task must be completed specifically in EU HCM Dev. SAP documents that Cloud Foundry is enabled at subaccount level, and the system creates a Cloud Foundry org linked to that subaccount.

Part 1 - Enable the Cloud Foundry environment

Step 1 - Open the subaccount overview

In EU HCM Dev, go to Overview.

Explanation:

SAP Help describes the cockpit flow for enabling Cloud Foundry from the subaccount Overview page.

What to verify

You should see a Cloud Foundry section on the overview page.

Step 2 - Start enabling Cloud Foundry

In the Cloud Foundry section, click Enable Cloud Foundry.

Explanation:

This starts creation of the Cloud Foundry organization for the subaccount. SAP notes that when you enable Cloud Foundry in a subaccount, the system automatically creates a Cloud Foundry org for it.

Step 3 - Enter the required Cloud Foundry values

In the enablement dialog, enter:

Landscape: cf-eu10-004

Instance Name: cf-eu-hcm-dev

Org Name: btpops#####-eu-hcm-dev

Then confirm by clicking Create or Enable.

Explanation:

The task gives you the exact landscape and naming values to use. SAP documentation shows that enabling Cloud Foundry in the cockpit requires naming the Cloud Foundry instance and org.

What to verify

After the process completes, the subaccount should show Cloud Foundry as enabled, with the org created for EU HCM Dev.

Enable Cloud Foundry

1
Basic Info

Enter basic info for your environment instance.

Environment: * Can't find what you're looking for?
Cloud Foundry Runtime

Plan: *
standard

Landscape: *
cf-eu10-005

Instance Name: ⓘ
cf-eu-hcm-dev

Org Name: * ⓘ
btpops -eu-hcm-dev

Cloud Foundry API endpoints may differ between subaccounts in the same region.
The API endpoint for this subaccount is shown in the Cloud Foundry environment instance details.

Create Cancel

Subaccount: EU HCM Dev - Overview

[BTP Admin Certification](#) / [Eurasia](#) / [Human Resources](#) / [EU HCM Dev](#)

[General](#) [Cloud Foundry Environment](#) [Entitlements](#)

General

37 Entitlements

1 Instances and Subscriptions

Subdomain: btpops3451-eu-hcm-dev

Tenant ID: da5ded99-37be-400b-99b5-7ca1797cc3f5

Subaccount ID: da5ded99-37be-400b-99b5-7ca1797cc3f5

Open in Audit Log Viewer

Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt) - AWS

Environment: Multi-Environment

Used for Production: No

Beta Features: Disabled

Created By:

Created On: March 27, 2026, 11:21:55 PM GMT+05:00

Modified On: March 27, 2026, 11:22:17 PM GMT+05:00

Cloud Foundry Environment

Information not available to you. You must be an org member. [Go to KPIs](#)

API Endpoint: <https://api.cf.eu10-005.hana.ondemand.com>

Org Name: btpops3451-eu-hcm-dev

Org ID: e982d68f-3148-4146-ac98-f73b323123c6

Org Memory Limit: 1,624 MB

Manage environment instance

Disable Cloud Foundry

Spaces (0)

Spaces

App instances

Service instances

0 Spaces defined in this subaccount

Create Space

Part 2 - Create the space

Step 4 - Open Spaces

In EU HCM Dev, after Cloud Foundry is enabled, open:

Cloud Foundry

Spaces

Explanation:

SAP Help shows that spaces are created from the Spaces area after Cloud Foundry is enabled in the subaccount.



Step 5 - Create the space

Click Create Space.

Enter:

Space Name: activity-recording

Confirm by clicking Create.



Explanation:

This creates the required Cloud Foundry space inside the org for EU HCM Dev. SAP's cockpit documentation and setup guides show this as the standard next step after enabling the environment.

What to verify

You should now see:

activity-recording

in the list of Cloud Foundry spaces.

Part 3 - Create the space quota

Step 6 - Open Cloud Foundry Space Quotas

In EU HCM Dev, open:

Cloud Foundry

Space Quotas

Explanation:

SAP Help states that, in the Cloud Foundry environment, the quotas allocated to a subaccount can be further distributed by creating space quota plans, and these are managed from the Cloud Foundry Space Quotas area.

Step 7 - Create a new space quota

Click Create Space Quota or New Space Quota.

Enter the quota name:

half-org-quota

Explanation:

This creates a quota plan that you will assign to the required space. SAP Help describes creating space quota plans in the subaccount and then assigning them to spaces.

Step 8 - Set quota values to half of the org quota

In the quota form, set the values to half of the available org quota for:

Memory

Routes

Services

Instance Memory
For App Instances, set:
Unlimited
Then save the quota.

Create Space Quota

i You are allowed to add a value above the org quota, but the org quota is the consumable limit you can reach.
To assign the "Unlimited" value, use -1.

Name: * half-org-quota

Space Memory (MB): * 512
Org Quota: 1024 MB (1GB)

Routes: * 5
Org Quota: 10

Service Instances: * 250
Org Quota: 500

Memory per Instance (MB): * 8192
Org Quota: 16384 MB (16GB)

App Instances: * -1
Org Quota: Unlimited

Allow Paid Services: ☐ OFF

Create

Cancel

Explanation:

The simulation asks you to halve the available org quota for those four dimensions. SAP Help confirms that space quotas are used to limit resource consumption inside the org by defining values such as memory, routes, and service instances, and that these plans can then be assigned to spaces.

How to calculate "half"

Use the current org quota values shown in the Cloud Foundry quota screens and divide each by 2 before entering it.

Examples:

If org memory = 2 GB, enter 1 GB

If routes = 20, enter 10

If services = 200, enter 100


If instance memory = 2 GB, enter 1 GB

What to verify

The new quota plan should exist as:

half-org-quota

with the reduced values saved.



Part 4 - Assign the quota to the space

Step 9 - Assign the quota to activity-recording

Open the newly created quota:

half-org-quota

Choose Assign Spaces or Assign to Spaces

Select:

activity-recording

Save the assignment


Explanation:

SAP Help states that after creating a space quota, you assign it to one or more spaces from the space quota management flow.

What to verify

The quota half-org-quota should now be assigned to:

activity-recording





Final expected result

Inside EU HCM Dev:

Cloud Foundry is enabled

landscape is cf-eu10-004

instance name is cf-eu-hcm-dev

org name is btpops#####-eu-hcm-dev

space activity-recording exists

space quota half-org-quota exists

memory, routes, services, and instance memory are each set to half of the available org quota app instances are unlimited quota half-org-quota is assigned to activity-recording Common mistakes to avoid Enabling Cloud Foundry in the wrong subaccount; it must be EU HCM Dev.

Using the wrong landscape; the task explicitly requires cf-eu10-004.

Typing the wrong org name; use exactly btpops#####-eu-hcm-dev.

Forgetting to create the space before assigning the quota.

Entering full org quota instead of half.

Limiting app instances to a number instead of leaving them unlimited.

Creating the quota but not assigning it to activity-recording.

NEW QUESTION # 13

SIMULATION

Establish Shared Services

Task 1: Create a Shared Services Directory and Subaccounts

In your SAP BTP cockpit, create the directory Shared Services (Description: Shared Accounts) with your global account as the parent.

In the Shared Services directory, create the subaccount SH Dev (Description: Shared Services Development) with subdomain btpops#####-sh-dev in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.

In the Shared Services directory, create the subaccount SH Ops (Description: Shared Services Operations) with subdomain btpops#####-sh-ops in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Make sure you are working in the correct global account before creating anything.

Why this matters:

The new directory and both subaccounts must be created inside the correct global account hierarchy.


Part A - Create the Shared Services Directory

Step 1 - Open Directories

What to do

In the SAP BTP Cockpit, open your Global Account.

In the left navigation menu, click Directories.



Explanation:

This is where you create and manage directory structures under the global account.

What to verify

You should now see the list of existing directories.

Step 2 - Create the Directory Shared Services

What to do

Click Create or Create Directory.

Enter the following values:


Name: Shared Services

Description: Shared Accounts

Parent: your Global Account

Click Create.

Create Directory



Explanation:

This creates a new top-level directory directly under the global account.

It will be used to hold the shared-services subaccounts.

What to verify

You should now see:

Shared Services

under the global account.

Part B - Create the SH Dev Subaccount

Step 3 - Open the Shared Services Directory

What to do

In the directory list, select Shared Services.

Explanation:

Both required subaccounts must be created inside this directory.

What to verify

You should now be inside the Shared Services directory.

Step 4 - Open Subaccounts

What to do

Inside Shared Services, open Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the subaccount creation screen.

Step 5 - Create SH Dev

What to do

Enter the following:

Display Name / Name: SH Dev

Description: Shared Services Development

Subdomain: btpops#####-sh-dev

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Explanation:

This creates the shared services development subaccount in the required AWS Frankfurt region.

What to verify

After creation, you should see:

SH Dev
inside the Shared Services directory.

Create Subaccount

Display Name *
SH Dev

Region *
Europe (Frankfurt) - AWS

Description
Shared Services Development

Subdomain *
btpops xxxxsh-dev

Parent *
Shared Services

> **Advanced**

Cockpit supports multi-level directories in your account structure.
You can add your new subaccount directly to the root global account or to an existing directory by choosing the location under Parent.

Create **Cancel**

Part C - Create the SH Ops Subaccount

Step 6 - Start a New Subaccount

What to do

Still inside Shared Services, click Create → Subaccount again.

Explanation:

This opens the form for the second required subaccount.

Step 7 - Create SH Ops

What to do

Enter the following:

Display Name / Name: SH Ops

Description: Shared Services Operations

Subdomain: btpops#####-sh-ops

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Create Subaccount

Display Name*

Description

Region*

Subdomain*

Parent*

> **Advanced**

Cockpit supports multi-level directories in your account structure. You can add your new subaccount directly to the root global account or to an existing directory by choosing the location under **Parent**.

Create **Cancel**

Explanation:

This creates the shared services operations subaccount in the same required region.

What to verify

After creation, you should see:

SH Ops

inside the Shared Services directory.

Final Expected Result for Task 1

You should now have:

Directory

Shared Services

Description: Shared Accounts

Parent: Global Account

Subaccounts inside Shared Services

SH Dev

Description: Shared Services Development

Subdomain: btpops####-sh-dev

Region: AWS → Europe (Frankfurt) cf-eu10

SH Ops

Description: Shared Services Operations

Subdomain: btpops####-sh-ops

Region: AWS → Europe (Frankfurt) cf-eu10

Name	Type	Environment	Region	Labels	Changed On
BTP Admin Certification	Global Account				March 25, 2026, 5:11:2...
Americas	Directory				March 26, 2026, 3:27:5...
Partner	Directory (Managed)			1 label	March 26, 2026, 3:50:1...
AM PA Dev Test	Subaccount	Multi-Environment	Microsoft Azure		March 26, 2026, 3:35:3...
AM PA Prod	Subaccount	Multi-Environment	Microsoft Azure		March 26, 2026, 3:39:3...
Eureka	Directory				March 26, 2026, 3:28:2...
Human Resources	Directory			1 label	March 26, 2026, 3:43:0...
EU HCM Dev	Subaccount	Multi-Environment	Amazon Web Services (AWS)		March 26, 2026, 3:43:4...
EU HCM Prod	Subaccount	Multi-Environment	Amazon Web Services (AWS)		March 26, 2026, 3:48:3...
EU HCM Test	Subaccount	Multi-Environment	Amazon Web Services (AWS)		March 26, 2026, 3:45:5...
Shared Services	Directory				March 26, 2026, 4:14:2...
SH Dev	Subaccount	Multi-Environment	Amazon Web Services (AWS)		March 26, 2026, 4:15:5...
SH Ops	Subaccount	Multi-Environment	Amazon Web Services (AWS)		March 26, 2026, 4:17:0...

Common Mistakes to Avoid

1. Creating the directory in the wrong place

Shared Services must be created with:

parent = Global Account

2. Creating the subaccounts outside the directory
Both subaccounts must be created inside:
Shared Services
3. Wrong subdomain values
Use exactly:
btpops####-sh-dev
btpops####-sh-ops
Only replace #### with your global account number.
4. Wrong region
Both subaccounts must use:
Amazon Web Services (AWS)
Europe (Frankfurt)
cf-eu10
5. Mixing up SH Dev and SH Ops
Be careful:
SH Dev = Shared Services Development
SH Ops = Shared Services Operations

NEW QUESTION # 14

.....

If you choose our C-ADBTP-2601 exam questions, then you can have a study on the latest information and technologies on the subject and you will definitely get a lot of benefits from it. Of course, the most effective point is that as long as you carefully study the C-ADBTP-2601 Study Guide for twenty to thirty hours, you can go to the exam. To really learn a skill, sometimes it does not take a lot of time. Come to buy our C-ADBTP-2601 practice materials and we teach you how to achieve your goals efficiently.

C-ADBTP-2601 Latest Test Report: <https://www.testpassed.com/C-ADBTP-2601-still-valid-exam.html>

They are specially designed in unique format for SAP C-ADBTP-2601 Latest Test Report exams, SAP Demo C-ADBTP-2601 Test In order to make the candidates satisfied, our IT experts work hard to get the latest exam materials, If you do experience by the guidance of our C-ADBTP-2601 study materials, you will spend less time than you did before, you will obviously feel your progress, and you will find our C-ADBTP-2601 test quiz are so useful to help you make progress, You just need to use your spare time to practice the C-ADBTP-2601 exam questions torrent and remember the main knowledge of C-ADBTP-2601 pdf dumps latest skillfully.

Companies in highly regulated industries face unique challenges C-ADBTP-2601 Trustworthy Pdf in optimizing business performance and profitability while maintaining strong governance and regulatory adherence.

Because if the user is thinking about how to use the website, C-ADBTP-2601 she's distracted from the task at hand, They are specially designed in unique format for SAP exams.

Prominent Features of TestPassed SAP C-ADBTP-2601 Exam Questions

In order to make the candidates satisfied, our IT experts work hard to get the latest exam materials, If you do experience by the guidance of our C-ADBTP-2601 study materials, you will spend less time than you did before, you will obviously feel your progress, and you will find our C-ADBTP-2601 test quiz are so useful to help you make progress.

You just need to use your spare time to practice the C-ADBTP-2601 exam questions torrent and remember the main knowledge of C-ADBTP-2601 pdf dumps latest skillfully.

Our C-ADBTP-2601 study materials have three versions which are versions of PDF, Software/PC, and APP/Online.

- Latest Demo C-ADBTP-2601 Test Help You to Get Acquainted with Real C-ADBTP-2601 Exam Simulation ☐ Search for ➡ C-ADBTP-2601 ☐☐☐ and download it for free on 「 www.practicevce.com 」 website ☐ C-ADBTP-2601 Certification Exam Cost
- C-ADBTP-2601 Exam Pattern ☐ Valid C-ADBTP-2601 Exam Voucher ☐ C-ADBTP-2601 Test Study Guide ☐ Go to website ➡ www.pdfvce.com ☐ open and search for 【 C-ADBTP-2601 】 to download for free ☐ Exam Dumps C-ADBTP-2601 Zip
- Exam C-ADBTP-2601 Tutorial ☐ C-ADBTP-2601 Valid Exam Review ☐ C-ADBTP-2601 Test Collection Pdf ☐ Search for ☀ C-ADBTP-2601 ☐☀ ☐ and download exam materials for free through ☐ www.testkingpass.com ☐ ☐ C-

ADBTP-2601 Training Kit

- Marvelous C-ADBTP-2601 - Demo Administrating SAP Business Technology Platform(C_ADBTP_2601) Test ☐ The page for free download of 《 C-ADBTP-2601 》 on ➡ www.pdfvce.com ☐☐☐ will open immediately ✓ ☐New C-ADBTP-2601 Test Labs
- Customized C-ADBTP-2601 Lab Simulation ☐ C-ADBTP-2601 Test Study Guide ☐ C-ADBTP-2601 Certification Exam Cost ☐ 「 www.verifiddumps.com 」 is best website to obtain { C-ADBTP-2601 } for free download ☐C-ADBTP-2601 Test Study Guide
- Exam Dumps C-ADBTP-2601 Zip ☐ C-ADBTP-2601 Certification Exam Cost ☐ Exam C-ADBTP-2601 Vce Format ☐ Simply search for ▷ C-ADBTP-2601 ◁ for free download on ☐ www.pdfvce.com ☐ ☐☐C-ADBTP-2601 Reliable Practice Questions
- 2026 Perfect Demo C-ADBTP-2601 Test | Administrating SAP Business Technology Platform(C_ADBTP_2601) 100% Free Latest Test Report ☐ ☀ www.troytecdumps.com ☐☐☐ is best website to obtain ➡ C-ADBTP-2601 ☐☐☐ for free download ☐Exam C-ADBTP-2601 Vce Format
- C-ADBTP-2601 Latest Test Guide ☐ C-ADBTP-2601 Valid Exam Review ☐ C-ADBTP-2601 Reliable Practice Questions ☐ Download ☀ C-ADBTP-2601 ☐☐☐ for free by simply searching on ☐ www.pdfvce.com ☐ ☐C-ADBTP-2601 Exam Blueprint
- Demo C-ADBTP-2601 Test - Quiz 2026 C-ADBTP-2601: Administrating SAP Business Technology Platform(C_ADBTP_2601) – First-grade Latest Test Report ☐ Immediately open 「 www.validtorrent.com 」 and search for ⇒ C-ADBTP-2601 ⇐ to obtain a free download ☐C-ADBTP-2601 Exam Pattern
- 2026 Trustable Demo C-ADBTP-2601 Test Help You Pass C-ADBTP-2601 Easily ☐ Download ✓ C-ADBTP-2601 ☐✓☐ for free by simply entering ☐ www.pdfvce.com ☐ website ☐C-ADBTP-2601 Exam Blueprint
- New C-ADBTP-2601 Exam Book ☐ Exam C-ADBTP-2601 Vce Format ☐ Valid C-ADBTP-2601 Exam Voucher ☐ ☐ Simply search for ➡ C-ADBTP-2601 ☐ for free download on 「 www.examcollectionpass.com 」 ☐Certification C-ADBTP-2601 Sample Questions
- socialbuzzmaster.com, www.stes.tyc.edu.tw, scalar.usc.edu, www.stes.tyc.edu.tw, scalar.usc.edu, directoryrecap.com, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, bookmarkingalpha.com, www.stes.tyc.edu.tw, Disposable vapes