

# Actual NSE7\_SSE\_AD-25 Test Answers | NSE7\_SSE\_AD-25 Reliable Test Cost

1.Which diagnostic command can you use to show the member utilization statistics measured by performance SLAs for the last 10 minutes?

- A. diagnose sys sdwan intf-sla-log
- B. diagnose sys sdwan health-check
- C. diagnose sys sdwan log
- D. diagnose sys sdwan sla-log

Answer: D

2.Which two protocols in the iSec suite are most used for authentication and encryption? (Choose two.)

- A. Encapsulating Security Payload (ESP)
- B. Secure Shell (SSH)
- C. Internet Key Exchange (IKE)
- D. Security Association (SA)

Answer: A, C

3.Which two settings can you configure to speed up routing convergence in BGP? (Choose two.)

- A. update-source
- B. set-route-tag
- C. holdtime-timer
- D. link-down-failover

Answer: C, D

4.Refer to the exhibits.

Exhibit A

```
branch1_fgt (3) # show
config service
  edit 3
    set name "Corp"
    set mode sla
    set dst "Corp-net"
    set src "LAN-net"
    config sla
      edit "VPN_PING"
        set id 1
      next
      edit "VPN_HTTP"
        set id 1
      next
    end
    set priority-members 3 4 5
    set gateway enable
  next
end
```

Exhibit B

2 / 5

DOWNLOAD the newest PassExamDumps NSE7\_SSE\_AD-25 PDF dumps from Cloud Storage for free:  
<https://drive.google.com/open?id=1phQwFopPmdNS588qxpwuhol7nFQi9CJw>

It is our consistent aim to serve our customers wholeheartedly. Our NSE7\_SSE\_AD-25 real exam try to ensure that every customer is satisfied, which can be embodied in the convenient and quick refund process. Although the passing rate of our NSE7\_SSE\_AD-25 training quiz is close to 100%, if you are still worried, we can give you another guarantee: if you don't pass the exam, you can get a full refund. So there is nothing to worry about, just buy our NSE7\_SSE\_AD-25 exam questions.

If you want to enter a better company, a certificate for this field is quite necessary. NSE7\_SSE\_AD-25 learning materials of us will help you obtain the certificate successfully. NSE7\_SSE\_AD-25 exam braindumps of us are high quality, and they contain both questions and answers, and it will be enough for you to pass the exam. We also pass guarantee and money back guarantee if you fail to pass the exam if you buy NSE7\_SSE\_AD-25 Exam Dumps from us. Just think that you just need to spend some money, you can pass the exam and get the certificate and double your salary. Choose us, you can make it.

>> Actual NSE7\_SSE\_AD-25 Test Answers <<

## NSE7\_SSE\_AD-25 Reliable Test Cost | NSE7\_SSE\_AD-25 Latest Test Camp

Are you still worrying about the high difficulty to pass Fortinet certification NSE7\_SSE\_AD-25 exam? Are you still sleeplessly

endeavoring to review the book in order to pass Fortinet NSE7\_SSE\_AD-25 Exam Certification? Do you want to pass Fortinet NSE7\_SSE\_AD-25 exam certification faster? Be quick to select our PassExamDumps! Having it can quickly fulfill your dreams.

## Fortinet NSE 7 - FortiSASE 25 Enterprise Administrator Sample Questions (Q78-Q83):

### NEW QUESTION # 78

What are two advantages of using zero-trust tags? (Choose two.)

- A. Zero-trust tags can help monitor endpoint system resource usage.
- B. Zero-trust tags can determine the security posture of an endpoint.
- C. Zero-trust tags can be assigned to endpoint profiles based on user groups.
- D. Zero-trust tags can be used to allow or deny access to network resources.

**Answer: B,D**

Explanation:

Zero-trust tags assess endpoint compliance based on defined posture rules and are used in access policies to control whether a device is permitted or denied access to specific network resources.

### NEW QUESTION # 79

Refer to the exhibits. Jumpbox and Windows-AD are endpoints from the same remote location.

Jumpbox can access the internet through FortiSASE, while Windows-AD can no longer access the internet.

Based on the information in the exhibits, which reason explains the outage on Windows-AD?

Managed Endpoints					
Endpoint	ZTNA Tags (Detailed)	Management Connection	Software OS	FortiClient Version	
<input type="checkbox"/> Jumpbox	<span>FortiSASE-Compliant</span>	<span>Online</span>	<span>Microsoft Windows 11 Professional Edition, 64-bit (build 26100)</span>	<span>7.2.8.1140</span>	
<input checked="" type="checkbox"/> Windows-AD	<span>FortiSASE-Compliant</span> <span>FortiSASE-Non-Compliant</span>	<span>Online</span>	<span>Microsoft Windows Server 2019 Datacenter Edition, 64-bit (build 17763)</span>	<span>7.2.6.1076</span>	

### ZTNA Tagging Rules

Name: FortiSASE\_Compliant

Enabled:

When the following rules match:

Type		Parameters	Matching Criteria
<input type="checkbox"/>	Windows	1	
<input type="checkbox"/>	OS Version	Windows 11 Windows Server 2019	At least one parameter must pass

Apply the following tag:

Tag Name: FortiSASE\_Compliant

Name: FortiSASE-Non-Compliant

Enabled:

When the following rules match:

Type		Parameters	Matching Criteria
<input type="checkbox"/>	Windows	1	
<input type="checkbox"/>	AntiVirus	AV Software is installed and running	NOT All parameters must pass

Apply the following tag:

Tag Name: FortiSASE-Non-Compliant

### Secure Internet Access Policy

	Name	Profile Group	Source	Destination	Action	User
<input type="checkbox"/>	System defined	4				
<input type="checkbox"/>	Custom	4				
<input type="checkbox"/>	Non-Compliant		FortiSASE-Non-Compliant	All Internet Traffic	Deny	All VPN Users
<input type="checkbox"/>	Web Traffic	SIA	FortiSASE-Compliant	All Internet Traffic	Accept	Remote_SIA_Users

User Group: Remote\_SIA\_Users  
Members: user1@fortinettraining.lab, user2@fortinettraining.lab

- A. The remote VPN user on Windows-AD no longer matches any VPN policy.
- B. Windows-AD is excluded from FortiSASE management.
- C. The device posture for Windows-AD has changed.**
- D. The FortiClient version installed on Windows AD does not match the expected version on FortiSASE.


**Answer: C**

**Explanation:**

The Windows-AD endpoint now has both "FortiSASE-Compliant" and "FortiSASE-Non-Compliant" tags due to failing the antivirus software check. As a result, the Secure Internet Access Policy matches the "Non-Compliant" rule, which is set to Deny, causing the device to lose internet access.

### NEW QUESTION # 80

Refer to the exhibits.



#### Private access policy on FortiSASE

		Name	Profile Group	Source	Destination	Action	User
<b>Custom 4</b>							
<input type="checkbox"/>	Non-Compliant-SPA	FortiSASE-Non-Compliant	All Private Access Traffic	<input checked="" type="checkbox"/> Deny	All VPN Users		
<input type="checkbox"/>	Allow-All Private Traffic	Default	FortiSASE-Compliant	All Private Access Traffic	<input checked="" type="checkbox"/> Accept	All VPN Users	

#### GP route information on FortiSASE

LEARNED BGP ROUTES (TO_HUB/VANCOUVER - CANADA)			
<input type="checkbox"/> Search			
Prefix	Next Hop	Learned From	
10.160.160.0/24	10.11.11.1	10.11.11.1	
100.65.17.0/24	0.0.0.0	0.0.0.0	
100.65.32.0/20	0.0.0.0	0.0.0.0	
100.65.17.0/20	0.0.0.0	0.0.0.0	
100.65.17.0/24	0.0.0.0	0.0.0.0	
100.65.32.0/20	0.0.0.0	0.0.0.0	
100.65.17.0/20	0.0.0.0	0.0.0.0	

#### Advertised routes on Hub

```
# get router info bgp neighbors 10.11.11.10 advertised-routes
VRF 0 BGP table version is 4, local router ID is 10.1.0.254
Status codes: s suppressed, d damped, h history, * valid, > best, i - internal
Origin codes: i - IGP, e - EGP, ? - incomplete
Network          Next Hop          Metric  LocPrf Weight RouteTag Path
>1 10.12.11.1/32  10.11.11.13  100     0      0 i <-/1>
>1 10.12.11.2/32  10.11.11.12  100     0      0 i <-/1>
>1 10.12.11.4/32  10.11.11.11  100     0      0 i <-/1>
>1 10.160.160.0/24 10.11.11.1   100   32768  0 i <-/1>
>1 100.65.17.0/24 10.11.11.11  100     0      0 i <-/1>
>1 100.65.18.0/24 10.11.11.13  100     0      0 i <-/1>
>1 100.65.20.0/24 10.11.11.12  100     0      0 i <-/1>
>1 100.65.32.0/20 10.11.11.11  100     0      0 i <-/1>
>1 100.65.48.0/20 10.11.11.12  100     0      0 i <-/1>
>1 100.65.128.0/20 10.11.11.12  100     0      0 i <-/1>
>1 100.65.144.0/20 10.11.11.13  100     0      0 i <-/1>
>1 100.65.160.0/20 10.11.11.13  100     0      0 i <-/1>
>1 100.65.176.0/20 10.11.11.11  100     0      0 i <-/1>
```

```
# show firewall policy
config firewall policy
edit 7
  set name "vpn_Hub_spoke2hub_0"
  set srcintf "Hub"
  set dstintf "internal1"
  set action accept
  set srcaddr "SASE_Remote_Access"
  set dstaddr "LAN"
  set schedule "always"
  set service "ALL"
next
# show firewall address
config firewall address
edit "LAN"
  set subnet 10.160.160.0 255.255.255.0
next
edit "SASE_Remote_Access"
  set subnet 10.11.11.0 255.255.255.0
next
end
```

A FortiSASE administrator has configured FortiSASE as a spoke to a FortiGate hub. The tunnel is up to the FortiGate hub. However, the remote FortiClient is not able to access the web server hosted behind the FortiGate hub. What is the reason for the access failure? (Choose one answer)

- A. A private access policy has denied the traffic because of failed compliance.
- B. The hub is not advertising the required routes.
- C. The server subnet BGP route was not received on FortiSASE.
- D. The hub firewall policy does not include the FortiClient address range.**

#### Answer: D

##### Explanation:

Based on the detailed analysis of the provided exhibits (image\_65feb6.jpg), the connectivity failure is caused by a mismatch in the Hub firewall policy configuration.

\* Endpoint Analysis: The Network Diagram shows the FortiClient endpoint has an IP address of 100.65.80.2/20 and currently carries the FortiSASE-Compliant ZTNA tag.

\* FortiSASE Policy Validation: The Private access policy on FortiSASE shows an "Accept" rule for traffic originating from "FortiSASE-Compliant" sources destined for "All Private Access Traffic". This confirms the traffic is successfully leaving the FortiSASE PoP.

\* Routing Validation: The Learned BGP Routes on FortiSASE table shows the prefix 10.160.160.0/24 (the Server subnet) is correctly received via Next Hop 10.11.11.1. Routing is correctly established.

\* Hub Firewall Policy Error: Examining the Hub firewall policy (edit 7), the srcaddr is set to "SASE\_Remote\_Access". Looking at the address object definition for "SASE\_Remote\_Access," it is configured with the subnet 10.11.11.0 255.255.255.0.

\* The Conflict: The FortiClient's actual IP address (100.65.80.2) does not fall within the 10.11.11.0/24 range defined in the policy's

source address. On a FortiGate hub, for traffic to be permitted through the tunnel to the internal server, the firewall policy must include the specific subnet assigned to the remote clients, not just the tunnel interface subnet. Because the FortiClient address range is missing from the hub's policy, the traffic is dropped at the hub.

#### NEW QUESTION # 81

Refer to the exhibit.

**IPAM Configuration**

Public IP    **IPAM**

**IPAM CONFIGURATION**

IP pools for tunnel and edge devices

172.16.0.0/12

Excluded subnets

172.16.0.0/15

172.18.0.0/15

172.20.0.0/15

172.22.0.0/15

172.24.0.0/15

172.26.0.0/15

172.28.0.0/15

172.30.0.0/15

**FORTINET**

A customer wants to fine-tune network assignments on FortiSASE, so they modified the IPAM configuration as shown in the exhibit. After this configuration, the customer started having connectivity problems and noticed that devices are using excluded ranges. What could be causing the unexpected behavior and connectivity problems? (Choose two answers)

- A. The pool must include at least one /16 per Instance for the IPAM to work correctly.
- B. The pool must include at least one /20 per Instance for the IPAM to work correctly.
- **C. The customer excluded too many networks from the pool.**
- D. The pool must include at least one /20 per security POP for the IPAM to work correctly.

**Answer: C,D**

Explanation:

IP Address Management (IPAM) in FortiSASE is responsible for automatically allocating subnets to various services, including VPN tunnels and Edge devices. When an administrator modifies the default IPAM configuration, they must adhere to specific architectural scaling requirements.

\* Subnet Requirements per PoP: FortiSASE architecture requires a minimum amount of address space to be available for each provisioned Security Point of Presence (PoP) to handle internal routing and endpoint assignments. For the IPAM engine to function

correctly and distribute unique subnets across the global infrastructure, the pool must provide at least one /20 subnet per security PoP. If the available space is smaller than this per-PoP requirement, the allocation logic may fail or produce unpredictable routing behavior.

\* Impact of Excessive Exclusions: In the exhibit (image\_578940.png), the customer has defined a large summary pool of 172.16.0.0/12. However, they have configured eight separate /15 excluded subnets:

172.16.0.0/15, 172.18.0.0/15, 172.20.0.0/15, 172.22.0.0/15, 172.24.0.0/15, 172.26.0.0/15, 172.28.0.0/15, and 172.30.0.0/15.

\* Calculating the Exhaustion: A /12 network contains exactly eight /15 blocks. By excluding all eight /15 ranges listed in the exhibit, the customer has effectively excluded 100% of the available addresses from the primary 172.16.0.0/12 pool.

\* Connectivity Problems: When the IPAM pool is exhausted or overly restricted, FortiSASE cannot assign valid, non-overlapping subnets to the PoPs. This leads to connectivity problems for remote users and can cause the system to "fall back" to ranges it believes are available, even if they were intended to be excluded, or simply fail to establish tunnels entirely.

To resolve this, the administrator must ensure that the excluded subnets do not consume the entire pool and that the remaining unexcluded space is large enough to provide a /20 block for every active PoP in their subscription.

## NEW QUESTION # 82

Your organization is currently using FortiSASE for its cybersecurity. They have recently hired a contractor who will work from the HQ office and who needs temporary internet access in order to set up a web-based point of sale (POS) system.

What is the recommended way to provide internet access to the contractor?

- A. Use the self-registration portal on FortiSASE to grant internet access.
- B. Use a tunnel policy with a contractors user group as the source on FortiSASE to provide internet access.
- C. Use a proxy auto-configuration (PAC) file and provide secure web gateway (SWG) service as an explicit web proxy.
- D. Use zero trust network access (ZTNA) and tag the client as an unmanaged endpoint.

### Answer: A

Explanation:

The self-registration portal is the recommended method for granting temporary internet access to contractors or guests. It provides a simple and secure way for the contractor to authenticate and access the internet without requiring full endpoint management or policy configuration.

## NEW QUESTION # 83

.....

PassExamDumps is aware of your busy routine; therefore, it has made the Fortinet NSE 7 - FortiSASE 25 Enterprise Administrator NSE7\_SSE\_AD-25 dumps format to facilitate you to prepare for the Fortinet NSE 7 - FortiSASE 25 Enterprise Administrator NSE7\_SSE\_AD-25 exam. We adhere strictly to the syllabus set by Fortinet NSE7\_SSE\_AD-25 Certification Exam. What will make your NSE7\_SSE\_AD-25 test preparation easy is its compatibility with all devices such as PCs, tablets, laptops, and androids.

**NSE7\_SSE\_AD-25 Reliable Test Cost:** [https://www.passexdumps.com/NSE7\\_SSE\\_AD-25-valid-exam-dumps.html](https://www.passexdumps.com/NSE7_SSE_AD-25-valid-exam-dumps.html)

Fortinet Actual NSE7\_SSE\_AD-25 Test Answers More information about available study guides can be found on our products page. Every subtle change in the mainstream of the knowledge about the NSE7\_SSE\_AD-25 certification will be caught and we try our best to search the NSE7\_SSE\_AD-25 study materials resources available to us. We constantly check the updating and if there is latest NSE7\_SSE\_AD-25 vce exam released, we will send it to your email immediately.

The next stage is to check the configuration of the interface and NSE7\_SSE\_AD-25 make sure that there are no errors or collisions caused by over flow of the networks. Teach project management with Project.

## 2026 Updated Actual NSE7\_SSE\_AD-25 Test Answers | 100% Free Fortinet NSE 7 - FortiSASE 25 Enterprise Administrator Reliable Test Cost

More information about available study guides Actual NSE7\_SSE\_AD-25 Test Answers can be found on our products page. Every subtle change in the mainstream of the knowledge about the NSE7\_SSE\_AD-25 Certification will be caught and we try our best to search the NSE7\_SSE\_AD-25 study materials resources available to us.

We constantly check the updating and if there is latest NSE7\_SSE\_AD-25 vce exam released, we will send it to your email immediately, Just purchasing our NSE7\_SSE\_AD-25 practice questions, passing certification exams is easy, better free life is coming!

That's the reason why we can produce the best NSE7\_SSE\_AD-25 exam prep and can get so much praise in the international market.

- NSE7\_SSE\_AD-25 New Soft Simulations  Reliable NSE7\_SSE\_AD-25 Test Sample  NSE7\_SSE\_AD-25 Training Courses  Open  www.torrentvce.com  enter ➤ NSE7\_SSE\_AD-25  and obtain a free download   NSE7\_SSE\_AD-25 Certification Test Questions
- Fortinet - Unparalleled NSE7\_SSE\_AD-25 - Actual Fortinet NSE 7 - FortiSASE 25 Enterprise Administrator Test Answers  Easily obtain ➡ NSE7\_SSE\_AD-25  for free download through [ www.pdfvce.com ]  NSE7\_SSE\_AD-25 Valid Exam Braindumps
- High Pass Rate Fortinet NSE 7 - FortiSASE 25 Enterprise Administrator Test Torrent is Convenient to Download - www.prepawayexam.com  Search for [ NSE7\_SSE\_AD-25 ] and download it for free immediately on [ www.prepawayexam.com ]  NSE7\_SSE\_AD-25 Customizable Exam Mode
- High Pass Rate Fortinet NSE 7 - FortiSASE 25 Enterprise Administrator Test Torrent is Convenient to Download - Pdfvce  Enter “www.pdfvce.com” and search for ➡ NSE7\_SSE\_AD-25  to download for free  Learning NSE7\_SSE\_AD-25 Mode
- Reliable NSE7\_SSE\_AD-25 Test Vce  Online NSE7\_SSE\_AD-25 Training Materials  NSE7\_SSE\_AD-25 Reliable Test Review  Open website ➤ www.dumpsquestion.com  and search for ➤ NSE7\_SSE\_AD-25  for free download  NSE7\_SSE\_AD-25 Latest Test Camp
- NSE7\_SSE\_AD-25 Exam Blueprint  Latest NSE7\_SSE\_AD-25 Exam Test  Valid Braindumps NSE7\_SSE\_AD-25 Pdf  Search on ( www.pdfvce.com ) for 《NSE7\_SSE\_AD-25》 to obtain exam materials for free download   Online NSE7\_SSE\_AD-25 Training Materials
- Fortinet - Unparalleled NSE7\_SSE\_AD-25 - Actual Fortinet NSE 7 - FortiSASE 25 Enterprise Administrator Test Answers  Search for ➡ NSE7\_SSE\_AD-25  and download it for free immediately on ➡ www.troytecdumps.com    NSE7\_SSE\_AD-25 Standard Answers
- Best Accurate Fortinet Actual NSE7\_SSE\_AD-25 Test Answers | Try Free Demo before Purchase  Search for  NSE7\_SSE\_AD-25  on ➤ www.pdfvce.com  immediately to obtain a free download  Test NSE7\_SSE\_AD-25 Dumps
- 100% Pass Quiz 2026 The Best Fortinet NSE7\_SSE\_AD-25: Actual Fortinet NSE 7 - FortiSASE 25 Enterprise Administrator Test Answers  The page for free download of  NSE7\_SSE\_AD-25  on  www.prepawaypdf.com  will open immediately  NSE7\_SSE\_AD-25 Standard Answers
- NSE7\_SSE\_AD-25 Valid Exam Braindumps  NSE7\_SSE\_AD-25 Latest Test Camp  Test NSE7\_SSE\_AD-25 Dumps  ➤ www.pdfvce.com  is best website to obtain  NSE7\_SSE\_AD-25  for free download  Reliable NSE7\_SSE\_AD-25 Test Sample
- Real Fortinet NSE7\_SSE\_AD-25 Questions - Tips And Tricks To Pass Exam  Go to website ➤ www.prepawayete.com  open and search for ➡ NSE7\_SSE\_AD-25  to download for free  Actual NSE7\_SSE\_AD-25 Test Answers
- www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.campfirewriting.com, jiangzhongyou.net, www.stes.tyc.edu.tw, study.stcs.edu.np, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, ncon.edu.sa, www.gpjj.net, Disposable vapes

2026 Latest PassExamDumps NSE7\_SSE\_AD-25 PDF Dumps and NSE7\_SSE\_AD-25 Exam Engine Free Share:  
<https://drive.google.com/open?id=1phQwFopPmdNS588qxpwuhol7nFQj9CJw>