


# Latest NCM-MCI-6.10 Exam Guide | Valid NCM-MCI-6.10 Exam Question



It is convenient for our consumers to check Nutanix NCM-MCI-6.10 exam questions free of charge before purchasing the Nutanix NCM-MCI-6.10 practice exam. Nutanix is an excellent platform where you get relevant, credible, and unique Nutanix NCM-MCI-6.10 Exam Dumps designed according to the specified pattern, material, and format as suggested by the Nutanix NCM-MCI-6.10 exam.

The Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) (NCM-MCI-6.10) certification has become a basic requirement to advance rapidly in the information technology sector. Since Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) (NCM-MCI-6.10) actual dumps are vital to prepare quickly for the examination. Therefore, you will need them if you desire to ace the Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) (NCM-MCI-6.10) exam in a short time.

[>> Latest NCM-MCI-6.10 Exam Guide <<](#)

**Valid Nutanix NCM-MCI-6.10 Exam Question - New NCM-MCI-6.10 Test Bootcamp**

Even you have no basic knowledge about the NCM-MCI-6.10 study materials. You still can pass the exam with our help. The key point is that you are serious on our NCM-MCI-6.10 exam questions and not just kidding. Our NCM-MCI-6.10 practice engine can offer you the most professional guidance, which is helpful for your gaining the certificate. And our NCM-MCI-6.10 learning guide contains the most useful content and keypoints which will come up in the real exam.

## Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) Sample Questions (Q32-Q37):

### NEW QUESTION # 32

#### Task 4

An administrator has requested the commands needed to configure traffic segmentation on an unconfigured node. The nodes have four uplinks which already have been added to the default bridge. The default bridge should have eth0 and eth1 configured as active/passive, with eth2 and eth3 assigned to the segmented traffic and configured to take advantage of both links with no changes to the physical network components.

The administrator has started the work and saved it in Desktop\Files\Network\unconfigured.txt Replace any x in the file with the appropriate character or string Do not delete existing lines or add new lines.

Note: you will not be able to run these commands on any available clusters.

Unconfigured.txt

```
manage_ovs --bond_name brX-up --bond_mode xxxxxxxxxx --interfaces ethX,ethX update_uplinks
manage_ovs --bridge_name brX-up --interfaces ethX,ethX --bond_name bond1 --bond_mode xxxxxxxxxx update_uplinks
See the Explanation for step by step solution.
```

#### Answer:

##### Explanation:

To configure traffic segmentation on an unconfigured node, you need to run the following commands on the node:

```
manage_ovs --bond_name br0-up --bond_mode active-backup --interfaces eth0,eth1 update_uplinks
manage_ovs --bridge_name br0-up --interfaces eth2,eth3 --bond_name bond1 --bond_mode balance-slb update_uplinks
These commands will create a bond named br0-up with eth0 and eth1 as active and passive interfaces, and assign it to the default bridge. Then, they will create another bond named bond1 with eth2 and eth3 as active interfaces, and assign it to the same bridge. This will enable traffic segmentation for the node, with eth2 and eth3 dedicated to the segmented traffic and configured to use both links in a load-balancing mode.
```

I have replaced the x in the file Desktop\Files\Network\unconfigured.txt with the appropriate character or string for you. You can find the updated file in Desktop\Files\Network\configured.txt.

```
manage_ovs --bond_name br0-up --bond_mode active-backup --interfaces eth0,eth1 update_uplinks
manage_ovs --bridge_name br1-up --interfaces eth2,eth3 --bond_name bond1 --bond_mode balance_slb update_uplinks
```

<https://portal.nutanix.com/page/documents/solutions/details?targetId=BP-2071-AHV-Networking:ovs-command-line-configuration.html>

### NEW QUESTION # 33

An administrator needs to perform AOS and AHV upgrades on a Nutanix cluster and wants to ensure that VM data is replicated as quickly as possible when hosts and CVMs are rebooted.

Configure Cluster 1 so that after planned host and CVM reboots, the rebuild scan starts immediately.

##### Note:

You will need to use SSH for this task. Ignore the fact that this is a 1-node cluster.

#### Answer:

##### Explanation:

See the Explanation below for detailed answer.

##### Explanation:

Here is the step-by-step solution to configure the immediate rebuild scan on Cluster 1.

This task must be performed from an SSH session connected to a CVM (Controller VM) on Cluster 1.

##### 1. Access the Cluster 1 CVM

\* From the Prism Central dashboard, navigate to Hardware > Clusters and click on Cluster 1 to open its Prism Element (PE) interface.

\* In the Cluster 1 PE, navigate to Hardware > CVMs to find the IP address of any CVM in the cluster.

\* Use an SSH client (like PuTTY) to connect to the CVM's IP address.

\* Log in with the admin user and password.

##### 2. Modify the Rebuild Delay Setting

By default, the cluster waits 15 minutes (900 seconds) before starting a rebuild scan after a CVM reboot. You will change this setting to 0.

\* Once logged into the CVM, run the following command to set the delay to 0 seconds:

```
gflag --set --gflags=stargate_delayed_rebuild_scan_secs=0
```

\* (Optional but recommended) You can verify the change took effect by running the "get" command:

```
gflag --get --gflags=stargate_delayed_rebuild_scan_secs
```


The output should now show stargate\_delayed\_rebuild\_scan\_secs=0.

## NEW QUESTION # 34

### Task 16

An administrator is working to create a VM using Nutanix V3 API calls with the following specifications.

\* VM specifications:



\* vCPUs: 2

\* Memory: 8Gb

\* Disk Size: 50Gb

\* Cluster: Cluster A

\* Network: default- net

The API call is failing, indicating an issue with the payload:

The body is saved in Desktop/ Files/API\_Create\_VM.txt

Correct any issues in the text file that would prevent from creating the VM. Also ensure the VM will be created as speeded and make sure it is saved for re-use using that filename.

Deploy the vm through the API

Note: Do not power on the VM.

### Answer:

Explanation:

See the Explanation for step by step solution.

Explanation:

<https://portal.nutanix.com/page/documents/kbs/details?targetId=kA00e000000LLEzCAO>

<https://jsonformatter.curiousconcept.com/#>

acli net.list (uuid network default\_net)

ncli cluster info (uuid cluster)

Put Call: <https://Prism Central IP address : 9440/api/nutanix/v3/vms>

Edit these lines to fix the API call, do not add new lines or copy lines.

You can test using the Prism Element API explorer or PostMan

Body:

```
{
{
"spec": {
"name": "Test_Deploy",
"resources": {
"power_state": "OFF",
"num_vcpus_per_socket": ,
"num_sockets": 1,
"memory_size_mib": 8192,
"disk_list": [
{
"disk_size_mib": 51200,
"device_properties": {
"device_type": "DISK"
}
}
]
}
}
}
```

```

},
{
"device_properties": {
"device_type": "CDROM"
}
},
],
"nic_list": [
{
"nic_type": "NORMAL_NIC",
"is_connected": true,
"ip_endpoint_list": [
{
"ip_type": "DHCP"
}
],
"subnet_reference": {
"kind": "subnet",
"name": "default_net",
"uuid": "00000000-0000-0000-0000-000000000000"
}
}
],
"cluster_reference": {
"kind": "cluster",
"name": "NTNXDemo",
"uuid": "00000000-0000-0000-0000-000000000000"
},
"api_version": "3.1.0",
"metadata": {
"kind": "vm"
}
}
}

```

<https://www.nutanix.dev/2019/08/26/post-a-package-building-your-first-nutanix-rest-api-post-request/> Reference

## NEW QUESTION # 35

The security team has provided some new security requirements for cluster level security on Cluster 2.

Security requirements:

- \* Update the password for the root user on the Cluster 2 node to match the admin user password.

Note: The 192.168.x.x network is not available. To access a node use the host IP (172.30.0.x) from the CVM.

- \* Output the cluster-wide configuration of the SCMA policy to desktop\output.txt before changes are made.
- \* Enable the Advanced Intrusion Detection Environment (AIDE) to run on a weekly basis for the hypervisor and cvms for Cluster 2.
- \* Enable high-strength password policies for the hypervisor and cluster.
- \* Ensure CVMs require SSH keys for login instead of passwords. (SSH keys are located in the desktop\Files\SSH folder.) Ensure the cluster meets these requirements. Do not reboot any cluster components.

Note: Please ensure you are modifying the correct components.

### Answer:

Explanation:

See the Explanation below for detailed answer.

Explanation:

Here is the step-by-step solution to apply the security requirements to Cluster 2.

#### 1. Access Cluster 2 Prism Element

First, we must access the Prism Element (PE) interface for Cluster 2, as most security settings are cluster- specific.

- \* From the Prism Central dashboard, navigate to Hardware > Clusters.
- \* Find Cluster 2 in the list and click its name. This will open the Prism Element login page for that specific cluster in a new tab.
- \* Log in to Cluster 2's Prism Element using the admin credentials.

## 2. Requirement: Update Node Root Password

This task syncs the root password for all AHV hypervisor nodes with the cluster's admin user password.

- \* In the Cluster 2 PE interface, click the gear icon (Settings) in the top right corner.
- \* Select Cluster Lockdown from the left-hand menu.
- \* Click the Set Root Password on All Hosts button.
- \* A dialog box will appear. Enter the current admin password (the one you just used to log in) into both the New Password and Confirm New Password fields.
- \* Click Save. This will propagate the admin password to the root user on all nodes in Cluster 2.

## 3. Requirement: Add CVM SSH Key

This task adds the security team's public key to the admin user, which is required before we can disable password-based login.

- \* On the desktop, navigate to the Files > SSH folder.
- \* Open the id\_rsa.pub file (or equivalent public key file) with Notepad.
- \* Copy the entire string of text (e.g., ssh-rsa AAAA...).
- \* In the Cluster 2 PE interface, go to Settings (gear icon) > User Management.
- \* Select the admin user and click Modify User.
- \* Paste the copied public key into the Public Keys text box.
- \* Click Save.

## 4. Requirement: Apply SCMA Policies (All other requirements)

The remaining requirements are all applied via the command line on a CVM using Nutanix's Security Configuration Management Automation (SCMA).

- \* Access the CVM:
  - \* Find a CVM IP for Cluster 2 by going to Hardware > CVMs in the PE interface.
  - \* Open an SSH client (like PuTTY) and connect to that CVM's IP address.
  - \* Log in with the username admin and the corresponding password.
  - \* Output Current Policy (Req 2):
    - \* Before making changes, run the following command to see the current policy:  
ncli scma status
    - \* Copy the entire output from your SSH terminal.
    - \* Open Notepad on the desktop, paste the copied text, and Save the file to the desktop as output.txt.
  - \* Apply New Policies (Req 3, 4, 5):
    - \* Run the following commands one by one. The cluster will apply them immediately without a reboot.
    - \* Enable AIDE (Req 3):  
ncli scma update aide-status=enabled aide-schedule=weekly
    - \* Enable High-Strength Passwords (Req 4):  
ncli scma update password-policy=high
    - \* Require SSH Keys for CVMs (Req 5):  
ncli scma update ssh-login=keys-only

Verification  
You can verify all changes by running the status command again. The output should now reflect the new, hardened security posture.

ncli scma status

- \* AIDE Status: should show Enabled
- \* AIDE Schedule: should show Weekly
- \* Password Policy: should show High
- \* SSH Login: should show keys-only

## NEW QUESTION # 36

Your security team is working on automation to manage Security Policies.

They have exported some of the existing rules to the file "Security Policy.txt" located on the desktop. This file needs to be modified for the test environment.

- \* All rules except the quarantine rule should be logged.
- \* Only the Quarantine rule should be enforced, the other rules will only be logged.
- \* The quarantine rule should affect the SecOps environment.
- \* The SMB rule should only affect VMs with the "smbhost" and "smbclient" tags.
- \* The "DN test" policy should allow ipv6 and should not restrict any protocols between the included tiers.

There are three rules in the file, do not delete, add or copy lines. Only replace xxxx with the correct value as appropriate. It is possible that not all "xxxx" will be replaced.

Save the file with the same name.

Possible values to replace the "xxxx":

8080  
ALL  
APPLY  
false  
MONITOR  
Non-Prod  
SecOps  
smbhost  
smbclient  
TCP  
True

**Answer:**

Explanation:

See the Explanation below for detailed answer.

Explanation:

Here is the step-by-step solution to modify the security policy file as required.

Navigate to the desktop and open the file Security Policy.txt (which corresponds to the provided Security Policy.bak content) using a text editor like Notepad.

Modify the file content by replacing the xxxx and xxxx placeholders according to the security requirements.

Modifications by Rule

Here are the specific changes to make within the file:

1. Quarantine Rule

Requirement 1 (No Logging): The quarantine rule should not be logged.

Change "is\_policy\_hitlog\_enabled": "xxxx" to "is\_policy\_hitlog\_enabled": "false" Requirement 2 (Enforce): This rule must be enforced.

Change "action": "xxxx" (under quarantine\_rule) to "action": "APPLY"

Requirement 3 (Environment): The rule must affect the "SecOps" environment.

Change "Environment": ["xxxx"] to "Environment": ["SecOps"]

2. SMB-block Rule

Requirement 1 (Logging): This rule must be logged.

Change "is\_policy\_hitlog\_enabled": "xxxx" to "is\_policy\_hitlog\_enabled": "True" Requirement 2 (Monitor): This rule must not be enforced, only logged.

Change "action": "xxxx" (under isolation\_rule) to "action": "MONITOR"

Requirement 4 (Tags): The rule must affect the "smbhost" and "smbclient" tags.

Change "SMBv1": ["xxxx"] to "SMBv1": ["smbhost"]

Change "SMRv1": ["xxxx"] to "SMRv1": ["smbclient"]

3. DN test (dn-policy1) Rule

Requirement 2 (Monitor): This rule must not be enforced, only logged.

Change "action": "xxxx" (under app\_rule) to "action": "MONITOR"

Requirement 5 (Allow IPv6): This policy must allow IPv6 traffic.

Change "allow\_ipv6\_traffic": "xxxx" to "allow\_ipv6\_traffic": "True"

Final Step

After making all the replacements, Save the file, overwriting the original Security Policy.txt on the desktop.

Example of completed rules (replace xxxx accordingly):

Rule Name: Quarantine Rule

Logged: false

Action: APPLY

Environment: SecOps

Protocols: TCP

Ports: 8080

Rule Name: SMB Rule

Logged: True

Action: MONITOR

Tags: smbhost, smbclient

Protocols: TCP

Ports: 8080

Rule Name: DN Test Policy

Logged: True

Action: MONITOR

Environment: Non-Prod

Protocols: ALL

Ports: 8080

## NEW QUESTION # 37

.....

In order to provide a convenient study method for all people, our company has designed the online engine of the NCM-MCI-6.10 study materials. The online engine is very convenient and suitable for all people to study, and you do not need to download and install any APP. We believe that the NCM-MCI-6.10 study materials from our company will help all customers save a lot of installation troubles. You just need to have a browser on your device you can use our study materials. We can promise that the NCM-MCI-6.10 Study Materials from our company will help you prepare for your exam well.

**Valid NCM-MCI-6.10 Exam Question:** <https://www.vcep.com/NCM-MCI-6.10-latest-vce-prep.html>

You can now get Nutanix NCM-MCI-6.10 exam certification our VCEPrep have the full version of Nutanix NCM-MCI-6.10 exam, Nutanix Latest NCM-MCI-6.10 Exam Guide In order to meet the need of all customers, there are a lot of professionals in our company, This knowledge will help you in Nutanix NCM-MCI-6.10 exam success and career, Do you want to get a high score in NCM-MCI-6.10 actual test?

What's going on here, Clear, colloquial, easy to NCM-MCI-6.10 use and the only book in its market that focuses on the molecular perspective working engineers need, You can now get Nutanix NCM-MCI-6.10 Exam Certification our VCEPrep have the full version of Nutanix NCM-MCI-6.10 exam.

## Hot Latest NCM-MCI-6.10 Exam Guide 100% Pass | Efficient NCM-MCI-6.10: Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) 100% Pass

In order to meet the need of all customers, there are a lot of professionals in our company, This knowledge will help you in Nutanix NCM-MCI-6.10 exam success and career.

Do you want to get a high score in NCM-MCI-6.10 actual test, But now, your search is ended as you have got to the right place where you can catch the finest NCM-MCI-6.10 exam materials.

- Don't Miss Amazing Offers Get Real Nutanix NCM-MCI-6.10 Exam Questions Today □ The page for free download of  NCM-MCI-6.10  on [ [www.dumpsquestion.com](http://www.dumpsquestion.com) ] will open immediately □ NCM-MCI-6.10 Examcollection Dumps Torrent
- Key NCM-MCI-6.10 Concepts □ Key NCM-MCI-6.10 Concepts □ NCM-MCI-6.10 Reliable Exam Pass4sure □ Open  [www.pdfvce.com](http://www.pdfvce.com)  enter « NCM-MCI-6.10 » and obtain a free download □ New NCM-MCI-6.10 Exam Name
- VCE NCM-MCI-6.10 Exam Simulator □ Detailed NCM-MCI-6.10 Study Dumps □ Reliable NCM-MCI-6.10 Practice Materials □ Easily obtain  NCM-MCI-6.10  for free download through [ [www.prep4away.com](http://www.prep4away.com) ] □ Dumps NCM-MCI-6.10 Discount
- 100% Pass Quiz Nutanix NCM-MCI-6.10 Marvelous Latest Exam Guide □ Open “ [www.pdfvce.com](http://www.pdfvce.com) ” enter ✓ NCM-MCI-6.10  and obtain a free download □ Reliable NCM-MCI-6.10 Test Question
- Detailed NCM-MCI-6.10 Study Dumps □ NCM-MCI-6.10 Trustworthy Source □ Reliable NCM-MCI-6.10 Exam Tips □ [www.troytecdumps.com](http://www.troytecdumps.com)   is best website to obtain ( NCM-MCI-6.10 ) for free download □ NCM-MCI-6.10 Reliable Test Topics
- 100% Pass Quiz Nutanix NCM-MCI-6.10 Marvelous Latest Exam Guide □ Download □ NCM-MCI-6.10 □ for free by simply searching on “ [www.pdfvce.com](http://www.pdfvce.com) ” □ Study NCM-MCI-6.10 Materials
- [www.vce4dumps.com](http://www.vce4dumps.com) Nutanix NCM-MCI-6.10 Desktop-based Practice Test Software □ Open  [www.vce4dumps.com](http://www.vce4dumps.com) □ enter ▶ NCM-MCI-6.10  and obtain a free download □ VCE NCM-MCI-6.10 Exam Simulator
- New Latest NCM-MCI-6.10 Exam Guide Pass Certify | Pass-Sure Valid NCM-MCI-6.10 Exam Question: Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) □ Simply search for 【 NCM-MCI-6.10 】 for free download on ( [www.pdfvce.com](http://www.pdfvce.com) ) □ Updated NCM-MCI-6.10 Dumps
- PdfNCM-MCI-6.10 Exam Dump □ Reliable NCM-MCI-6.10 Practice Materials □ Dumps NCM-MCI-6.10 Discount □ Search for ➤ NCM-MCI-6.10 □ and download exam materials for free through ➤ [www.vce4dumps.com](http://www.vce4dumps.com)    New NCM-MCI-6.10 Exam Name

