


312-97復習問題集、312-97資格取得講座



どんな困難にあっても、諦めないです。312-97試験は難しいと言えば、解決法があります。解決法は312-97問題集は購入することです。312-97問題集の的中率が高くて、多くの人は312-97試験に合格しました。312-97問題集の特徴は便利で使い安いです。そして、短い時間で勉強し、312-97試験に参加できます。もし、あなたも312-97問題集を購入すれば、試験に合格できますよ。

Xhs1991は、すべてのユーザーから賞賛されている効果的な312-97研究ブレーンダンプを候補者に提供するための信頼できるプラットフォームです。より良い仕事を見つけるために、多くの候補者が312-97試験の準備に一生懸命勉強しています。ほとんどの人が312-97試験に合格するのは簡単なことではありません。したがって、当社のウェブサイトは効率的で便利な学習プラットフォームを提供できるため、最短時間でECCouncilの312-97証明書を取得できます。EC-Council Certified DevSecOps Engineer (ECDE)試験の質問を20~30時間学習するだけで、312-97試験に自信を持って合格することができます。

>> 312-97復習問題集 <<

ECCouncil 312-97資格取得講座、312-97参考書

312-97認定試験の準備をするために一生懸命勉強して疲れを感じるときには、他の人が何をしているかを知っていますか。あなたと同じIT認定試験を受験する周りの人を見てください。あなたが試験のために不安を感じているとき、どうして他の人が自信満々で、のんびり見ているのでしょうか。あなたの能力は彼らより弱いですか。もちろんそんなことはないです。では、なぜ他の人が簡単に312-97試験に合格することができるかを知りたいですか。それは彼らがXhs1991の312-97問題集を利用したからです。この問題集を勉強することだけで楽に試験に合格することができます。信じないのでですか。不思議を思っていますか。では、急いで試してください。まず問題集のdemoを体験することができます。そうすれば、この問題集の品質を確認することができます。はやくXhs1991のサイトをクリックしてください。

ECCouncil EC-Council Certified DevSecOps Engineer (ECDE) 認定 312-97 試験問題 (Q57-Q62):

質問 #57

(William Friedkin has been working as a DevSecOps engineer in an IT company for the past 3 years. His team leader has asked him

to validate the host configuration that runs the Docker containers and perform security checks at the container level by implementing Docker's CIS Benchmark Recommendations.

Therefore, William would like to integrate Docker Bench with Jenkins to incorporate security testing in DevOps workflow and secure the Docker Container. Before starting the procedure, he would like to install openssh on Ubuntu. Which of the following command should William run to install openssh on Ubuntu?)

- A. sudo apt.get install openssh-server.
- B. sudo apt.get -s install openssh-server.
- C. sudo apt-get -s install openssh-server.
- D. **sudo apt-get install openssh-server.**

正解： D

解説：

Ubuntu systems use the Advanced Package Tool (APT) for installing and managing software packages. The correct syntax for installing a package is sudo apt-get install <package-name>. In this case, the OpenSSH server package required for secure remote access is named openssh-server, making sudo apt-get install openssh-server the correct command. Options using apt.get are invalid because the command syntax is incorrect. Options that include the -s flag only simulate the installation process and do not actually install the package. Installing OpenSSH is often required when integrating Docker Bench with Jenkins, as it enables secure communication and remote execution of compliance checks. Performing this setup during the Build and Test stage ensures that container hosts comply with Docker CIS Benchmark recommendations, helping organizations identify misconfigurations and security weaknesses early in the pipeline.

質問 #58

(BVR Pvt. Ltd. is an IT company that develops software products and applications related to IoT devices. The software development team of the organization is using Bitbucket repository to plan projects, collaborate on code, test, and deploy. The repository provides teams a single place for projects planning and collaboration on coding, testing, and deploying the software application. Which of the following is offered by Bitbucket to BVR Pvt. Ltd.?)

- A. **Free unlimited private repositories.**
- B. Free limited public repositories.
- C. Free limited private repositories.
- D. Free unlimited public repositories.

正解： A

解説：

Bitbucket provides a cloud-based source code management platform that supports collaboration, CI/CD integration, and secure code hosting. One of the key features offered by Bitbucket is free unlimited private repositories, particularly beneficial for organizations developing proprietary software such as IoT applications. This allows teams to store source code securely without exposing it publicly while still enabling collaboration features like pull requests, issue tracking, and pipeline automation. The term "limited private repositories" is inaccurate because Bitbucket does not restrict the number of private repositories under its free offering; rather, user count limits apply. While Bitbucket also supports public repositories, the option that best represents its value to enterprise and product-based teams is unlimited private repositories. This capability aligns with DevSecOps practices by ensuring confidentiality of source code while enabling integrated planning, testing, and deployment workflows within a single platform.

質問 #59

(Debra Aniston is a DevSecOps engineer in an IT company that develops software products and web applications. Her team has found various coding issues in the application code. Debra would like to fix coding issues before they exist. She recommended a DevSecOps tool to the software developer team that highlights bugs and security vulnerabilities with clear remediation guidance, which helps in fixing security issues before the code is committed. Based on the information given, which of the following tools has Debra recommended to the software development team?)

- A. OWASP ZAP.
- B. Arachni.
- C. Tenable.io.
- D. **SonarLint.**

正解: D

解説:

SonarLint is a static code analysis tool designed specifically to be used inside developers' IDEs, where it provides immediate feedback while code is being written. It highlights bugs, security vulnerabilities, and code smells and, importantly, provides clear remediation guidance that explains why an issue exists and how it can be fixed. This aligns directly with Debra's requirement to fix issues "before they exist," meaning before code is committed to the repository. Arachni and OWASP ZAP are dynamic application security testing tools that require a running application and are typically used later in the pipeline. Tenable.io is a vulnerability management platform focused on infrastructure and application scanning rather than real-time developer feedback. By using SonarLint, developers receive continuous guidance during coding, supporting the shift-left security approach in DevSecOps and reducing the cost and effort of fixing vulnerabilities later in the lifecycle.

質問 # 60

(SNF Pvt. Ltd. is a software development company located in Denver, Colorado. The organization is using pytm, which is a Pythonic Framework for threat modeling, to detect security issues and mitigate them in advance. James Harden has been working as a DevSecOps engineer at SNF Pvt. Ltd. for the past 3 years. He has created a tm.py file that describes an application in which the user logs the app and posts the comments on the applications. These comments are stored by the application server in the database and AWS lambda cleans the database. Which of the following command James can use to generate a sequence diagram?)

- A. tm.py --seq | java -Djava.awt.headless=true -jar plantuml.jar -tpng -pipe > seq.png.
- B. tm.py --seq | java -djava.awt.headless=true -jar plantuml.jar -tpng -pipe > seq.png.
- C. **tm.py --seq | java -Djava.awt.headless=true -jar plantuml.jar -tpng -pipe > seq.png.**
- D. tm.py --seq | java -djava.awt.headless=true -jar plantuml.jar -tpng -pipe > seq.png.

正解: C

解説:

The pytm framework generates threat models that can be visualized using PlantUML diagrams. To create a sequence diagram, the --seq option is used with the model file, and the output is piped to the PlantUML processor. The correct command must reference the correct Java system property -Djava.awt.headless=true, which allows diagram rendering in environments without a graphical interface, such as CI/CD pipelines.

Additionally, the correct jar file name is plantuml.jar. Options using lowercase -d instead of uppercase -D are invalid, and commands referencing plantum.jar are incorrect due to a misspelled jar name. Generating sequence diagrams during the Plan stage helps DevSecOps teams visualize data flows, understand attacker paths, and identify security threats early in the application design phase.

質問 # 61

(James Harden has been working as a senior DevSecOps engineer in an IT company located in Oakland, California. To detect vulnerabilities and to evaluate attack vectors compromising web applications, he would like to integrate Burp Suite with Jenkins. He downloaded the Burp Suite Jenkins plugins and then uploaded the plugin and successfully integrated Burp Suite with Jenkins. After integration, he would like to scan web application using Burp Suite; therefore, he navigated to Jenkins' dashboard, opened an existing project, and clicked on Configure. Then, he navigated to the Build tab and selected Execute shell from Add build step. Which of the following commands should James enter under the Execute shell?)

- A. **echo BURP_SCAN_URL =http://target-website.com**
- B. grep BURP_SCAN_URL =http://target-website.com
- C. sudo BURP_SCAN_URL =http://target-website.com
- D. cat BURP_SCAN_URL =http://target-website.com

正解: A

解説:

When

configuring Burp Suite scans in Jenkins using an Execute shell build step, environment variables are often set or echoed so that subsequent scan steps can consume them. The echo command is used to output or define values in the shell context. In this case, echo BURP_SCAN_URL = http://target-website.com correctly defines the target URL for Burp Suite scanning. Commands like grep and cat are used for searching or displaying file contents and are not appropriate for setting scan parameters. The sudo command is unnecessary and incorrect in this context. Using the correct shell command ensures that Burp Suite receives the proper

target information during the Build and Test stage, enabling accurate dynamic application security testing.

質問 #62

.....

ECCouncilこの現代の世界であなたの競争上の優位性を改善する最良の方法は、一級大学の卒業、有名な国際企業Xhs1991での実りある経験、さらには世界中で認められている312-97認定資格は、履歴書を強調し、職場でのプロモーションを大幅に拡大するのに役立ちます。その結果、当社の312-97学習教材は適切な時間と条件に応じて発生しますが、EC-Council Certified DevSecOps Engineer (ECDE)の312-97成功を収めてエリートになるために必死になっている人が増えています。

312-97資格取得講座: <https://www.xhs1991.com/312-97.html>

ECCouncil 312-97復習問題集 試験に時間と精神を浪費する必要はありません、ECCouncil 312-97復習問題集 受験者たちに助けを提供するという目標を実現するために、我々は怠けないで革新をしています、弊社の専門家たちの312-97資格取得講座 - EC-Council Certified DevSecOps Engineer (ECDE)問題集への研究は試験の高効率に保障があります、私たちの312-97 EC-Council Certified DevSecOps Engineer (ECDE)試験ガイドは長年に渡って試験の内容を熟知する専門家チームによって作成され、試験に精通しており、試験の候補者が試験に合格できるように支援します、そして、短い時間で勉強し、312-97試験に参加できます、312-97試験の質問で、312-97試験で勝つ自信があります。

女優はダンスが上級で、皆で踊っていた時よりも優雅に踊ってはスッと答えてくる、おれは服の312-97袖をめくり、このロレックスを見ろよと言った、試験に時間と精神を浪費する必要はありません、受験者たちに助けを提供するという目標を実現するために、我々は怠けないで革新をしています。

高品質な312-97復習問題集一回合格-ハイパスレートの312-97資格取得講座

弊社の専門家たちのEC-Council Certified DevSecOps Engineer (ECDE)問題集への研究は試験の高効率に保障があります、私たちの312-97 EC-Council Certified DevSecOps Engineer (ECDE)試験ガイドは長年に渡って試験の内容を熟知する専門家チームによって作成され、試験に精通しており、試験の候補者が試験に合格できるように支援します。

そして、短い時間で勉強し、312-97試験に参加できます。

- 更新するECCouncil 312-97復習問題集 - 合格スムーズ312-97資格取得講座 | 高品質な312-97参考書 □ □ www.jpshiken.com □から ➡ 312-97 □を検索して、試験資料を無料でダウンロードしてください312-97模試エンジン
- 効果的312-97 | 真実的な312-97復習問題集試験 | 試験の準備方法EC-Council Certified DevSecOps Engineer (ECDE)資格取得講座 □ (www.goshiken.com) で □ 312-97 □を検索して、無料で簡単にダウンロードできます312-97模擬練習
- 312-97前提条件 □ 312-97テストサンプル問題 □ 312-97的中関連問題 □ ➡ 312-97 □の試験問題は * www.it-passports.com □ * □で無料配信中312-97一発合格
- 312-97的中関連問題 □ 312-97再テスト □ 312-97技術内容 □ 時間限定無料で使える ➡ 312-97 □の試験問題は { www.goshiken.com } サイトで検索312-97日本語版試験勉強法
- 試験の準備方法-検証する312-97復習問題集試験-正確的な312-97資格取得講座 □ □ 312-97 □の試験問題は《 www.xhs1991.com 》で無料配信中312-97模擬練習
- 312-97試験勉強書 □ 312-97試験解説問題 □ 312-97模試エンジン □ URL □ www.goshiken.com □をコピーして開き、➡ 312-97 □を検索して無料でダウンロードしてください312-97最新試験
- 312-97無料試験 □ 312-97最新試験 □ 312-97再テスト □ ➡ www.passtest.jp □ □ □を開いて ✓ 312-97 □を検索し、試験資料を無料でダウンロードしてください312-97の的中関連問題
- 312-97出題内容 □ 312-97技術内容 □ 312-97試験解説問題 □ 【 312-97 】を無料でダウンロード (www.goshiken.com) で検索するだけ312-97出題内容
- ECCouncil 312-97復習問題集: EC-Council Certified DevSecOps Engineer (ECDE) - www.shikenpass.com ベストプロバイダー □ 今すぐ ➡ www.shikenpass.com □で「 312-97 」を検索し、無料でダウンロードしてください312-97最新試験
- 更新するECCouncil 312-97復習問題集 - 合格スムーズ312-97資格取得講座 | 高品質な312-97参考書 □ 【 www.goshiken.com 】に移動し、⇒ 312-97 □を検索して、無料でダウンロード可能な試験資料を探します312-97最新試験

- 効果的312-97 | 真実的な312-97復習問題集試験 | 試験の準備方法EC-Council Certified DevSecOps Engineer (ECDE)資格取得講座 □ 検索するだけで＊ www.topexam.jp □＊□から▶ 312-97 □を無料でダウンロード 312-97テストサンプル問題
- k12.instructure.com, faithlife.com, myportal.utt.edu.tt, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, gyniqina.obsidianportal.com, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, Disposable vapes