


최신NSE5_SSE_AD-7.6시험패스가능한공부하기덤프데모문제



참고: ITDumpsKR에서 Google Drive로 공유하는 무료, 최신 NSE5_SSE_AD-7.6 시험 문제집이 있습니다:
https://drive.google.com/open?id=1Ir-nNxOndkzVfa_A0YehsSAzFMPBSSI6

ITDumpsKR는 IT업계에서 유명한 IT인증자격증 공부자료를 제공해드리는 사이트입니다. 이는ITDumpsKR 의 IT전문가가 오랜 시간동안 IT인증시험을 연구한 끝에 시험대비자료로 딱 좋은 덤프를 제작한 결과입니다. Fortinet인증 NSE5_SSE_AD-7.6덤프는 수많은 덤프중의 한과목입니다. 다른 덤프들과 같이Fortinet인증 NSE5_SSE_AD-7.6덤프적중율과 패스율은 100% 보장해드립니다. Fortinet인증 NSE5_SSE_AD-7.6시험에 도전하려는 분들은ITDumpsKR의 Fortinet인증 NSE5_SSE_AD-7.6덤프로 시험을 준비할것이죠?

Fortinet NSE5_SSE_AD-7.6 시험요강:

주제	소개
주제 1	<ul style="list-style-type: none"> Analytics: This domain covers analyzing SD-WAN and FortiSASE logs to monitor traffic behavior, identify security threats, and generate reports.
주제 2	<ul style="list-style-type: none"> Decentralized SD-WAN: This domain covers basic SD-WAN implementation including configuring members, zones, and performance SLAs to monitor network quality.
주제 3	<ul style="list-style-type: none"> Rules and Routing: This section addresses configuring SD-WAN rules and routing policies to control and direct traffic flow across different links.
주제 4	<ul style="list-style-type: none"> SASE Deployment: This domain covers FortiSASE administration settings, user onboarding methods, and integration with SD-WAN infrastructure.
주제 5	<ul style="list-style-type: none"> Secure Internet Access (SIA) and Secure SaaS Access (SSA): This section focuses on implementing security profiles for content inspection and deploying compliance rules to managed endpoints.

>> NSE5_SSE_AD-7.6시험패스 가능한 공부하기 <<

NSE5_SSE_AD-7.6적중율 높은 덤프 & NSE5_SSE_AD-7.6시험패스 인증공부자료

저희 ITDumpsKR의 덤프 업데이트시간은 업계에서 가장 빠르다고 많은 덤프구매자 분들께서 전해주셨습니다. Fortinet NSE5_SSE_AD-7.6 덤프도 마찬가지 입니다. 저희는 수시로 덤프업데이트 가능성을 체크하여 덤프를 항상 시종에서 가장 최신버전이 될수있도록 최선을 다하고 있습니다. 구매후 1년무료업데이트서비스를 해드리기에 구매후에도 덤프유효성을 최대한 연장해드립니다.

최신 Fortinet Network Security Expert NSE5_SSE_AD-7.6 무료샘플문제 (Q30-Q35):

질문 # 30

Refer to the exhibits.

```
Routing Table on FortiGate  
branch1_fgt # get router info routing-table all  
Codes: K - kernel, C - connected, S - static, R - RIP, B - BGP  
O - OSPF, IA - OSPF inter area  
N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2  
E1 - OSPF external type 1, E2 - OSPF external type 2  
i - IS-IS, L1 - IS-IS level-1, L2 - IS-IS level-2, ia - IS-IS inter area  
* - candidate default  
  
Routing table for VRF  
S* 0.0.0.0/0 [1/0] via 192.2.0.2, port2, [1/0]
```

The administrator increases the member priority on port2 to 20. Upon configuration changes and the receipt of new packets, which two actions does FortiGate perform on existing sessions established over port2?

(Choose two.)

- A. FortiGate updates the gateway information of the sessions with SNAT so that they use port1 instead of port2.
- B. FortiGate flags the SNAT session as dirty only if the administrator has assigned an IP pool to the firewall policies with NAT.
- C. FortiGate continues routing all existing sessions over port2.
- D. FortiGate routes only new sessions over port1.
- E. FortiGate flags the sessions as dirty.

정답: A,E

질문 # 31

Refer to the exhibit.

Diagnose output

```
fgt_1 # diagnose sys sdwan service4

Service(1): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
Tie break: cfg
Shortcut priority: 2
Gen(1), TOS(0x0/0x0), Protocol(0): src(1->65535):dst(1->65535), Mode(priority),
link-cost-factor(latency), link-cost-threshold(10), health-check(Corp_HC)
Members(2):
  1: Seq_num(2 port2 underlay), alive, latency: 0.906, selected
  2: Seq_num(1 port1 underlay), alive, latency: 1.079, selected
Application Control(2): Microsoft.Portal(41469,0) Business(0,29)
Src address(1):
  10.0.1.0-10.0.1.255

Service(2): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
Tie break: cfg
Shortcut priority: 2
Gen(1), TOS(0x0/0x0), Protocol(0): src(1->65535):dst(1->65535), Mode(manual)
Members(1):
  1: Seq_num(2 port2 underlay), alive, selected
Application Control(2): Social.Media(0,23) General.Interest(0,12)
Src address(1):
  10.0.1.0-10.0.1.255

Service(2): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
Tie break: cfg
Shortcut priority: 2
Gen(1), TOS(0x0/0x0), Protocol(0): src(1->65535):dst(1->65535), Mode(manual)
Members(1):
  1: Seq_num(2 port2 underlay), alive, selected
Application Control(2): Social.Media(0,23) General.Interest(0,12)
Src address(1):
  10.0.1.0-10.0.1.255

Service(3): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
Tie break: cfg
Shortcut priority: 2
Gen(1), TOS(0x0/0x0), Protocol(0): src(1->65535):dst(1->65535), Mode(sla
hash-mode-round-robin)
Members(3):
  1: Seq_num(4 HQ_T1 overlay), alive, sla(0x3), gid(0), cfg_order(0),
local cost(0), selected
  2: Seq_num(5 HQ_T2 overlay), alive, sla(0x3), gid(0), cfg_order(1),
local cost(0), selected
  3: Seq_num(6 HQ_T3 overlay), alive, sla(0x3), gid(0), cfg_order(2),
local cost(0), selected
Src address(1):
  10.0.1.0-10.0.1.255

Dst address(1):
  0.0.0.0-255.255.255.255
```

The exhibit shows output of the command `diagnose sys sdwan service` collected on a FortiGate device. The administrator wants to know through which interface FortiGate will steer traffic from local users on subnet 10.0.1.0/255.255.255.192 and with a destination of the social media application Facebook. Based on the exhibits, which two statements are correct? (Choose two.)

- A. There is no service defined for the Facebook application, so FortiGate applies service rule 3 and directs the traffic to headquarters.

- B. When FortiGate cannot recognize the application of the flow, it load balances the traffic through the tunnels HQ_T1, HQ_T2, HQ_T3.
- C. When FortiGate cannot recognize the application of the flow, it steers the traffic through the preferred member of rule 3, HQ_T1.
- D. FortiGate steers traffic for social media applications according to the service rule 2 and steers traffic through port2.

정답: B,D

설명:

"If a flow is identified as belonging to a defined application category (such as social media), FortiGate will match it to the corresponding service rule (rule 2) and route it through the specified interface, such as port2.

However, if the application is not recognized during the session setup, the system defaults to load balancing the traffic using the available tunnels according to the policy for unclassified traffic, ensuring continuous connectivity while waiting for application classification." This guarantees both performance and resilience.

질문 # 32

Which FortiSASE feature monitors SaaS application performance and connectivity to points of presence (POPs)?

- A. Operations widgets
- B. Event logs
- C. Digital experience monitoring
- D. FortiView dashboards

정답: C

설명:

According to the FortiSASE 7.6 Administration Guide and Digital Experience Monitoring (DEM) documentation, the feature specifically designed to monitor SaaS application performance and connectivity to PoPs is Digital Experience Monitoring (DEM).

* SaaS and Path Visibility: DEM assists administrators in troubleshooting remote user connectivity issues by providing enhanced health check visibility for SaaS applications, endpoint devices, and the network path. It provides real-time insights into application performance and latency issues.

* PoP Connectivity: It monitors the digital journey from the end-user device through the Security Points of Presence (POPs) to the final application, identifying hops where degraded service (packet loss, delay, or jitter) is detected.

* Proactive Management: By establishing thresholds and simulating user activities through Synthetic Transaction Monitoring (STM), DEM allows IT teams to identify performance problems before they impact the business.

Why other options are incorrect:

* Option A: Operations widgets provide general status overviews but do not offer the granular per-hop path analysis or specific SaaS transaction monitoring found in DEM.

* Option B: FortiView dashboards provide traffic visibility and session data but are not dedicated performance monitoring tools for end-to-end digital experience.

* Option C: Event logs record system occurrences and security events but do not provide real-time performance metrics or health check probes for SaaS applications.

질문 # 33

You have configured the performance SLA with the probe mode as Prefer Passive.

What are two observable impacts of this configuration? (Choose two.)

- A. FortiGate passively monitors the member if ICMP traffic is passing through the member.
- B. FortiGate passively monitors the member if TCP traffic is passing through the member.
- C. During passive monitoring, the SLA performance rule cannot detect dead members.
- D. FortiGate can offload the traffic that is subject to passive monitoring to hardware.
- E. After FortiGate switches to active mode, the SLA performance rule falls back to passive monitoring after 3 minutes.

정답: B,C

설명:

When "Prefer Passive" is set, FortiGate attempts to passively monitor the health of SD-WAN members using real application traffic like TCP sessions, collecting statistics such as latency, jitter, and packet loss from actual observed flows.

Passive monitoring does not generate probe packets; it relies entirely on existing traffic. If there is no matching traffic, health check

data is unavailable, meaning dead members may go undetected when only passive monitoring is active.

질문 # 34

An SD-WAN member is no longer used to steer SD-WAN traffic. You want to update the SD-WAN configuration and delete the unused member.

Which action should you take first?

- A. Remove the member from the performance service-level agreement (SLA) definitions.
- B. Move the SD-WAN member to the virtual-wan-link zone.
- C. Disable the interface.
- D. Delete static route definitions for that interface.

정답: A

설명:

Before an SD-WAN member can be deleted, it must not be referenced anywhere. The most common blocking reference is in Performance SLA definitions. Removing the member from all SLA profiles is the required first step before the system will allow deletion.

질문 # 35

.....

ITDumpsKR 는 전문적으로 Fortinet전문인사들에게 도움을 드리는 사이트입니다. 많은 분들의 반응과 리뷰를 보면 우리ITDumpsKR의 NSE5_SSE_AD-7.6제품이 제일 안전하고 최신이라고 합니다. ITDumpsKR의 학습가이드는 아주 믿음이 가는 문제집들만 있으니깐요. ITDumpsKR 덤프의 문제와 답은 모두 제일 정확합니다. 왜냐면 우리의 전문가 들은 매일 최신버전을 갱신하고 있기 때문입니다.

NSE5_SSE_AD-7.6적중율 높은 덤프 : https://www.itdumpskr.com/NSE5_SSE_AD-7.6-exam.html

- NSE5_SSE_AD-7.6최고품질 인증시험자료 □ NSE5_SSE_AD-7.6퍼펙트 공부자료 □ NSE5_SSE_AD-7.6최신버전 공부문제 □ (www.pass4test.net) 의 무료 다운로드 ✓ NSE5_SSE_AD-7.6 □ ✓ □ 페이지가 지금 열립니다 NSE5_SSE_AD-7.6인기문제모음
- NSE5_SSE_AD-7.6시험패스 가능한 공부하기 100% 합격 보장 가능한 시험자료 □ 지금 (www.itdumpskr.com) 에서 ▶ NSE5_SSE_AD-7.6 ◀ 를 검색하고 무료로 다운로드하세요 NSE5_SSE_AD-7.6최신덤프문제
- NSE5_SSE_AD-7.6최고패스자료 □ NSE5_SSE_AD-7.6최신덤프문제 □ NSE5_SSE_AD-7.6퍼펙트 덤프데모 ▶ 「 www.dumptop.com 」 을 통해 쉽게 【 NSE5_SSE_AD-7.6 】 무료 다운로드 받기 NSE5_SSE_AD-7.6인기시험덤프
- 시험대비 NSE5_SSE_AD-7.6시험패스 가능한 공부하기 최신버전 덤프샘플 문제 □ 지금 > www.itdumpskr.com □ 을(를) 열고 무료 다운로드를 위해 ▶ NSE5_SSE_AD-7.6 ◀ 를 검색하십시오 NSE5_SSE_AD-7.6퍼펙트 최신버전 자료
- NSE5_SSE_AD-7.6퍼펙트 덤프데모 □ NSE5_SSE_AD-7.6공부문제 □ NSE5_SSE_AD-7.6유효한 최신버전덤프 □ 무료 다운로드를 위해 지금 { www.pass4test.net } 에서 { NSE5_SSE_AD-7.6 } 검색 NSE5_SSE_AD-7.6최고품질 시험덤프자료
- NSE5_SSE_AD-7.6퍼펙트 공부자료 □ NSE5_SSE_AD-7.6최고패스자료 □ NSE5_SSE_AD-7.6공부문제 □ 무료로 다운로드하려면 ⇒ www.itdumpskr.com □ □ □ 로 이동하여 ▶ NSE5_SSE_AD-7.6 □ 를 검색하십시오 NSE5_SSE_AD-7.6최고품질 인증시험자료
- NSE5_SSE_AD-7.6시험패스 가능한 공부하기 100% 합격 보장 가능한 최신덤프 □ □ www.pass4test.net □ 에서 검색만 하면 [NSE5_SSE_AD-7.6] 를 무료로 다운로드할 수 있습니다 NSE5_SSE_AD-7.6최고품질 시험덤프자료
- NSE5_SSE_AD-7.6퍼펙트 공부자료 □ NSE5_SSE_AD-7.6최신시험 □ NSE5_SSE_AD-7.6퍼펙트 최신버전자료 □ 지금 (www.itdumpskr.com) 을(를) 열고 무료 다운로드를 위해 【 NSE5_SSE_AD-7.6 】 를 검색하십시오 NSE5_SSE_AD-7.6유효한 최신버전덤프
- NSE5_SSE_AD-7.6시험패스 가능한 공부하기 최신 인기시험 공부문제 □ □ www.koreadumps.com □ 에서 ✓ NSE5_SSE_AD-7.6 □ ✓ □ 를 검색하고 무료 다운로드 받기 NSE5_SSE_AD-7.6최신 업데이트버전 덤프문제 공부
- 높은 통과율 NSE5_SSE_AD-7.6시험패스 가능한 공부하기 덤프샘플 다운 □ > www.itdumpskr.com □ 은 ⇒ NSE5_SSE_AD-7.6 □ □ □ 무료 다운로드를 받을 수 있는 최고의 사이트입니다 NSE5_SSE_AD-7.6최신덤프문제

- NSE5_SSE_AD-7.6시험패스 가능한 공부하기 최신 인기시험 공부문제 □ ▶ www.exampassdump.com ◀(를) 열고 ▶ NSE5_SSE_AD-7.6 □를 입력하고 무료 다운로드를 받으십시오NSE5_SSE_AD-7.6최고품질 시험덤프자료
- kingslists.com, bookmarkbooth.com, toplistar.com, exceeddirectory.com, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, mysocialguides.com, mollybwjs530253.nizarblog.com, push2bookmark.com, gregorykktf395697.smblogsites.com, owainyLtd969825.wikisona.com, Disposable vapes

ITDumpsKR NSE5_SSE_AD-7.6 최신 PDF 버전 시험 문제집을 무료로 Google Drive에서 다운로드하세요:
https://drive.google.com/open?id=1Ir-nNxOndkzVfa_A0YehsSAzFMPBSSI6