

1Z1-182인기자격증덤프공부문제

국가기술자격 취득자에 대한 임금제시 현황					
<높은 임금을 제시받는 국가기술자격증 순위> (만원/월)			<자격취득자에게 높은 임금을 제시하는 업종 순위> (만원/월, 상위 15개업종)		
순번	종목	제시임금	순번	업종	제시임금
1	토질및기초기술사	427	1	광업	283
2	수질관리기술사	386	2	국채 및 외국기관	257
3	건축구조기술사	364	3	건설업	254
4	건설안전기술사	349	4	수도, 하수 및 폐기물 처리, 원료 재생업	252
5	화훼장식기사	349	5	전기, 가스, 증기 및 공기조절 공급업	248
6	철근기능사	344	6	부동산업	240
7	광산보안기사	342	7	운수 및 창고업	238
8	광산보안산업기사	339	8	제조업	236
9	항공기술사	331	9	사업시설 관리, 사업 지원 및 임대 서비스업	233
10	건축품질시험기술사	330	10	전문, 과학 및 기술 서비스업	227
11	금속재료시험기능사	327	11	금융 및 보험업	223
12	토목품질시험기술사	325	12	도매 및 소매업	220
13	도로및공항기술사	323	13	예술, 스포츠 및 여가관련 서비스업	219
14	대기관리기술사	320	14	협회 및 단체, 수리 및 기타 개인 서비스	218
15	산업기술사	316	15	숙박 및 음식점업	217

2026 KoreaDumps 최신 1Z1-182 PDF 버전 시험 문제집과 1Z1-182 시험 문제 및 답변 무료 공유:
<https://drive.google.com/open?id=1wU8io4bxSaKYRasDuOIEwSJoTwUMf9dm>

Oracle 1Z1-182 인증시험은 최근 가장 핫한 시험입니다. 인기가 높은 만큼Oracle 1Z1-182시험을 패스하여 취득하게 되는 자격증의 가치가 높습니다. 이렇게 좋은 자격증을 취득하는데 있어서의 필수과목인Oracle 1Z1-182시험을 어떻게 하면 한번에 패스할 수 있을까요? 그 비결은 바로KoreaDumps의 Oracle 1Z1-182덤프를 주문하여 가장 빠른 시일내에 덤프를 마스터하여 시험을 패스하는것입니다.

KoreaDumps에서 Oracle인증 1Z1-182덤프를 구입하시면 퍼펙트한 구매후 서비스를 제공해드립니다. Oracle인증 1Z1-182덤프가 업데이트되면 업데이트된 최신버전을 무료로 서비스로 드립니다. 시험에서 불합격성적표를 받으시면 덤프구매시 지불한 덤프비용은 환불해드립니다.

>> 1Z1-182인기자격증 <<

최신버전 1Z1-182인기자격증 완벽한 시험공부자료

현재 많은 IT인사들이 같은 생각하고 있습니다. 그것은 바로Oracle 1Z1-182인증시험자격증 취득으로 하여 IT업계의 아주 중요한 한걸음이라고 말입니다.그만큼Oracle 1Z1-182인증시험의 인기는 말 그대로 하늘을 찌르고 있습니다,

최신 Oracle Database 23ai 1Z1-182 무료샘플문제 (Q31-Q36):

질문 # 31

Which three relationships between instances and Oracle databases are possible without using Multi-tenant?

- A. One instance on one server that has no database mounted.
- B. One instance on one server mounting multiple databases.
- C. One instance on one server mounting and opening one database.
- D. One instance on one server mounting and opening multiple databases.
- E. Two or more instances on separate servers all mounting and opening the same database.

정답: A,C,E

설명:

A .False. One instance can't mount multiple DBs without multitenant.

- B .True. RAC allows multiple instances to share one DB.
- C .False. Same as A; not possible without CDB.
- D .True. An instance can start in NOMOUNT with no DB.
- E .True. Standard single-instance configuration.

질문 # 32

Which two statements are true concerning logical and physical database structures?

- A. A segment's blocks can be of different sizes.
- **B. A segment might have only one extent.**
- C. A segment's blocks can be of different sizes.
- D. Segments can span multiple tablespaces.
- E. All tablespaces may have one or more data files.
- **F. A segment can span multiple data files in some tablespaces.**

정답: B,F

설명:

False. All blocks in a segment use the tablespace's block size (e.g., 8KB). While a database can have tablespaces with different block sizes (e.g., 8KB, 32KB), a single segment's blocks are uniform, as it resides in one tablespace.

Explanation:

Logical structures (e.g., segments, extents) map to physical structures (e.g., data files, blocks). Let's dissect each option:

A : A segment can span multiple data files in some tablespaces.

True. A segment (e.g., a table or index) is a logical entity stored in a tablespace. In a smallfile tablespace (default in Oracle), a segment's extents can span multiple data files if the tablespace has multiple files and space allocation requires it. This is common in large tables or when autoextend adds new files.

Mechanics:Oracle allocates extents across available data files in a round-robin fashion (with ASSM) or as needed, ensuring the segment's data is distributed. This doesn't apply to bigfile tablespaces, which use a single data file.

Example:A 10GB table in a tablespace with two 5GB data files will span both.

B : Segments can span multiple tablespaces.

False. A segment is confined to a single tablespace. Oracle enforces this to maintain logical separation (e.g., a table's data stays in its assigned tablespace). Partitioned tables can have partitions in different tablespaces, but each partition is a separate segment.

Why Not:The segment header and extent map reside in one tablespace, preventing cross-tablespace spanning for a single segment.

C : A segment might have only one extent.

True. A segment starts with one extent upon creation (e.g., a small table or index). If no further growth occurs, it remains a single-extent segment. This is common with small objects or when INITIAL extent size suffices.

Mechanics:In locally managed tablespaces (default), the initial extent is allocated based on INITIAL or tablespace defaults (e.g., 64KB), and additional extents are added only as needed.

D : All tablespaces may have one or more data files.

False. Bigfile tablespaces are restricted to one data file (up to 128TB). Smallfile tablespaces (traditional) can have multiple data files (up to 1022), but the "all" phrasing makes this false due to bigfile exceptions.

Clarification:The question's intent may assume smallfile tablespaces, but Oracle 23ai supports both types.

질문 # 33

Which data dictionary view describes the data sources of external tables?

- A. DBA_ALL_USER_EXTERNAL_TABLES
- B. DBA_ALL_USER_TABLES
- C. DBA_ALL_USER_TAB_COLUMNS
- **D. DBA_ALL_USER_EXTERNAL_LOCATIONS**

정답: D

설명:

A .True. DBA_EXTERNAL_LOCATIONS (or prefixed variants) shows external table data sources (e.g., file paths).

B-D .False. These views cover columns or tables but not external sources specifically.

질문 # 34

Which two tasks can you perform using DBCA for databases?

- A. Enable flashback database for an existing database.
- B. Change the standard block size of an existing database.
- C. Configure incremental backups for a new database.
- **D. Configure a nonstandard block size for a new database.**
- **E. Register a new database with an available Enterprise Manager Management server.**

정답: D,E

설명:

- A .False. Backups are configured via RMAN, not DBCA.
- B .True. DBCA allows nonstandard block sizes during DB creation.
- C .True. DBCA can register new DBs with EM.
- D .False. Block size is fixed post-creation.
- E .False. Flashback is enabled via SQL, not DBCA for existing DBs.

질문 # 35

Which two statements are true about the PMON background process?

- A. It frees unused temporary segments.
- B. It records checkpoint information in the control file.
- **C. It frees resources held by abnormally terminated processes.**
- D. It registers database services with all local and remote listeners known to the database instance.
- **E. It rolls back transactions when a process fails.**

정답: C,E

설명:

- A .False. LREG handles registration in 23ai, not PMON.
- B .False. CKPT (Checkpoint) process updates the control file.
- C .True. PMON cleans up after failed processes (e.g., releases locks).
- D .True. PMON rolls back uncommitted transactions of failed processes.
- E .False. SMON (System Monitor) manages temporary segment cleanup.

질문 # 36

.....

KoreaDumps에는 Oracle 1Z1-182인증시험의 특별한 합습가이드가 있습니다. 여러분은 많은 시간과 돈을 들이지 않아도 많은 IT관련지식을 배우실수 있습니다.그리고 빠른 시일 내에 여러분의 IT지식을 인증 받으실 있습니다. KoreaDumps인증자료들은 우리의 전문가들이 자기만의 지식과 몇 년간의 경험으로 준비중인 분들을 위하여 만들었습니다.

1Z1-182퍼펙트 덤프 최신 데모문제 : https://www.koreadumps.com/1Z1-182_exam-braindumps.html

KoreaDumps는 여러분께 Oracle 1Z1-182시험패스의 편리를 드릴 수 있다고 굳게 믿고 있습니다, KoreaDumps의 Oracle인증 1Z1-182덤프의 무료샘플을 이미 체험해보셨죠, 만약 1Z1-182덤프를 사용하신다면 고객님은 보다 쉽게 시험을 패스하여 자격증을 취득할수 있을것입니다, KoreaDumps의 Oracle 1Z1-182덤프를 공부하면 100% Oracle 1Z1-182 시험패스를 보장해드립니다, KoreaDumps 에서 제공해드리는 1Z1-182인증덤프는 실제 1Z1-182시험의 가장 최근 시험문제를 기준으로 하여 만들어진 최고품질, 최고적중률 자료입니다, Oracle 1Z1-182인기자격증 경쟁이 이와같이 치열한 환경속에서 누구도 대체할수 없는 자기만의 자리를 찾으려면 IT인증자격증취득은 무조건 해야 하는것이 아닌가 싶습니다.

소원이 이런 태도로 나올 줄 몰랐기에 제윤은 잠시 말문이 막히고 말았다, 정말로 머리가 많이 아팠는데, KoreaDumps는 여러분께 Oracle 1Z1-182시험패스의 편리를 드릴 수 있다고 굳게 믿고 있습니다, KoreaDumps의 Oracle인증 1Z1-182덤프의 무료샘플을 이미 체험해보셨죠?

100% 합격보장 가능한 1Z1-182인기자격증 최신덤프공부

- 2026 KoreaDumps 최신 1Z1-182 PDF 버전 시험 문제집과 1Z1-182 시험 문제 및 답변 무료 공유:
<https://drive.google.com/open?id=1wU8io4bxSaKYRasDuOIewSJ0TwUMt9dm>