


HPE7-A06試験の準備方法 | 最新のHPE7-A06無料試験 試験 | 実地的なHPE Campus Access Switching Expert Written Exam試験概要



P.S. JpshikenがGoogle Driveで共有している無料かつ新しいHPE7-A06ダンプ: <https://drive.google.com/open?id=1-ANTyyiFIFSMSQmwI2wt-Vt9q5EjgXQz>

どんな業界で自分に良い昇進機会があると希望する職人がとても多いと思って、IT業界にも例外ではありません。ITの専門者はHPのHPE7-A06認定試験があなたの願望を助けて実現できるのがよく分かります。Jpshikenはあなたの夢に実現させるサイトでございます。

ここ数年、HPE7-A06復習教材は、無数の受験者がHPE7-A06試験に合格するのに役立ちました。HPE7-A06認定資格証明書を取得した後、仕事機会が増え、偉大な企業家になり、専門家になった人もいました。HPE7-A06復習教材は多くのいい評価をもらいました。良い評判で、HPE7-A06復習教材を選択する人がますます増えていきます。

>> HPE7-A06無料試験 <<

HPE7-A06試験概要、HPE7-A06最新知識

国際的に認められているHPE7-A06認定は、特定の分野の知識を十分に活用できることを意味するのは当然です。ワークロードに圧倒され、息を吸うことができない場合、HPE7-A06準備トレントを選択してみませんか？私たちは、最も信頼性が高く正確な試験資料をお客様に提供することに特化しており、お客様が満足のいくスコアを達成することで試験に合格できるよう支援しています。HPE7-A06練習教材を使用すると、試験は簡単になります。

HPE Campus Access Switching Expert Written Exam 認定 HPE7-A06 試験 問題 (Q81-Q86):

質問 # 81

Which feature is supported on Ethernet Ring Protocol Switching (ERPS) ports?

- A. ISL
- B. MVRP
- C. loop-protect
- D. MCLAG


正解: C

解説:

ERPS (Ethernet Ring Protection Switching) already provides loop avoidance in a ring topology, but it still supports loop-protect on its ports. Loop-protect helps detect and prevent accidental bridging loops outside the ERPS control plane. Other features like ISL, MVRP, or MCLAG are not supported on ERPS ring ports.

質問 # 82

With the configuration of two CX 8325 switches in the VSX cluster, how would you prepare a link- aggregation for a 7000 gateway for a zero-touch provision to support protocol-based port redundancy?

- A. 
- B. 
- C. 
- D. 

正解: A

解説:

To support protocol-based port redundancy (zero-touch provisioning) with a 7000 gateway and two CX 8325 VSX switches, you must configure lacp mode active and lacp fallback on a multi- chassis LAG. This ensures the gateway can form an LACP port-channel with either switch even before LACP negotiation begins, providing redundancy and seamless provisioning.

質問 # 83

A pair of CX 8325 series switches is configured in a VSX cluster. Which function is executed on both VSX members during normal operation?

- A. periodically sends gratuitous ARP and broadcast hello packets
- B. replies to ARP requests with the cluster vMAC
- C. routes PIM and PIM-DR
- D. relays DHCP requests or serves DHCP offer

正解: B

解説:

The question asks which function is executed on both VSX members (CX 8325 switches) during normal operation in a VSX cluster.

* Analysis of Options:

* Option A: Correct. Both VSX switches reply to ARP requests with the cluster's virtual MAC (vMAC) for SVIs configured with active-gateway, ensuring consistent Layer 3 forwarding.

* Option B: Incorrect. PIM (Protocol Independent Multicast) and PIM-DR roles are typically handled by one switch, not both, in a VSX cluster.

* Option C: Incorrect. DHCP relay or server functions are not necessarily performed by both switches simultaneously.

* Option D: Incorrect. Gratuitous ARP and broadcast hello packets are typically sent by the primary switch or specific protocols, not both VSX members for all cases.

* Why Option A is Correct: In a VSX cluster, the active-gateway feature allows both switches to respond to ARP requests for Switched Virtual Interfaces (SVIs) using a shared virtual MAC address (vMAC). This ensures seamless Layer 3 forwarding and high availability, as clients receive consistent ARP replies regardless of which VSX switch processes the request. The vsx-sync feature ensures the vMAC is synchronized, enabling both switches to perform this function during normal operation, as per HPE Aruba Networking's VSX architecture.

* Relevance to Certification Objectives:

* Network Resiliency and Virtualization (8%): Designing and troubleshooting VSX for redundancy and active-active forwarding.

* Switching (19%): Implementing Layer 2/3 technologies, including ARP handling in VSX.

* Routing (16%): Ensuring consistent Layer 3 operations in VSX environments.

References:

HPE Aruba Networking AOS-CX Configuration Guide: VSX Configuration, detailing active-gateway and vMAC usage.

HPE7-A06Study Guide: Covers VSX Layer 3 functions and ARP handling.

HPE Aruba Networking Technical Documentation: VSX Active-Gateway Best Practices.

質問 # 84

A Python developer could not modify the VLAN database on an AOS-CX switch through the REST API.

Which settings should the developer check first? (Select two.)

- A. HTTPS settings
- B. SSH settings
- C. SNMP settings
- D. REST API settings
- E. local-user settings

正解: A、 E

解説:

A Python developer using the REST API cannot modify the VLAN database on an AOS-CX switch. We need to identify the first settings to check.

* REST API Requirements for Modification:

* HTTPS Server: The REST API operates over HTTPS, so the HTTPS server must be enabled on the switch (show https-server status).

* REST Interface: The REST API interface itself must be enabled (it usually is by default, check with show rest-interface).

* Authentication: The API client must provide valid credentials (username/password or token) for a user account configured on the switch.

* Authorization: The authenticated user account must have sufficient privileges to modify the configuration (e.g., belong to the built-in administrators group or a custom role with appropriate permissions). Check user details (show user <name>) and role permissions (show user roles).

* Analysis of Options:

* A. HTTPS settings: Essential for API communication. Check if enabled.

* B. SSH settings: Irrelevant to REST API.

* C. SNMP settings: Irrelevant to REST API.

* D. REST API settings: Check if enabled (show rest-interface), but it's usually enabled by default.

Less likely than A or E to be the initial problem.

* E. local-user settings: Crucial for both authentication (correct credentials used?) and authorization (does the user have modification privileges?).

* Conclusion: When a REST API modification fails, the most critical initial checks involve ensuring the API endpoint is accessible (HTTPS Server enabled - A) and that the user account being used for the API call has the necessary permissions (local-user settings, specifically privileges/roles - E).

References: AOS-CX REST API Guide, AOS-CX Security Guide (User Accounts, Roles, HTTPS Server configuration). This relates to "Security" (10%) and "Authentication/Authorization" (9%).

質問 # 85

You have configured BGP peering from a CX 8325 switch to a third-party router. The remote router is reachable via ping but you are not able to get the configuration to an established state.

Based on the BGP debug:

```

2023-10-05:10:22:52.210023 hpe-routing LOG_INFO CDTR 1 BGP BGP Open Message packet =
2023-10-05:10:22:52.210007 hpe-routing LOG_INFO CDTR 1 BGP BGP Capabilities offset = 31
2023-10-05:10:22:52.209990 hpe-routing LOG_INFO CDTR 1 BGP BGP Restart capable? = True
2023-10-05:10:22:52.209974 hpe-routing LOG_INFO CDTR 1 BGP BGP Number of Capabilities = 6
2023-10-05:10:22:52.209956 hpe-routing LOG_INFO CDTR 1 BGP BGP Received hold time = 180
2023-10-05:10:22:52.209940 hpe-routing LOG_INFO CDTR 1 BGP BGP Remote BGP ID = 0.0.0.0
2023-10-05:10:22:52.209924 hpe-routing LOG_INFO CDTR 1 BGP BGP Remote AS number = 64500
2023-10-05:10:22:52.209908 hpe-routing LOG_INFO CDTR 1 BGP BGP Incoming connection? = False
2023-10-05:10:22:52.209892 hpe-routing LOG_INFO CDTR 1 BGP BGP Scope ID = 0
2023-10-05:10:22:52.209875 hpe-routing LOG_INFO CDTR 1 BGP BGP Remote port = 0
2023-10-05:10:22:52.209858 hpe-routing LOG_INFO CDTR 1 BGP BGP Remote address = 10.1.0.2
2023-10-05:10:22:52.209842 hpe-routing LOG_INFO CDTR 1 BGP BGP Selected local port = 37105
2023-10-05:10:22:52.209824 hpe-routing LOG_INFO CDTR 1 BGP BGP Selected local address = 10.1.0.4
2023-10-05:10:22:52.209805 hpe-routing LOG_INFO CDTR 1 BGP BGP Configured local port = 0
2023-10-05:10:22:52.209789 hpe-routing LOG_INFO CDTR 1 BGP BGP Configured local address = 10.1.0.4
2023-10-05:10:22:52.209772 hpe-routing LOG_INFO CDTR 1 BGP BGP NM entity index = 268763136
2023-10-05:10:22:52.209755 hpe-routing LOG_INFO CDTR 1 BGP BGP A valid OPEN message has been received from

```

What is preventing the BGP neighbor state from becoming the established state?

- A. The remote router is configured with router-id 10.1.0.4
- B. The remote router is not negotiating with the local router
- **C. The remote router has no router-id configured**
- D. The remote router is configured with router-id 10.1.0.2

正解: C

解説:

The debug output shows the Remote BGP ID as 0.0.0.0, which indicates that the remote router has no router-id configured. BGP requires a valid router-id (a non-zero IP address) for session establishment. Without it, the BGP session cannot progress to the Established state.

質問 #86

.....

HPE7-A06学習教材は、あなたの働き方とライフスタイルを変えます。他の人よりも効率的に作業できます。HPE7-A06トレーニング資料は、このような大きな役割を果たすことができます。社会でより良く生き残るためには、私たちの社会の要件を理解しなければなりません。理論的な知識に加えて、より実践的なスキルが必要です。HPE7-A06実践ガイドを使用すると、認定資格を迅速に取得でき、競争力が大幅に向上します。もちろん、あなたの利益はHPE7-A06証明書だけではありません。

HPE7-A06試験概要: https://www.jpshiken.com/HPE7-A06_shiken.html

クライアントがすぐにHPE7-A06テストトレントを使用できるのは、HPE7-A06試験問題の大きなメリットです、HP HPE7-A06無料試験 この試験の認証資格を取るのは昇進したい人々の一番良く、最も効果的な選択です、HP HPE7-A06無料試験 市場では、顧客の観点から判断するための未定の品質を備えたいくつかの実習用教材が市場に登場しています、HP HPE7-A06無料試験 逆境は人をテストすることができます、その結果、あなたは自信満々で簡単にHP HPE7-A06試験に合格します、HP HPE7-A06無料試験 あなたは必要とする試験ファイルをより解させます。

この問題を法廷に付託しないことになると、彼は非常に良い点を提唱しました、しかし、これといった役得は、まるでなかった、クライアントがすぐにHPE7-A06テストトレントを使用できるのは、HPE7-A06試験問題の大きなメリットです。

検証するHPE7-A06無料試験 & 合格スムーズHPE7-A06試験概要 | 完璧なHPE7-A06最新知識

この試験の認証資格を取るのは昇進したい人々の一番良く、最も効果的な選択HPE7-A06です、市場では、顧客の観点から判断するための未定の品質を備えたいくつかの実習用教材が市場に登場しています、逆境は人をテストすることができます。

その結果、あなたは自信満々で簡単にHP HPE7-A06試験に合格します。

- HPE7-A06過去問題 □ HPE7-A06日本語サンプル □ HPE7-A06 PDF問題サンプル □ □ www.jpctestking.com □ サイトで ➡ HPE7-A06 □ の最新問題が使える HPE7-A06 PDF
- HP HPE7-A06 Exam | HPE7-A06無料試験 - 最高を提供する HPE7-A06試験概要 □ URL □ www.goshiken.com

- をコピーして開き、“HPE7-A06”を検索して無料でダウンロードしてくださいHPE7-A06試験解答
- 認定するHPE7-A06無料試験 - 合格スムーズHPE7-A06試験概要 | 信頼的なHPE7-A06最新知識 □ Open Web サイト ▶ www.xhs1991.com □ 検索[HPE7-A06]無料ダウンロードHPE7-A06日本語関連対策
 - HPE7-A06シュミレーション問題集 □ HPE7-A06対応内容 □ HPE7-A06日本語版参考書 □ 今すぐ □ www.goshiken.com □ で[HPE7-A06]を検索し、無料でダウンロードしてくださいHPE7-A06真実試験
 - {CorpName } HPE7-A06無料試験: 大人気問題HPE7-A06試験概要 □ 時間限定無料で使える“HPE7-A06”の試験問題は ▶ www.passtest.jp □ サイトで検索HPE7-A06最新版
 - 正確なHPE7-A06無料試験 | 素晴らしい合格率のHPE7-A06 Exam | 無料HPE7-A06: HPE Campus Access Switching Expert Written Exam i ▶ www.goshiken.com □ □ □ で ▶ HPE7-A06 ◀を検索し、無料でダウンロードしてくださいHPE7-A06シュミレーション問題集
 - HPE7-A06日本語関連対策 □ HPE7-A06シュミレーション問題集 □ HPE7-A06 PDF問題サンプル □ 今すぐ (www.mogicexam.com) を開き、⇒ HPE7-A06 ◀を検索して無料でダウンロードしてくださいHPE7-A06日本語サンプル
 - HPE7-A06関連資格試験対応 □ HPE7-A06 PDF問題サンプル □ HPE7-A06関連資格試験対応 □ ⇒ www.goshiken.com ◀を開き、⇒ HPE7-A06 ◀を入力して、無料でダウンロードしてくださいHPE7-A06更新版
 - {CorpName } HPE7-A06無料試験: 大人気問題HPE7-A06試験概要 □ URL □ www.passtest.jp □ をコピーして開き、“HPE7-A06”を検索して無料でダウンロードしてくださいHPE7-A06合格内容
 - 正確なHPE7-A06無料試験試験-試験の準備方法-効率的なHPE7-A06試験概要 □ ウェブサイト ▶ www.goshiken.com □ から[HPE7-A06]を開いて検索し、無料でダウンロードしてくださいHPE7-A06過去問題
 - HPE7-A06科目対策 * HPE7-A06合格体験談 □ HPE7-A06学習範囲 □ (HPE7-A06) を無料でダウンロード“ www.passtest.jp ”で検索するだけHPE7-A06関連資料
 - www.stes.tyc.edu.tw, dl.instructure.com, maitriboutique.in, www.stes.tyc.edu.tw, blogfreely.net, www.stes.tyc.edu.tw, 99tt2.ml30.com, www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, Disposable vapes

さらに、Jpshiken HPE7-A06ダンプの一部が現在無料で提供されています: <https://drive.google.com/open?id=1-ANTyyiFIFSMSQmw2wt-Vt9q5EjgXQz>