

100% Pass Professional Salesforce - Salesforce-MuleSoft-Developer-I - Training Salesforce Certified MuleSoft Developer (Mule-Dev-201) Materials



It is our consistent aim to serve our customers wholeheartedly. Our Salesforce-MuleSoft-Developer-I study materials try to ensure that every customer is satisfied, which can be embodied in the convenient and quick refund process. Although the passing rate of our Salesforce-MuleSoft-Developer-I Study Materials is close to 100 %, if you are still worried, we can give you another guarantee: if you don't pass the exam, you can get a full refund. Yes, this is the truth.

When preparing for the test Salesforce-MuleSoft-Developer-I certification, most clients choose our products because our Salesforce-MuleSoft-Developer-I learning file enjoys high reputation and boost high passing rate. Our products are the masterpiece of our company and designed especially for the certification. Our Salesforce-MuleSoft-Developer-I latest study question has gone through strict analysis and verification by the industry experts and senior published authors. The clients trust our products and place great hopes on our Salesforce-MuleSoft-Developer-I Exam Dump. They treat our products as the first choice and the total amounts of the clients and the sales volume of our Salesforce-MuleSoft-Developer-I learning file is constantly increasing.

>> Training Salesforce-MuleSoft-Developer-I Materials <<

DumpsKing Salesforce Salesforce-MuleSoft-Developer-I PDF Dumps Format

There are many large and small platforms for selling examination materials in the market, which are dazzling, but most of them cannot guarantee sufficient safety and reliability. Are you worried about the security of your payment while browsing? Salesforce-MuleSoft-Developer-I Test Torrent can ensure the security of the purchase process, product download and installation safe and virus-free. If you have any doubt about this, we will provide you professional personnel to remotely guide the installation and use.

Salesforce Salesforce-MuleSoft-Developer-I Exam Syllabus Topics:

Topic	Details
Topic 1	Designing APIs: Designing APIs involves describing the lifecycle of the modern API and using RAML to define various aspects of an API. It includes identifying when to use query parameters vs URI parameters, and defining API parameters.
Topic 2	Using Connectors: It focuses on retrieving data from REST services using HTTP Request or REST Connector. Moreover, the topic covers using a Web Service Consumer connector for SOAP web services and the Transform Message component.
Topic 3	Deploying and Managing APIs and Integrations: It includes packaging Mule applications for deployment and deploying them to CloudHub. This topic also involves using CloudHub properties, creating and deploying API proxies, connecting an API implementation to API Manager, and applying policies to secure an API.

Topic 4	Handling Errors: Handling errors includes describing default error handling in Mule applications and defining custom global default error handlers. It involves comparing On Error Continue and On Error Propagate scopes, creating error handlers for a flow, using the Try scope, and mapping errors to custom application errors.
Topic 5	Structuring Mule Applications: Structuring Mule applications covers parameterizing an application and defining and reusing global configurations. It includes breaking an application into multiple flows using private flows, subflows, and the Flow Reference component.
Topic 6	Routing Events: It focuses on using the Choice router for conditional logic and the Scatter-Gather router to multicast events. This topic also involves validating data by using the Validation module.

Salesforce Certified MuleSoft Developer (Mule-Dev-201) Sample Questions (Q41-Q46):

NEW QUESTION # 41

Refer to the exhibits.

A web client sends sale data in a POST request to the Mule application. The Transform Message component then enrich the payload by prepending a vendor name to the sale data.

What is written to the sales.csv file when the flow executes?



```
<?xml version="1.0" encoding="UTF-8"?>
<sale>
  <transaction_id>SS-4848-44KK-4SYQ</transaction_id>
  <customer_id>anniepoint@acme.com</customer_id>
  <customer>Annie Point</customer>
  <item>Car Seat</item>
  <qty>1</qty>
  <price>59</price>
</sale>
```

```
<flow name="writeRecords">
  <http:listener doc:name="HTTP: POST /sales" config-ref="HTTP_Listener_config"
    path="/sales" allowedMethods="POST"/>
  <ee:transform doc:name="Add vendor name">
    <ee:message>
      <ee:set-payload><[CDATA[<?xml version="1.0" encoding="UTF-8"?>
        <sale>
          <transaction_id>SS-4848-44KK-4SYQ</transaction_id>
          <customer_id>anniepoint@acme.com</customer_id>
          <customer>Annie Point</customer>
          <item>Car Seat</item>
          <qty>1</qty>
          <price>59</price>
        </sale>
      ]]]>
      <ee:set-payload>
        {vendor: "Acme"} ++ payload.sale
      </ee:set-payload>
    </ee:message>
  </ee:transform>
  <file:write doc:name="File: sales.csv" path="file-store/sales.csv">
  </file:write>
</flow>
```

- A. The enriched payload in JSON format
- B. An error message
- C. The enriched payload in CSV format
- D. The enriched payload in XML format

Answer: A

Explanation:

Reference: <https://developer.mulesoft.com/tutorials-and-howtos/quick-start/how-to-create-your-first-munit-test-in-anypoint-studio>

NEW QUESTION # 42

A Batch Job scope has five batch steps. An event processor throws an error in the second batch step because the input data is incomplete. What is the default behavior of the batch job after the error is thrown?

- A. All processing of the batch job stops.
- B. Event processing continues to the next batch step.
- C. Batch is retried
- D. Error is ignored

Answer: A

Explanation:

In case of an error , batch job completes in flight steps and stops further processing.

MuleSoft Doc Ref: Handling Errors During Batch Job | MuleSoft Documentation The default is all processing will stop but we can change it by Max Failed Record field.

General -> Max Failed Records: Mule has three options for handling a record-level error: Finish processing, Continue processing and Continue processing until the batch job accumulates a maximum number of failed records. This behavior can be controlled by Max Failed Records.

The default value is Zero which corresponds to Finish processing.


The value -1, corresponds to Continue processing.


The value +ve integer, corresponds to Continue processing until the batch job accumulates a maximum number of failed records

NEW QUESTION # 43

Refer to the exhibits.

Larger image






Larger image

```

http://www.mulesoft.org/schema/mule/http http://www.mulesoft.org/schema/mule/http/current/mule-http.xsd http://www
<http:listener-config name="HTTP_Listener_config_2222"
  doc:name="HTTP Listener config"
  doc:id="c79e8446-0a5f-47f8-921f-b0af7fdd120c">
  <http:listener-connection host="0.0.0.0"
    port="2222"/>
</http:listener-config>
<http:listener-config name="HTTP_Listener_config_3333"
  doc:name="HTTP Listener config"
  doc:id="7270c604-9c86-464a-9962-6530e1168b01">
  <http:listener-connection host="0.0.0.0"
    port="3333"/>
</http:listener-config>
</mule>

```

Larger image



The Mule application configures and uses two HTTP Listener global configuration elements.

Mule application is run in Anypoint Studio.

If the mule application starts correctly, what URI and port numbers can receive web client requests? If the mule applications fails to start , what is the reason for the failure?

- A. The mule application start successfully
Web client requests can only be received at URI on port 2222 but not on port 3333
- B. The mule application fails to start because of the port binding conflict as HTTP request also use same port i.e. 3333
- C. The mule application start successfully
Web client requests can be received at URI on port 2222 and on port 3333.
- D. The mule application fails to start
There is URL path conflict because both HTTP Listeners are configured with same path

Answer: C

Explanation:

In this case both the flows can start without any error and requests can be received on both ports. Flow names httpListener1 can call other flow using HTTP request without any issues.

Hence correct answer is

The mule application start successfully

Web client requests can be received at URI on port 2222 and on port 3333.

Lets check why other options are incorrect

1) The mule application fails to start. There is URL path conflict because both HTTP Listeners are configured with same path ----

This is incorrect as port value is different in both listeners

2) The mule application start successfully. Web client requests can only be received at URI on port 2222 but not on port 3333 ---


This is incorrect as there is no reason for not receiving requests on port 3333

3) The mule application fails to start because of the port binding conflict as HTTP request also use same port i.e. 3333 --- Port binding conflict will not happen in this case. It would have if both listener configurations would have been on same port . But that is not the case here.

Mule RefDoc : HTTP Listener Reference - Mule 4 | MuleSoft Documentation

NEW QUESTION # 44

Refer to the exhibits.



A web client submits the request to the HTTPListener. What response message would be returned to web client?

- A. Start
- B. String is not blank
- C. No response would be sent back to client and request will get errored out in Mule
- D. End

Answer: B

Explanation:


Correct answer is String is not blank.

----- Here's specifically what is happening here:

- 1) Payload is successfully set to "Start"
- 2) The Is Blank String validator creates an Error Object because the payload is string "Start". Execution stops
#[error.description] = "String is not blank"
- 3) Because no error handler is defined, the Mule default error handler handles the error. Remember, at its heart, the Mule Default Error handler is an error handling scope with just an on error propagate
- 4) "String is not blank" is the error message returned to the requestor in the body of the HTTP request HTTP Status Code: 500

Reference Diagram:

A picture containing diagram Description automatically generated



Message Flow Global Elements Configuration XML

Logger x Problems Console

General

Metadata

Notes

Help

There are no errors.

Display Name: Logger

Generic

Message: `#{ typeOf(payload)}`

Level: INFO (Default)

Category:

- A. Map
- B. Object
- C. String
- **D. Array**

Answer: D

Explanation:

Database always return rows as an array.

Array is the correct answer

NEW QUESTION # 46

.....

Our customer service staff will be patient to help you to solve them. At the same time, if you have problems with downloading and installing, Salesforce Certified MuleSoft Developer (Mule-Dev-201) torrent prep also has dedicated staff that can provide you with remote online guidance. In order to allow you to use our products with confidence, Salesforce-MuleSoft-Developer-I Test Guide provide you with a 100% pass rate guarantee. Once you unfortunately fail the exam, we will give you a full refund, and our refund process is very simple.

Salesforce-MuleSoft-Developer-I Reliable Test Questions: <https://www.dumpsking.com/Salesforce-MuleSoft-Developer-I-testking-dumps.html>

- Salesforce-MuleSoft-Developer-I Exam Guide Materials □ Reliable Salesforce-MuleSoft-Developer-I Mock Test □ Free Salesforce-MuleSoft-Developer-I Vce Dumps □ Go to website ► www.lead4pass.com □ open and search for 【 Salesforce-MuleSoft-Developer-I 】 to download for free □ Salesforce-MuleSoft-Developer-I Exam Guide Materials
- Buy Pdfvce Salesforce Salesforce-MuleSoft-Developer-I Exam Dumps Today and Get Free Updates for 1 year □ Easily obtain (Salesforce-MuleSoft-Developer-I) for free download through □ www.pdfvce.com □ □ Latest Salesforce-MuleSoft-Developer-I Exam Pdf
- Salesforce-MuleSoft-Developer-I Free Exam □ Salesforce-MuleSoft-Developer-I Free Exam Questions □ Salesforce-MuleSoft-Developer-I Certification Exam Dumps □ Immediately open [www.passcollection.com] and search for ► Salesforce-MuleSoft-Developer-I ◀ to obtain a free download □ Salesforce-MuleSoft-Developer-I Exam Engine
- Free Salesforce-MuleSoft-Developer-I Vce Dumps □ Latest Salesforce-MuleSoft-Developer-I Exam Topics □ Salesforce-MuleSoft-Developer-I Exam Engine ※ Download (Salesforce-MuleSoft-Developer-I) for free by simply searching on ► www.pdfvce.com □ □ Salesforce-MuleSoft-Developer-I Valid Test Pattern
- Salesforce-MuleSoft-Developer-I Valid Test Pattern □ Salesforce-MuleSoft-Developer-I Exam Cram □ Salesforce-MuleSoft-Developer-I Free Exam Questions □ ➡ www.prep4sures.top □ □ □ is best website to obtain ⇒ Salesforce-MuleSoft-Developer-I ⇐ for free download □ Real Salesforce-MuleSoft-Developer-I Dumps Free
- Pass Leader Salesforce-MuleSoft-Developer-I Dumps □ Salesforce-MuleSoft-Developer-I Exam Engine □ Valid Salesforce-MuleSoft-Developer-I Test Labs □ Search for “ Salesforce-MuleSoft-Developer-I ” and easily obtain a free download on □ www.pdfvce.com □ □ Salesforce-MuleSoft-Developer-I Certification Exam Dumps
- Salesforce-MuleSoft-Developer-I Exam Torrent: Salesforce Certified MuleSoft Developer (Mule-Dev-201) - Salesforce-MuleSoft-Developer-I Prep Torrent - Salesforce-MuleSoft-Developer-I Test Braindumps □ Open { www.getvalidtest.com } enter ► Salesforce-MuleSoft-Developer-I ◀ and obtain a free download □ Exam Salesforce-MuleSoft-Developer-I Study Guide
- Salesforce-MuleSoft-Developer-I Exam Cram □ Valid Salesforce-MuleSoft-Developer-I Test Labs □ Free Salesforce-MuleSoft-Developer-I Vce Dumps □ Search for ► Salesforce-MuleSoft-Developer-I □ and obtain a free download on ✓ www.pdfvce.com □ ✓ □ ♥ Valid Salesforce-MuleSoft-Developer-I Test Labs
- Salesforce-MuleSoft-Developer-I Exam Torrent: Salesforce Certified MuleSoft Developer (Mule-Dev-201) - Salesforce-MuleSoft-Developer-I Prep Torrent - Salesforce-MuleSoft-Developer-I Test Braindumps □ Search on { www.free4dump.com } for ► Salesforce-MuleSoft-Developer-I □ to obtain exam materials for free download □ Latest Salesforce-MuleSoft-Developer-I Exam Topics
- Real Salesforce-MuleSoft-Developer-I Dumps Free ☒ Reliable Salesforce-MuleSoft-Developer-I Mock Test □ Exam Salesforce-MuleSoft-Developer-I Study Guide □ Search for ➡ Salesforce-MuleSoft-Developer-I □ and obtain a free download on 【 www.pdfvce.com 】 □ Free Salesforce-MuleSoft-Developer-I Vce Dumps
- Pass Leader Salesforce-MuleSoft-Developer-I Dumps □ Real Salesforce-MuleSoft-Developer-I Dumps Free □ Related Salesforce-MuleSoft-Developer-I Exams □ Search for ➡ Salesforce-MuleSoft-Developer-I □ and obtain a free download on 《 www.actual4labs.com 》 □ Salesforce-MuleSoft-Developer-I Exam Guide Materials
- 3ryx.com, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, odtutor.com, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, bbs.x7cq.vip, raywalk191.designertoblog.com, jiangyu.sanguomiao.com, elearning.eauqardho.edu.so, www.stes.tyc.edu.tw, Disposable vapes