

# 100% Pass Quiz 2026 Fortinet FCSS\_LED\_AR-7.6: FCSS - LAN Edge 7.6 Architect—Efficient Actual Test

nwexam		PDF
Section	Objectives	
Monitoring and Troubleshooting	<ul style="list-style-type: none"><li>• Configure automatic and manual quarantine</li><li>• Manage FortiAOPs configuration</li><li>• Troubleshoot FortiGate communication with FortiSwitch and FortiAP</li><li>• Use widgets and tools to monitor wireless connectivity</li></ul>	

What type of questions are on the Fortinet FCSS\_LED\_AR-7.6 exams?

- Single answer multiple choice
- Multiple answer multiple choice
- Drag and Drop (DND)
- Router Simulation
- Testlet

**LAN Edge Architect FCSS\_LED\_AR-7.6 Practice Exam Questions.**

Grab an understanding from these Fortinet FCSS\_LED\_AR-7.6 [sample questions](#) and answers and improve your FCSS\_LED\_AR-7.6 exam preparation towards attaining a Fortinet FCSS - LAN Edge 7.6 Architect Certification. Answering these sample questions will make you familiar with the types of questions you can expect on the actual exam. Doing practice with LAN Edge Architect questions and answers before the exam as much as possible is the key to passing the Fortinet FCSS\_LED\_AR-7.6 certification exam.

**FCSS\_LED\_AR-7.6 Fortinet FCSS - LAN Edge 7.6 Architect Sample Questions:**

01. You need to deploy a security policy on a FortiSwitch port connected to legacy printers that do not support 802.1X authentication. How can you configure the network to ensure these printers have access while maintaining security?

a) Enable MAC Authentication Bypass (MAB) on the FortiSwitch port.  
b) Configure the FortiSwitch port to operate in promiscuous mode.  
c) Assign the printers to a high-priority VLAN that bypasses security policies.  
d) Use port mirroring to copy traffic from the printer to another secured port for authentication.

FCSS\_LED\_AR-7.6 LAN Edge Architect Sample Questions 3

BONUS!!! Download part of Prep4sureGuide FCSS\_LED\_AR-7.6 dumps for free: [https://drive.google.com/open?id=1Eyw5MA2Wr4yNTssGg1BzXM-\\_ppXzDRev](https://drive.google.com/open?id=1Eyw5MA2Wr4yNTssGg1BzXM-_ppXzDRev)

The FCSS - LAN Edge 7.6 Architect PDF practice material contains actual Fortinet FCSS\_LED\_AR-7.6 Exam Questions compiled by certified experts around the globe to benefit candidates. The criteria and pattern of the FCSS - LAN Edge 7.6 Architect exam often change, and hence it is essential to use the updated exam study material for preparation. Prep4sureGuide provides free updates after purchase so that you get the latest Fortinet Exam Questions for the exam.

The Fortinet FCSS\_LED\_AR-7.6 PDF dumps format is the most simple and easy version, specially designed by the Prep4sureGuide to provide value to its consumers. It is also compatible with all smart devices. Thus it is portable, which will help you practice the Fortinet FCSS\_LED\_AR-7.6 Exam without the barrier of time and place.

>> Actual FCSS\_LED\_AR-7.6 Test <<

## Use FCSS\_LED\_AR-7.6 Exam Questions [2026]-Best Preparation Material

There may be a lot of people feel that the preparation process for exams is hard and boring, and hard work does not necessarily mean good results, which is an important reason why many people are afraid of examinations. Today, our FCSS\_LED\_AR-7.6 study materials will radically change this. High question hit rate makes you no longer aimless when preparing for the exam, so you just should review according to the content of our FCSS\_LED\_AR-7.6 Study Materials prepared for you.

## Fortinet FCSS - LAN Edge 7.6 Architect Sample Questions (Q27-Q32):

### NEW QUESTION # 27

Which management mode is recommended for FortiAP when used in a large-scale enterprise with FortiManager?  
Response:

- A. FortiCloud
- **B. Local**
- C. Cloud
- D. Bridge

**Answer: B**

### NEW QUESTION # 28

Refer to the exhibit.

#### WTP profile configuration

```
config wireless-controller wtp-profile
  edit "S231F"
    config platform
      set type 231F
    end
    set handoff-rssi 30
    set handoff-sta-thresh 30
    set ap-country US
    config radio-1
      set band 802.11n-2G
      set wids-profile "default-wids-apscan-enabled"
      set vap-all manual
      set vaps "Student01"
      set channel "1" "6" "11"
    end
    config radio-2
      set band 802.11ac-5G
      set channel-bonding 40MHz
      set wids-profile "default-wids-apscan-enabled"
      set darrp enable
      set arrp-profile "arrp-default"
      set vap-all manual
      set vaps "Student01"
      set channel "36" "44" "52"
    end
    config radio-3
      set mode disabled
    end
  next
end
```

Which shows the WTP profile configuration.

The AP profile is assigned to two FAP-231F APs that are installed in an open plan area.

The first AP has 32 clients associated with the 5 GHz radios and 22 clients associated with the 2.4 GHz radio.

The second AP has 12 clients associated with the 5 GHz radios and 20 clients associated with the 2.4 GHz radio.

A dual-band-capable client enters the area near the first AP and the first AP measures the new client at -33 dBm signal strength.

The second AP measures the new client at -43 dBm signal strength.

If the new client attempts to connect to the student 01 wireless network, which AP radio will the client be associated with?

- A. The first AP 5 GHz interface because it has a stronger signal.
- B. The second AP 2.4 GHz interface is preferred over 5 GHz for better speed and lower interference.
- C. The first AP 2.4 GHz interface provides a stronger signal, which clients often prioritize.
- **D. The second AP 5 GHz interface has fewer clients, which ensures better performance despite the weaker signal.**

**Answer: D**

Explanation:

From the WTP profile:

set handoff-rssi 30

set handoff-sta-thresh 30

```

config radio-1
set band 802.11n-2G
set vaps "Student01"
config radio-2
set band 802.11ac-5G
set damp enable
set arp-profile "arp-default"
set vaps "Student01"

```

Key points:

- \* Same SSID (Student01) is broadcast on both APs and on both bands (2.4 and 5 GHz).
- \* handoff-sta-thresh 30 enables client load-balancing between APs:
- \* When an AP radio has more than 30 associated clients, it starts rejecting new associations so that clients connect to a neighboring AP instead (as long as RSSI is still acceptable).
- \* Current client counts:
- \* AP1: 32 clients on 5 GHz, 22 on 2.4 GHz
- \* AP2: 12 clients on 5 GHz, 20 on 2.4 GHz

So on 5 GHz:

- \* AP1's 5-GHz radio exceeds the 30-client threshold ( $32 > 30$ ) # it will try to push new clients away.
- \* AP2's 5-GHz radio is well below the threshold (12 clients) and will happily accept new clients.

The new dual-band client is seen at:

- \* -33 dBm by AP1
- \* -43 dBm by AP2

Even though AP1 has the stronger signal, its 5-GHz radio is already overloaded according to the configured threshold, so AP1 will refuse association attempts from that client. The client will then associate to AP2's 5-GHz radio, which:

- \* Has fewer clients (better airtime per device), and
- \* Still has an acceptable signal (-43 dBm is easily usable on 5 GHz).

That matches option C exactly.

Other options are incorrect because they ignore the configured client-load-balancing thresholds and assume association based purely on RSSI or prefer 2.4 GHz, which is not what this profile is tuned to do.

## NEW QUESTION # 29

Refer to the exhibits which show the FortiSwitch and FortiGate interface configurations.

FortiSwitch VLAN configuration

Physical (4)					
<input type="checkbox"/>	1	port1	Physical Interface	port1	dhcp
<input type="checkbox"/>	2	port2	Physical Interface	port2	static
<input type="checkbox"/>	3	port3	Physical Interface	port3	static
<input type="checkbox"/>	4	port5	Physical Interface	port5	static
Aggregate (1)					
<input type="checkbox"/>	5	fortilink	802.3ad Aggregate	fortilink	Dedicated to FortiSwitch
<input type="checkbox"/>		onboarding (onboarding.fortilink)	VLAN	4089	onboarding.fortilink static
<input type="checkbox"/>		naac_segment (naac_segment.fortilink)	VLAN	4088	naac_segment.fortilink static
<input type="checkbox"/>		voice (voice.fortilink)	VLAN	4091	voice.fortilink static
<input type="checkbox"/>		video (video.fortilink)	VLAN	4090	video.fortilink static
<input type="checkbox"/>		_default (default.fortilink)	VLAN	1	_default.fortilink static
<input type="checkbox"/>		quarantine (quarantine.fortilink)	VLAN	4093	quarantine.fortilink static
<input type="checkbox"/>		rspan (rspan.fortilink)	VLAN	4092	rspan.fortilink static
<input type="checkbox"/>		Student	VLAN	100	static

Port2 interface configuration

Port Name: port2

Description:

Access Mode: Assign Port Policy | NAC | Static

Native VLAN: Student

Allowed VLANs:

- quarantine 10.255.11.1/255.255.0
- voice 169.254.14.3/255.255.255.0

Click to select 2 entries selected

Security Policy: Click to select

LLDP Profile: default-auto-is

QoS Policy: default

ACL Group: +

PoE Status: ☒

DHCP Snooping: ☐

Which two statements describe how port2 handles tagged and untagged traffic? (Choose two.) Response:

- A. Port2 tags egress traffic for VLAN 100.
- B. Port2 assigns ingress untagged traffic to VLAN 100.
- C. Port2 accepts ingress tagged traffic for VLAN IDs 4091 and 4093 only.
- D. Port2 accepts ingress untagged traffic for VLAN IDs 100, 4091, and 4093 only.

Answer: B,C

#### NEW QUESTION # 30

Which three configuration steps are needed to onboard a FortiExtender to FortiGate?

(Choose three)

Response:

- A. Assign interface role to FortiExtender port
- B. Add FortiExtender to trusted device list
- C. Set modem mode to passthrough
- D. Authorize FortiExtender on FortiGate

Answer: A,B,D

#### NEW QUESTION # 31

When the MAC address of a device is placed in quarantine on FortiSwitch, what happens to its egress traffic?

- A. Traffic is sent to an allowed VLAN.
- B. Traffic is sent as untagged traffic.
- C. Traffic is sent to an access VLAN.
- D. Traffic is assigned to the native VLAN.

Answer: C

Explanation:

When a device's MAC address is quarantined on a FortiSwitch (via FortiLink NAC, fabric automation, or manual quarantine), FortiSwitch enforces quarantine using the quarantine VLAN, also called the access VLAN inside FortiSwitch NAC operations. FortiSwitch behavior is defined in LAN Edge documentation:

\* Quarantined devices are moved into an "access VLAN" reserved for isolation.

\* This VLAN is statically defined on the FortiGate NAC policy, and switch ports dynamically reassign the quarantined MAC into that VLAN.

\* All egress traffic from the quarantined MAC is forced into this VLAN, preventing access to the production network.

Thus, the correct description is:

#Traffic is sent to an access VLAN.

Options B, C, and D are incorrect because:

\* Quarantine does not reassign to native VLAN.

- \* It does not send untagged traffic arbitrarily.
- \* It does not forward traffic to allowed VLANs

## NEW QUESTION # 32

.....

Prep4sureGuide Fortinet FCSS\_LED\_AR-7.6 Exam Questions And Answers provide you test preparation information with everything you need. About Fortinet FCSS\_LED\_AR-7.6 exam, you can find these questions from different web sites or books, but the key is logical and connected. Our questions and answers will not only allow you effortlessly through the exam first time, but also can save your valuable time.

**FCSS\_LED\_AR-7.6 Test Sample Online:** [https://www.prep4sureguide.com/FCSS\\_LED\\_AR-7.6-prep4sure-exam-guide.html](https://www.prep4sureguide.com/FCSS_LED_AR-7.6-prep4sure-exam-guide.html)

High quality FCSS\_LED\_AR-7.6 exam study material is the most important but not the only element, This bundle includes FCSS\_LED\_AR-7.6 PDF questions, Fortinet FCSS\_LED\_AR-7.6 desktop practice test software and a web-based practice test, Fortinet Actual FCSS\_LED\_AR-7.6 Test Free update for one year is available to you, Cracking the FCSS\_LED\_AR-7.6 exam of this credential is vital when it comes to the up gradation of their resume.

This is the primary, but not only, reason FCSS\_LED\_AR-7.6 the average size of a U.S, Now that you have seen what this program can do, it's your turn to make your own project, High quality FCSS\_LED\_AR-7.6 Exam study material is the most important but not the only element.

## 2026 Fortinet FCSS\_LED\_AR-7.6: FCSS - LAN Edge 7.6 Architect First-grade Actual Test

This bundle includes FCSS\_LED\_AR-7.6 PDF questions, Fortinet FCSS\_LED\_AR-7.6 desktop practice test software and a web-based practice test, Free update for one year is available to you.

Cracking the FCSS\_LED\_AR-7.6 exam of this credential is vital when it comes to the up gradation of their resume, We have a strict information protection system that we keep you information secret and safe.

- Pass4sure FCSS\_LED\_AR-7.6 Study Materials □ FCSS\_LED\_AR-7.6 Exam Syllabus □ Pass4sure FCSS\_LED\_AR-7.6 Study Materials □ Search for ( FCSS\_LED\_AR-7.6 ) and download it for free immediately on ➡ [www.vce4dumps.com](http://www.vce4dumps.com) □ □FCSS\_LED\_AR-7.6 Torrent
- 100% Pass Fortinet - Professional Actual FCSS\_LED\_AR-7.6 Test □ Copy URL □ [www.pdfvce.com](http://www.pdfvce.com) □ open and search for ➡ FCSS\_LED\_AR-7.6 □□□ to download for free □FCSS\_LED\_AR-7.6 Latest Test Report
- Actual FCSS\_LED\_AR-7.6 Test Will Be Your Reliable Support to Pass FCSS - LAN Edge 7.6 Architect □ Download ☀ FCSS\_LED\_AR-7.6 □☀□ for free by simply entering ➡ [www.testkingpass.com](http://www.testkingpass.com) □ website □Reliable FCSS\_LED\_AR-7.6 Exam Testking
- Standard FCSS\_LED\_AR-7.6 Answers □ FCSS\_LED\_AR-7.6 Latest Test Report □ FCSS\_LED\_AR-7.6 Torrent □ □ Download ➡ FCSS\_LED\_AR-7.6 □ for free by simply searching on { [www.pdfvce.com](http://www.pdfvce.com) } □ Exam FCSS\_LED\_AR-7.6 Success
- FCSS\_LED\_AR-7.6 Exam Material □ Reliable FCSS\_LED\_AR-7.6 Exam Testking □ FCSS\_LED\_AR-7.6 Torrent □ Open ✓ [www.prepawayexam.com](http://www.prepawayexam.com) □ ✓ □ enter □ FCSS\_LED\_AR-7.6 □ and obtain a free download □ □FCSS\_LED\_AR-7.6 Exam Overviews
- FCSS\_LED\_AR-7.6 Exam Material □ FCSS\_LED\_AR-7.6 Examcollection Questions Answers □ FCSS\_LED\_AR-7.6 Torrent □ Search for ✓ FCSS\_LED\_AR-7.6 □ ✓ □ and easily obtain a free download on ➡ [www.pdfvce.com](http://www.pdfvce.com) □ □Test FCSS\_LED\_AR-7.6 Tutorials
- Standard FCSS\_LED\_AR-7.6 Answers □ FCSS\_LED\_AR-7.6 Torrent □ Test FCSS\_LED\_AR-7.6 Assessment □ Easily obtain ☀ FCSS\_LED\_AR-7.6 □☀□ for free download through { [www.vce4dumps.com](http://www.vce4dumps.com) } □ Test FCSS\_LED\_AR-7.6 Assessment
- Reliable FCSS\_LED\_AR-7.6 Exam Testking □ Reliable FCSS\_LED\_AR-7.6 Test Questions □ FCSS\_LED\_AR-7.6 Examcollection Questions Answers □ Enter ( [www.pdfvce.com](http://www.pdfvce.com) ) and search for ➡ FCSS\_LED\_AR-7.6 ⇐ to download for free □FCSS\_LED\_AR-7.6 Latest Test Report
- FCSS\_LED\_AR-7.6 Certification Torrent □ Test FCSS\_LED\_AR-7.6 Tutorials □ Latest FCSS\_LED\_AR-7.6 Study Materials □ Open □ [www.prepawaypdf.com](http://www.prepawaypdf.com) □ enter ( FCSS\_LED\_AR-7.6 ) and obtain a free download □ □FCSS\_LED\_AR-7.6 Latest Test Report
- FCSS\_LED\_AR-7.6 Exam Overviews □ FCSS\_LED\_AR-7.6 Latest Exam Registration □ Valid Exam FCSS\_LED\_AR-7.6 Braindumps □ Go to website ➡ [www.pdfvce.com](http://www.pdfvce.com) ⇐ open and search for □ FCSS\_LED\_AR-7.6 □ to download for free □Standard FCSS\_LED\_AR-7.6 Answers

- What's more, part of that Prep4sureGuide FCSS\_LED\_AR-7.6 dumps now are free: [https://drive.google.com/open?id=1Eyw5MA2Wr4yNTssGg1BzXM-\\_ppXzDRev](https://drive.google.com/open?id=1Eyw5MA2Wr4yNTssGg1BzXM-_ppXzDRev)

What's more, part of that Prep4sureGuide FCSS\_LED\_AR-7.6 dumps now are free: [https://drive.google.com/open?id=1Eyw5MA2Wr4yNTssGg1BzXM-\\_ppXzDRev](https://drive.google.com/open?id=1Eyw5MA2Wr4yNTssGg1BzXM-_ppXzDRev)