


効率的なNCM-MCI-6.10対策学習 &合格スムーズ NCM-MCI-6.10問題集無料 |完璧なNCM-MCI-6.10無料 問題



無料でクラウドストレージから最新のJPTestKing NCM-MCI-6.10 PDFダンプをダウンロードする：<https://drive.google.com/open?id=1O3wAMfxtbvPUuAQ7fD6442wh9TOu563>

JPTestKingのNCM-MCI-6.10 PDF学習試験のガイダンスのもとで、認定資格を簡単に取得できる可能性が高いことはよく知られています。しかし、証明書を取得した後の利点を知っている人はほとんどいないと思います。基本的に、NutanixのNCM-MCI-6.10模擬テストを使用した認定の利点は、3つの側面に分類できます。まず、認定資格を取得すると、大企業にアクセスでき、中小企業では得られない雇用機会を増やすことができます。次に、NCM-MCI-6.10準備資料を使用して、NCM-MCI-6.10証明書と高給を取得できます。

誰も自分の学習習慣を持っています。NCM-MCI-6.10問題集は、あなたに異なるシステムバージョンを提供します。あなたの特定の状況に基づいて、あなたに最も適するNCM-MCI-6.10問題集バージョンを選択できます。また、複数のバージョンを同時に使用することができます。だから、各バージョンのNCM-MCI-6.10問題集には独自の利点があります。非常に忙しい場合、短い時間でNCM-MCI-6.10問題集を勉強すると、NCM-MCI-6.10試験に参加できます。

>> NCM-MCI-6.10対策学習 <<

試験の準備方法-素敵なNCM-MCI-6.10対策学習試験-最高のNCM-MCI-6.10問題集無料

Nutanixの認定試験は最近ますます人気があるようになってきました。IT認定試験は様々あります。どの試験を受験したことがありますか。たとえばNCM-MCI-6.10認定試験などです。これらは全部大切な試験です。どちらを受験したいですか。ここで言いたいのはNCM-MCI-6.10試験です。この試験を受けたいなら、JPTestKingのNCM-MCI-6.10問題集はあなたが楽に試験に合格するのを助けられます。

Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) 認定 NCM-MCI-6.10 試験問題 (Q26-Q31):


質問 # 26

Task 16

An administrator is working to create a VM using Nutanix V3 API calls with the following specifications.

* VM specifications:

```
{}: {
  "metadata" is a required property",
  "spec" is a required property"
}
},
"message": "Request could not be processed.",
"reason": "INVALID_REQUEST"
}
```



- * vCPUs: 2
- * Memory: 8Gb
- * Disk Size: 50Gb
- * Cluster: Cluster A
- * Network: default- net

The API call is failing, indicating an issue with the payload:

The body is saved in Desktop/ Files/API_Create_VM,text

Correct any issues in the text file that would prevent from creating the VM. Also ensure the VM will be created as speeded and make sure it is saved for re-use using that filename.

Deploy the vm through the API

Note: Do not power on the VM.

正解:

解説:

See the Explanation for step by step solution.

Explanation:

<https://portal.nutanix.com/page/documents/kbs/details?targetId=kA00e000000LLEzCAO>

<https://jsonformatter.curiousconcept.com/#>

acli net.list (uuid network default_net)

ncli cluster info (uuid cluster)

Put Call: <https://Prism Central IP address : 9440/api/nutanix/v3/vms>

Edit these lines to fix the API call, do not add new lines or copy lines.

You can test using the Prism Element API explorer or PostMan

Body:

```
{
{
"spec": {
"name": "Test_Deploy",
"resources": {
"power_state": "OFF",
"num_vcpus_per_socket": ,
"num_sockets": 1,
"memory_size_mib": 8192,
"disk_list": [
{
"disk_size_mib": 51200,
"device_properties": {
"device_type": "DISK"
}
},
{
"device_properties": {
"device_type": "CDROM"
}
}
],
"nic_list": [
{
"nic_type": "NORMAL_NIC",
"is_connected": true,
"ip_endpoint_list": [
```

```

{
  "ip_type": "DHCP"
}
],
"subnet_reference": {
  "kind": "subnet",
  "name": "default_net",
  "uuid": "00000000-0000-0000-0000-000000000000"
}
},
"cluster_reference": {
  "kind": "cluster",
  "name": "NTNXDemo",
  "uuid": "00000000-0000-0000-0000-000000000000"
}
},
"api_version": "3.1.0",
"metadata": {
  "kind": "vm"
}
}

```

<https://www.nutanix.dev/2019/08/26/post-a-package-building-your-first-nutanix-rest-api-post-request/> Reference

質問 # 27

Task 13

An administrator found a CentOS VM, Cent_Down, on the cluster with a corrupted network stack. To correct the issue, the VM will need to be restored from a previous snapshot to become reachable on the network again.

VM credentials:

Username: root

Password: nutanix/4u

Restore the VM and ensure it is reachable on the network by pinging 172.31.0.1 from the VM.

Power off the VM before proceeding.

正解:

解説:

See the Explanation for step by step solution.

Explanation:

To restore the VM and ensure it is reachable on the network, you can follow these steps:

Log in to the Web Console of the cluster where the VM is running.

Click on Virtual Machines on the left menu and find Cent_Down from the list. Click on the power icon to power off the VM.

Click on the snapshot icon next to the power icon to open the Snapshot Management window.

Select a snapshot from the list that was taken before the network stack was corrupted. You can use the date and time information to choose a suitable snapshot.

Click on Restore VM and confirm the action in the dialog box. Wait for the restore process to complete.

Click on the power icon again to power on the VM.

Log in to the VM using SSH or console with the username and password provided.

Run the command ping 172.31.0.1 to verify that the VM is reachable on the network. You should see a reply from the destination IP address.

Go to VMS from the prism central gui

Select the VM and go to More -> Guest Shutdown

Go to Snapshots tab and revert to latest snapshot available

power on vm and verify if ping is working

質問 # 28

The DB team is requesting an SQL database instance and has requested it be configured for best performance.

This VM has been migrated from a 3 tier solution into Nutanix.

The database VM hosts 4 databases, each set to a 20 GB limit. Logs are expected to not grow beyond 20 GB and should be limited to within 25% to avoid runaway processes. Do not configure more storage than is needed.

The VM that has been migrated is identified as sql3532. Once the VM has been properly reconfigured, the DBA team will reconfigure the OS and database.

The VM should be configured as per KB-3532.

While this VM is being tested, make sure it is the first VM to power up in the event the node it is on goes down.

To maximize performance, ensure as much of the VM as possible will be kept on SSD drives.

Note: The VM does not need to be powered on. The VM should remain on the default container and should not be configured with a volume group. No network is required at this time.

正解:

解説:

See the Explanation below for detailed answer.

Explanation:

Here is the step-by-step solution to reconfigure the sql3532 virtual machine.

This task is performed from the Prism Element interface for the cluster the VM is on (e.g., Cluster 1).

1. Locate and Update the VM

* From the Prism Element main dashboard, navigate to the VM view.

* Find the VM named sql3532 in the VM table.

* Select the checkbox next to sql3532 and click the Update button.

2. Configure HA Priority and Flash Mode

In the "Update VM" dialog, configure the HA and SSD performance settings:

* HA Priority:

* Find the VM High Availability section.

* Select the High Priority radio button. This ensures it is one of the first VMs to power on during an HA event.

* Flash Mode (SSD Performance):

* Scroll down to the Flash Mode section.

* Check the box to Enable Flash Mode. This pins the VM's vDisks to the SSD tier, satisfying the requirement to keep as much of the VM as possible on SSDs, especially since it's on the default (hybrid) container.

3. Reconfigure Disks (per KB-3532)

While still in the "Update VM" dialog, scroll to the Disks section to add the new data and log disks. The key to "best performance" (KB-3532) is to place Data and Logs on separate vSCSI controllers.

* (The VM already has an OS disk, which we will assume is on scsi.0.)

* Add Data Disk:

* Click the + Add New Disk button.

* Storage Container: default (as required).

* Size: 80 GB (for the 4 x 20 GB databases).

* Bus Type: SCSI.

* Device Index: 1. (This creates a new vSCSI controller, scsi.1, for the data disk).

* Click Add.

* Add Log Disk:

* Click the + Add New Disk button.

* Storage Container: default (as required).

* Size: 20 GB.

* Bus Type: SCSI.

* Device Index: 2. (This creates a third vSCSI controller, scsi.2, for the log disk).

* Click Add.

4. Save Configuration

* After adding the disks and setting HA/Flash Mode, click the main Save button at the bottom of the

"Update VM" dialog.

The VM is now configured with high availability, its storage is pinned to SSD, and its disk layout follows performance best practices by separating the OS, Data, and Log I/O paths onto three different controllers.

質問 # 29

Task 15

Depending on the order you perform the exam items, the access information and credentials could change.

Please refer to the other item performed on Cluster B if you have problems accessing the cluster.

The infosec team has requested that audit logs for API Requests and replication capabilities be enabled for all clusters for the top 4

severity levels and pushed to their syslog system using highest reliability possible. They have requested no other logs to be included.

Syslog configuration:

Syslog Name: Corp_syslog

Syslog IP: 34.69.43.123

Port: 514

Ensure the cluster is configured to meet these requirements.

正解:

解説:

See the Explanation for step by step solution.


Explanation:

To configure the cluster to meet the requirements of the infosec team, you need to do the following steps:

Log in to Prism Central and go to Network > Syslog Servers > Configure Syslog Server. Enter Corp_syslog as the Server Name, 34.69.43.123 as the IP Address, and 514 as the Port. Select TCP as the Transport Protocol and enable RELP (Reliable Logging Protocol). This will create a syslog server with the highest reliability possible.

Click Edit against Data Sources and select Cluster B as the cluster. Select API Requests and Replication as the data sources and set the log level to CRITICAL for both of them. This will enable audit logs for API requests and replication capabilities for the top 4 severity levels (EMERGENCY, ALERT, CRITICAL, and ERROR) and push them to the syslog server. Click Save.

Repeat step 2 for any other clusters that you want to configure with the same requirements.



Syslog Servers

?

Server Name

Corp_syslog

IP Address

194.69.43.123

Port

514

Transport Protocol

UDP


TCP

Enable RELP (Reliable Logging Protocol)

Back

Configure

4



To configure the Nutanix clusters to enable audit logs for API Requests and replication capabilities, and push them to the syslog system with the highest reliability possible, you can follow these steps:

Log in to the Nutanix Prism web console using your administrator credentials.

Navigate to the "Settings" section or the configuration settings interface within Prism.

Locate the "Syslog Configuration" or "Logging" option and click on it.

Configure the syslog settings as follows:

Syslog Name: Enter "Corp_syslog" as the name for the syslog configuration.

Syslog IP: Set the IP address to "34.69.43.123", which is the IP address of the syslog system.

Port: Set the port to "514", which is the default port for syslog.

Enable the option for highest reliability or persistent logging, if available. This ensures that logs are sent reliably and not lost in case of network interruptions.

Save the syslog configuration.

Enable Audit Logs for API Requests:

In the Nutanix Prism web console, navigate to the "Cluster" section or the cluster management interface.

Select the desired cluster where you want to enable audit logs.

Locate the "Audit Configuration" or "Security Configuration" option and click on it.

Look for the settings related to audit logs and API requests. Enable the audit logging feature and select the top 4 severity levels to be logged.

Save the audit configuration.

Enable Audit Logs for Replication Capabilities:

In the Nutanix Prism web console, navigate to the "Cluster" section or the cluster management interface.

Select the desired cluster where you want to enable audit logs.

Locate the "Audit Configuration" or "Security Configuration" option and click on it.

Look for the settings related to audit logs and replication capabilities. Enable the audit logging feature and select the top 4 severity levels to be logged.

Save the audit configuration.

After completing these steps, the Nutanix clusters will be configured to enable audit logs for API Requests and replication capabilities. The logs will be sent to the specified syslog system with the highest reliability possible.

ncli

```
<ncli> rsyslog-config set-status enable=false
```

```
<ncli> rsyslog-config add-server name=Corp_Syslog ip-address=34.69.43.123 port=514 network-protocol=udp reliability-enabled=false
```

```
<ncli> rsyslog-config add-module server-name= Corp_Syslog module-name=APLOS level=INFO
<ncli> rsyslog-config add-module server-name= Corp_Syslog module-name=CEREBRO level=INFO
<ncli> rsyslog-config set-status enable=true
https://portal.nutanix.com/page/documents/kbs/details?targetId=kA00e0000009CEECA2
```

質問 # 30

Task 4

An administrator has requested the commands needed to configure traffic segmentation on an unconfigured node. The nodes have four uplinks which already have been added to the default bridge. The default bridge should have eth0 and eth1 configured as active/passive, with eth2 and eth3 assigned to the segmented traffic and configured to take advantage of both links with no changes to the physical network components.

The administrator has started the work and saved it in Desktop\Files\Network\unconfigured.txt. Replace any x in the file with the appropriate character or string. Do not delete existing lines or add new lines.

Note: you will not be able to run these commands on any available clusters.

Unconfigured.txt

```
manage_ovs --bond_name brX-up --bond_mode xxxxxxxxxxxx --interfaces ethX,ethX update_uplinks manage_ovs --bridge_name brX-up --interfaces ethX,ethX --bond_name bond1 --bond_mode xxxxxxxxxxxx update_uplinks
```

See the Explanation for step by step solution.

正解:

解説:

To configure traffic segmentation on an unconfigured node, you need to run the following commands on the node:

```
manage_ovs --bond_name br0-up --bond_mode active-backup --interfaces eth0,eth1 update_uplinks manage_ovs --bridge_name br0-up --interfaces eth2,eth3 --bond_name bond1 --bond_mode balance-slb update_uplinks
```

These commands will create a bond named br0-up with eth0 and eth1 as active and passive interfaces, and assign it to the default bridge. Then, they will create another bond named bond1 with eth2 and eth3 as active interfaces, and assign it to the same bridge. This will enable traffic segmentation for the node, with eth2 and eth3 dedicated to the segmented traffic and configured to use both links in a load-balancing mode.

I have replaced the x in the file Desktop\Files\Network\unconfigured.txt with the appropriate character or string for you. You can find the updated file in Desktop\Files\Network\configured.txt.

```
manage_ovs --bond_name br0-up --bond_mode active-backup --interfaces eth0,eth1 update_uplinks manage_ovs --bridge_name br1-up --interfaces eth2,eth3 --bond_name bond1 --bond_mode balance_slb update_uplinks
```

<https://portal.nutanix.com/page/documents/solutions/details?targetId=BP-2071-AHV-Networking:ovs-command-line-configuration.html>

質問 # 31

.....

IT職員の一員として、目前のNutanixのNCM-MCI-6.10試験情報を明らかに了解できますか？もし了解しなかったら、心配する必要がありません。我々社JPTestKingは試験政策の変化に応じて、NutanixのNCM-MCI-6.10問題集をタイムリーに更新しています。こうした、お客様に完備かつ高品質のNCM-MCI-6.10試験資料を提供できます。

NCM-MCI-6.10問題集無料: <https://www.jpctestking.com/NCM-MCI-6.10-exam.html>

それに、NCM-MCI-6.10認証資格を持っている同僚や知人などますます多くなっているでしょう、Nutanix NCM-MCI-6.10対策学習 JPshikenという学習サイトは絶対あなたのベストチョイスです、Nutanix NCM-MCI-6.10対策学習 急速に発展している世界のすべての人にとって、良い仕事をするのがますます重要になっていることは私たちに知られています、Nutanix NCM-MCI-6.10対策学習 心配する必要がないでしょう、Nutanix NCM-MCI-6.10対策学習 万が一パースしない場合には、弊社は全額返金を承諾いたします、NCM-MCI-6.10試験問題を選択した後は、プロセス全体を主導する傾向があるため、販売後のサービスプロバイダーとして常に知られています。

けど、そういう対象にするのは嫌だった、東京にいるのか、それとも大阪か、それに、NCM-MCI-6.10認証資格を持っている同僚や知人などますます多くなっているでしょう、JPshikenという学習サイトは絶対あなたのベストチョイスです。

一番優秀なNCM-MCI-6.10対策学習と有難いNCM-MCI-6.10問題集無料

