

The Nutanix NCM-MCI-6.10 Exam with Desktop Practice Exam Software



Wondering where you can find the perfect materials for the exam? Don't leave your fate depending on thick books about the NCM-MCI-6.10 exam. Our authoritative NCM-MCI-6.10 study materials are licensed products. Whether newbie or experienced exam candidates you will be eager to have our NCM-MCI-6.10 Exam Questions. And they all made huge advancement after using them. Not only that you will get the certification, but also you will have more chances to get higher incomes and better career.

These NCM-MCI-6.10 exam question formats contain real, valid, and updated Nutanix NCM-MCI-6.10 exam questions that will assist you in Nutanix Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) exam preparation and enable you to pass the challenging Nutanix NCM-MCI-6.10 Exam with good scores. The Nutanix NCM-MCI-6.10 questions are prepared by highly experienced professionals and, thus, are kept to the point and concise.

[**>> NCM-MCI-6.10 Exam Online <<**](#)

NCM-MCI-6.10 Latest Exam Fee, Clearer NCM-MCI-6.10 Explanation

You have the option to change the topic and set the time according to the actual Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) (NCM-MCI-6.10) exam. The Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) (NCM-MCI-6.10) practice questions give you a feeling of a real exam which boost confidence. Practice under real Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) (NCM-MCI-6.10) exam situations is an excellent way to learn more about the complexity of the Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) (NCM-MCI-6.10) exam dumps. You can learn from your Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) (NCM-MCI-6.10) practice test mistakes and overcome them before the actual NCM-MCI-6.10 exam.

Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) Sample Questions (Q15-Q20):

NEW QUESTION # 15

Task 3

An administrator needs to create a report named VMs_Power_State that lists the VMs in the cluster and their basic details including the power state for the last month.

No other entities should be included in the report.

The report should run monthly and should send an email to admin@syberdyne.net when it runs.

Generate an instance of the report named VMs_Power_State as a CSV and save the zip file as

Desktop\Files\VMs_Power_state.zip Note: Make sure the report and zip file are named correctly. The SMTP server will not be configured.

Answer:

Explanation:

See the Explanation for step by step solution.

Explanation:

To create a report named VMs_Power_State that lists the VMs in the cluster and their basic details including the power state for the last month, you can follow these steps:

Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and click on Create Report.

Enter VMs_Power_State as the report name and a description if required. Click Next.

Under the Custom Views section, select Data Table. Click Next.

Under the Entity Type option, select VM. Click Next.

Under the Custom Columns option, add the following variables: Name, Cluster Name, vCPUs, Memory, Power State. Click Next.

Under the Time Period option, select Last Month. Click Next.

Under the Report Settings option, select Monthly from the Schedule drop-down menu. Enter admin@syberdyne.net as the Email Recipient. Select CSV as the Report Output Format. Click Next.

Review the report details and click Finish.

To generate an instance of the report named VMs_Power_State as a CSV and save the zip file as

Desktop\Files\VMs_Power_state.zip, you can follow these steps:

Log in to Prism Central and click on Operations on the left menu.

Select Reports from the drop-down menu and find the VMs_Power_State report from the list. Click on Run Now.

Wait for the report to be generated and click on Download Report. Save the file as Desktop\Files\VMs_Power_state.zip.

1. Open the Report section on Prism Central (Operations > Reports)

2. Click on the New Report button to start the creation of your custom report

3. Under the Custom Views section, select Data Table

4. Provide a title to your custom report, as well as a description if required.

5. Under the Entity Type option, select VM

6. This report can include all as well as a selection of the VMs

7. Click on the Custom Columns option and add the below variables:

a. Name - Name of the listed Virtual Machine

b. vCPUs - A combination of the vCores and vCPU's assigned to the Virtual Machine c. Memory - Amount of memory assigned to the Virtual Machine d. Disk Capacity - The total amount of assigned virtual disk capacity e. Disk Usage - The total used virtual disk capacity f. Snapshot Usage - The total amount of capacity used by snapshots (Excluding Protection Domain snapshots)

8. Under the Aggregation option for Memory and Disk Usage accept the default Average option

Columns

Column Name	Aggregation
Name	-
vCPUs	-
Memory	Average
Disk Capacity	-
Disk Usage	Average
Snapshot Usage	-

9. Click on the Add button to add this custom selection to your report

10. Next click on the Save and Run Now button on the bottom right of the screen

11. Provide the relevant details on this screen for your custom report:

12. You can leave the Time Period For Report variable at the default of Last 24 Hours

13. Specify a report output of preference (PDF or CSV) and if required Additional Recipients for this report to be mailed to. The

report can also simply be downloaded after this creation and initial run if required

14. Below is an example of this report in a CSV format:

NEW QUESTION # 16

An administrator is working to create a VM using Nutanix V3 API calls with the following specifications.

VM specifications:

- * vCPUs: 2
- * Memory: 8Gb
- * Disk Size: 50Gb
- * Cluster: Cluster 1
- * Network: default-net

* Branding must be disabled on the VM

The API call is failing, indicating an issue with the payload:

```
": [
  "metadata' is a required property",
  "spec' is a required property"
],
```

"message": "Request could not be processed.",

"reason": "INVALID_REQUEST"

The body is saved in desktop\API_Create_VM.txt.

Correct any issues in the text file that would prevent it from creating the VM. Also ensure the VM will be created as specified and make sure it is saved for re-use using that filename.

Deploy the VM through the API.

Note: Do not power on the VM.

Answer:

Explanation:

See the Explanation below for detailed answer.

Explanation:

Here is the step-by-step solution to correct the API payload and deploy the VM.

This task is performed using the REST API Explorer within Prism Central.

1. Get Required UUIDs

To create a VM, you first need the unique IDs (UUIDs) for the target cluster and network.

* From the Prism Central dashboard, click the question mark (?) icon in the top-right corner and select REST API Explorer.

* Find Cluster 1 UUID:

* In the API Explorer, search for and select the clusters/list (POST) endpoint.

* In the Body field, paste a simple filter: { "kind": "cluster" }

* Click Send.

* In the "Response" body, find the entry for Cluster 1 and copy its metadata.uuid value.

* Find default-net UUID:

* Search for and select the subnets/list (POST) endpoint.

* In the Body field, paste: { "kind": "subnet" }

* Click Send.

* In the "Response" body, find the entry where spec.name is default-net and copy its metadata.uuid value.

2. Correct the API Payload File

The error message "metadata' is a required property" and "spec' is a required property" indicates the JSON in the file is malformed and missing the required root-level objects. The file content also does not match the VM specifications.

* On the desktop, open API_Create_VM.txt in Notepad.

* Delete all existing text in the file (including the POST Call and Body: lines).

* Paste the following corrected and complete JSON payload into the file.

* Replace <UUID_for_Cluster_1> and <UUID_for_default-net> with the actual UUIDs you copied in the previous step.

JSON

```
{
  "spec": {
    "name": "API_VM_Task15",
    "resources": {
      "power_state": "OFF",
      "num_sockets": 2,
      "num_vcpus_per_socket": 1,
```

```

"memory_size_mb": 8192,
"disk_list": [
{
"disk_size_mb": 51200,
"device_properties": {
"device_type": "DISK"
}
},
],
"nic_list": [
{
"subnet_reference": {
"kind": "subnet",
"uuid": "<UUID_for_default-net>"
}
},
],
"guest_customization": {
"is_overridable": true,
"override_branding": true
},
},
"cluster_reference": {
"kind": "cluster",
"uuid": "<UUID_for_Cluster_1>"
}
},
},
"metadata": {
"kind": "vm"
}
}

```

* Save and close the API_Create_VM.txt file.

Correction Summary:

* JSON Structure: The original file was malformed. The new payload provides the required spec and metadata objects at the root level.

* vCPUs: Set to 2 sockets (2 vCPUs total).

* Memory: Set to 8192 MiB (8 GB).

* Disk: Set to 51200 MiB (50 GB) and removed the unneeded CDROM.

* Cluster/Network: Placeholders are added for the required UUIDs.

* Branding: guest_customization.override_branding: true is added to disable branding for the VM.

3. Deploy the VM via API

* Return to the REST API Explorer.

* Search for and select the vms (POST) endpoint (the one with the description "Create a new vm").

* Open the corrected API_Create_VM.txt file, copy its entire contents (which now includes your specific UUIDs).

* Paste the complete JSON payload into the Body field of the vms (POST) endpoint.

* Click Send.

The API will return a 202 Accepted response, and the VM will be created (and remain powered off) on Cluster 1.

NEW QUESTION # 17

Task 11

Running NCC on a cluster prior to an upgrade results in the following output FAIL: CVM System Partition /home usage at 93% (greater than threshold, 90%) Identify the CVM with the issue, remove the fil causing the storage bloat, and check the health again by running the individual disk usage health check only on the problematic CVM do not run NCC health check Note: Make sure only the individual health check is executed from the affected node

Answer:

Explanation:

See the Explanation for step by step solution.

Explanation:

To identify the CVM with the issue, remove the file causing the storage bloat, and check the health again, you can follow these steps: Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and find the NCC health check output file from the list.

You can use the date and time information to locate the file. The file name should be something like ncc- output-YYYY-MM-DD-HH-MM-SS.log.

Open the file and look for the line that says FAIL: CVM System Partition /home usage at 93% (greater than threshold, 90%). Note down the IP address of the CVM that has this issue. It should be something like X.X.X.

X.

Log in to the CVM using SSH or console with the username and password provided.

Run the command du -sh /home/* to see the disk usage of each file and directory under /home. Identify the file that is taking up most of the space. It could be a log file, a backup file, or a temporary file. Make sure it is not a system file or a configuration file that is needed by the CVM.

Run the command rm -f /home/<filename> to remove the file causing the storage bloat. Replace <filename> with the actual name of the file.

Run the command ncc health_checks hardware_checks disk_checks disk_usage_check --cvm_list=X.X.X.

X to check the health again by running the individual disk usage health check only on the problematic CVM.

Replace X.X.X with the IP address of the CVM that you noted down earlier.

Verify that the output shows PASS: CVM System Partition /home usage at XX% (less than threshold, 90%).

This means that the issue has been resolved.

#access to CVM IP by Putty

allssh df -h #look for the path /dev/sdb3 and select the IP of the CVM

ssh CVM_IP

ls

cd software_downloads

ls

cd nos

ls -l -h

rm files_name

df -h

ncc health_checks hardware_checks disk_checks disk_usage_check

NEW QUESTION # 18

Task 7

An administrator has been informed that a new workload requires a logically segmented network to meet security requirements.

Network configuration:

VLAN: 667

Network: 192.168.0.0

Subnet Mask: 255.255.255.0

DNS server: 34.82.231.220

Default Gateway: 192.168.0.1

Domain: cyberdyne.net

IP Pool: 192.168.9.100-200

DHCP Server IP: 192.168.0.2

Configure the cluster to meet the requirements for the new workload if new objects are required, start the name with 667.

Answer:

Explanation:

See the Explanation for step by step solution.

Explanation:

To configure the cluster to meet the requirements for the new workload, you need to do the following steps:

Create a new VLAN with ID 667 on the cluster. You can do this by logging in to Prism Element and going to Network

Configuration > VLANs > Create VLAN. Enter 667 as the VLAN ID and a name for the VLAN, such as 667_VLAN.

Create a new network segment with the network details provided. You can do this by logging in to Prism Central and going to Network > Network Segments > Create Network Segment. Enter a name for the network segment, such as

667_Network_Segment, and select 667_VLAN as the VLAN. Enter 192.168.0.0 as the Network Address and 255.255.255.0 as the Subnet Mask. Enter 192.168.0.1 as the Default Gateway and

34.82.231.220 as the DNS Server. Enter cyberdyne.net as the Domain Name.

Create a new IP pool with the IP range provided. You can do this by logging in to Prism Central and going to Network > IP Pools

> Create IP Pool. Enter a name for the IP pool, such as 667_IP_Pool, and select 667_Network_Segment as the Network Segment. Enter 192.168.9.100 as the Starting IP Address and 192.168.9.200 as the Ending IP Address.

Configure the DHCP server with the IP address provided. You can do this by logging in to Prism Central and going to Network > DHCP Servers > Create DHCP Server. Enter a name for the DHCP server, such as 667_DHCP_Server, and select 667_Network_Segment as the Network Segment. Enter 192.168.0.2 as the IP Address and select 667_IP_Pool as the IP Pool.

VM Overview Table

Network Configuration

Subnets Internal Interfaces Virtual Switch

Subnet Name Virtual Switch VLAN ID DHCP Auto Allocation Free IPs in Subnet Actions

network vs0 0 N/A N/A Edit - Delete

Subnet

Subnet

DHCP Settings

Domain Name Servers (Comma Separated)

34.82.231.220

Domain Search (Comma Separated)

cyberdyne.net

Domain Name

cyberdyne

TFTP Server Name

Boot File Name

IP Address Range

NUTANIX

Cancel Save

Create Subnet

cyberdyne.net

Domain Name

cyberdyne

TFTP Server Name

Boot File Name

IP Address Pools ③

+ Create Pool 13

No pools added.

Override DHCP server ④

NUTANIX™

Create Subnet

Cancel Save

Boot File Name

IP Address Pools ③

+ Create Pool

Start Address 14 192.168.9.100

End Address 192.168.9.200

Override DHCP server ⑮

DHCP Server IP Address 16 192.168.0.2

Cancel Save 17

NEW QUESTION # 19

Due to new security requirements, an administrator has been tasked with updating the security settings for user accounts within Prism Element on Cluster 1.

An SSL Certificate Signing Request with Subject Alternative Name should be generated for submission to the security team's Certificate Authority with the following details:

countryName = US
stateOrProvinceName = North Carolina
localityName = Durham
organizationName = ACME
organizationalUnitName = Infrastructure
commonName = prism_element.ACME.org
emailAddress = administrator@ACME.org
Alternate names = cvm1.ACME.org, cvm2.ACME.org, cvm3.ACME.org
Encryption: RSA 2048, sha256

When the Certificate Signing Request is generated, place a copy of both the .cnf file and the .csr file on the desktop named 'prism_element_acme.cnf' and 'prism_element_acme.csr'. Save a copy of the command(s) used for this scenario to a new file on the desktop named 'Task 5.txt'.

Note: You must copy and paste the command(s) and output from SSH to the 'Task 5.txt' file to achieve all points available.

Answer:

Explanation:

See the Explanation below for detailed answer.

Explanation:

Here is the step-by-step solution to generate the Certificate Signing Request (CSR) on Cluster 1.

This entire process is performed from an SSH session connected to a CVM (Controller VM) on Cluster 1.

1. Access Cluster 1 CVM

- * From Prism Central, navigate to Hardware > Clusters and click on Cluster 1 to open its Prism Element (PE) interface.
- * In the Cluster 1 PE, navigate to Hardware > CVMs to find the IP address of any CVM in the cluster.
- * Use an SSH client (like PuTTY) to connect to the CVM's IP address.
- * Log in with the admin user and password.

2. Create the Configuration File (.cnf)

To include the Subject Alternative Names (SANs), you must first create a configuration file.

- * In the CVM's command line, create the .cnf file using a text editor:

```
vi prism_element_acme.cnf
```

* Press i to enter "Insert" mode.

* Paste the following text exactly into the editor:

Ini, TOML

```
[ req ]
```

default_bits = 2048

distinguished_name = req_distinguished_name

req_extensions = v3_req

prompt = no

```
[ req_distinguished_name ]
```

C = US

ST = North Carolina

L = Durham

O = ACME

OU = Infrastructure

CN = prism_element.ACME.org

emailAddress = administrator@ACME.org

```
[ v3_req ]
```

subjectAltName = @alt_names

```
[ alt_names ]
```

DNS.1 = cvm1.ACME.org

DNS.2 = cvm2.ACME.org

DNS.3 = cvm3.ACME.org

* Press Esc to exit "Insert" mode, then type :wq and press Enter to save and quit vi.

3. Generate the CSR and Key

* Run the following openssl command. This command uses the .cnf file to generate the new CSR (.csr) and a corresponding private key (.key), applying the sha256 encryption as requested.

Bash

```
openssl req -new -nodes -out prism_element_acme.csr -keyout prism_element_acme.key -config prism_element_acme.cnf -sha256
```

* The command will output the following, confirming the key generation:

```
* Generating a 2048 bit RSA private key
* .....+++++
* .....+++++
* writing new private key to 'prism_element_acme.key'
* -----
```

4. Save Files to the Desktop

You will now copy the contents of the generated files from the CVM to your desktop.

* For Task 5.txt (Commands and Output):

* Open a new Notepad file on the desktop.

* Copy and paste all the commands you ran in the SSH session and their full output (as shown in steps 2 and 3) into this file.

* Save the file on the desktop as Task 5.txt.

* For prism_element_acme.cnf

* In the CVM SSH session, display the file's content:

```
cat prism_element_acme.cnf
```

* Copy the entire text output (starting from [req]).

* Open a new Notepad file on the desktop.

* Paste the content and save the file as prism_element_acme.cnf.

* For prism_element_acme.csr:

* In the CVM SSH session, display the file's content:

```
cat prism_element_acme.csr
```

* Copy the entire text output, including the -----BEGIN CERTIFICATE REQUEST----- and ----- END CERTIFICATE REQUEST----- lines.

* Open a new C:\Users\admin\Desktop\Notepad file on the desktop.

* Paste the content and save the file as prism_element_acme.csr.

NEW QUESTION # 20

.....

When preparing for the test NCM-MCI-6.10 certification, most clients choose our products because our NCM-MCI-6.10 learning file enjoys high reputation and boost high passing rate. Our products are the masterpiece of our company and designed especially for the certification. Our NCM-MCI-6.10 latest study question has gone through strict analysis and verification by the industry experts and senior published authors. The clients trust our products and treat our products as the first choice. So the total amounts of the clients and the sales volume of our NCM-MCI-6.10 learning file is constantly increasing.

NCM-MCI-6.10 Latest Exam Fee: <https://www.dumpsking.com/NCM-MCI-6.10-testking-dumps.html>

Our Nutanix NCM-MCI-6.10 practice materials are suitable for exam candidates of different degrees, which are compatible whichever level of knowledge you are in this area, Nutanix NCM-MCI-6.10 Exam Online Top Class Test Software, Don't hesitant, you will pass with our NCM-MCI-6.10 exam questions successfully and quickly, Our NCM-MCI-6.10 practice engine boosts many merits and high passing rate.

Displaying Your Photos by Folder and Date, Through complete case studies NCM-MCI-6.10 and downloadable code examples, the authors show how to write complex parallel programs that decompose workloads across many different devices.

NCM-MCI-6.10 guide torrent & testking NCM-MCI-6.10 test & NCM-MCI-6.10 pass king

Our Nutanix NCM-MCI-6.10 practice materials are suitable for exam candidates of different degrees, which are compatible whichever level of knowledge you are in this area.

Top Class Test Software, Don't hesitant, you will pass with our NCM-MCI-6.10 exam questions successfully and quickly, Our NCM-MCI-6.10 practice engine boosts many merits and high passing rate.

Over the last many years Turnkey IT Training has successfully New NCM-MCI-6.10 Dumps Pdf trained several thousands of networking professionals who have qualified the Nutanix Master Level certification exam.

- 2026 NCM-MCI-6.10 Exam Online: Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) - Latest Nutanix NCM-MCI-6.10 Latest Exam Fee □ Search for 『 NCM-MCI-6.10 』 and easily obtain a free download on □ www.prep4sures.top □ □ Valid Test NCM-MCI-6.10 Fee
- Quiz 2026 NCM-MCI-6.10: Reliable Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) Exam Online □

Search for ► NCM-MCI-6.10 ◀ and obtain a free download on ⇒ www.pdfvce.com ⇐ □ NCM-MCI-6.10 Exam Certification Cost

- One of the Best Ways to Prepare For the NCM-MCI-6.10 □ Download □ NCM-MCI-6.10 □ for free by simply searching on 「 www.examdiscuss.com 」 □ New NCM-MCI-6.10 Test Syllabus
- Nutanix Offers Many Features For Nutanix NCM-MCI-6.10 Exam Preparation □ Open 【 www.pdfvce.com 】 and search for □ NCM-MCI-6.10 □ to download exam materials for free □ NCM-MCI-6.10 Valid Torrent
- Dump NCM-MCI-6.10 Collection □ Actual NCM-MCI-6.10 Tests □ Actual NCM-MCI-6.10 Tests □ □ Enter ⇒ www.vce4dumps.com ⇐ and search for ⚡ NCM-MCI-6.10 □ ⚡ □ to download for free □ Pdf NCM-MCI-6.10 Free
- Nutanix NCM-MCI-6.10 PDF Dumps - Pass Your Exam In First Attempt [Updated-2026] □ Search for (NCM-MCI-6.10) and download exam materials for free through ► www.pdfvce.com □ □ NCM-MCI-6.10 Reliable Exam Prep
- New NCM-MCI-6.10 Test Syllabus ↴ NCM-MCI-6.10 Exam Certification Cost □ Actual NCM-MCI-6.10 Tests □ Enter ➔ www.prepawayexam.com □ □ □ and search for { NCM-MCI-6.10 } to download for free □ NCM-MCI-6.10 Exam Dumps Provider
- Quiz Latest Nutanix - NCM-MCI-6.10 Exam Online □ Search on 「 www.pdfvce.com 」 for □ NCM-MCI-6.10 □ to obtain exam materials for free download □ NCM-MCI-6.10 Valid Torrent
- New NCM-MCI-6.10 Exam Price □ NCM-MCI-6.10 Exam Material □ NCM-MCI-6.10 Valid Torrent ↵ 「 www.prepawaypdf.com 」 is best website to obtain ➔ NCM-MCI-6.10 □ □ □ for free download □ NCM-MCI-6.10 Related Exams
- NCM-MCI-6.10 Reliable Exam Prep □ Valid Test NCM-MCI-6.10 Fee □ NCM-MCI-6.10 Related Exams □ Search for ► NCM-MCI-6.10 □ on [www.pdfvce.com] immediately to obtain a free download □ NCM-MCI-6.10 Exam Material
- Quiz 2026 Nutanix Latest NCM-MCI-6.10: Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) Exam Online □ Search for (NCM-MCI-6.10) and download exam materials for free through ➔ www.dumpsquestion.com □ □ □ Pdf NCM-MCI-6.10 Free
- notefolio.net, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, skillinfinity.online, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, shortcourses.russellcollege.edu.au, www.stes.tyc.edu.tw, almanaracademy.com, Disposable vapes