

최신버전300-830유효한시험덤프퍼펙트한덤프는시험패스에가장좋은공부자료



Cisco 인증 300-830시험에 도전해보려고 결정하셨다면 Pass4Test덤프공부가이드를추천해드립니다. Pass4Test덤프는 고객님께서 필요한것이 무엇인지 너무나도 잘 알고 있습니다. Pass4Test의 Cisco 인증 300-830덤프는Cisco 인증 300-830시험을 쉽게 만듭니다.

Cisco인증300-830시험은 현재 치열한 IT경쟁 속에서 열기는 더욱더 뜨겁습니다. 응시자들도 더욱더 많습니다. 하지만 난이도난 전혀 낮아지지 않고 이지도 어려운 시험입니다. 어쨌든 개인적인 지식 장악도 나 정보기술 등을 테스트하는 시험입니다. 보통은Cisco인증300-830시험을 넘기 위해서는 많은 시간과 신경이 필요합니다.

>> 300-830유효한 시험덤프 <<

300-830시험패스 가능 덤프 - 300-830최신 기출문제

어떻게Cisco인증300-830시험을 패스하느냐 에는 여러 가지 방법이 있습니다. 하지만 여러분의 선택에 따라 보장도 또한 틀립니다. 우리Pass4Test 에서는 아주 완벽한 학습가이드를 제공하며,Cisco인증300-830시험은 아주 간편하게 패스하실 수 있습니다. Pass4Test에서 제공되는 문제와 답은 모두 실제Cisco인증300-830시험에서나 오는 문제들입니다. 일종의 기출문제입니다.때문에 우리Pass4Test덤프의 보장 도와 정확도는 안심하셔도 좋습니다.무조건Cisco 인증300-830시험을 통과하게 만듭니다.우리Pass4Test또한 끈임 없는 덤프갱신으로 페펙트한Cisco인증300-830시험 자료를 여러분들한테 선사하겠습니다.

최신 CCNP Collaboration 300-830 무료샘플문제 (Q10-Q15):

질문 # 10

An engineer must generate a report that details the number of times an agent went on a break. Which Cisco Webex Contact Center Analyzer repository must be queried?

- A. Customer Activity Record
- **B. Agent Activity Record**
- C. Customer Session Record
- D. Agent Session Record

정답: B

설명:

The Agent Activity Record repository tracks agent state changes and activity events, including when an agent selects a break or idle reason. Querying this repository provides the count of break occurrences for the agent.

질문 # 11

A user has the agent role and plans to sign in to Cisco Webex Contact Center desktop. Which system meets the requirements for WebRTC as the agent phone device?

```
Operating system: Windows 11
Network bandwidth: 512 Kbps
Host type: Physical
Browser: Chrome
Browser configuration: Medium security level
Browser configuration: Pop-up blocker is disabled
```

- **A.**
- B.

```
Operating system: Windows 10
Network bandwidth: 1 Mbps
Host type: Virtual desktop infrastructure (VDI)
Browser: Firefox
Browser configuration: Enhanced Tracking Protection is disabled
Browser configuration: Cookies and site data is enabled
```

```
Operating system: Chromium
Network bandwidth: 2 Mbps
Host type: Physical
Browser: Chrome
Browser configuration: Image option is enabled
Browser configuration: JavaScript is disabled
```

- C.

```
Operating system: Windows 11
Network bandwidth: 384 Kbps
Host type: Physical
Browser: Chrome
Browser configuration: Image option is enabled
Browser configuration: JavaScript is enabled
```

- D.

정답: A

설명:

WebRTC as an agent phone device requires a supported desktop operating system, a supported browser such as Chrome, sufficient network bandwidth, and browser settings that allow the Contact Center desktop to function correctly. This system meets

those requirements with Windows 11, Chrome, physical host usage, adequate bandwidth, and pop-ups allowed.

질문 # 12

A Webex Contact Center manager wants to synchronize Webex App presence states with the Webex Contact Center Agent Desktop to improve agent efficiency. Also, the manager wants the Agent Desktop to automatically switch to the already configured the "WebexAppCall" Webex Contact Center idle state when an agent is engaged in a non-Webex Contact Center call on the Webex App.

Which three actions must be taken to meet these requirements? (Choose three.)

- A. Add the "WebexAppCall" Webex Contact Center Idle code to a desktop layout and assign it to the team that agents are part of.
- B. Map the "On a Call" Webex Availability State to the "WebexAppCall" Webex Contact Center Idle code under Desktop > Webex App configuration.
- C. Map the "Outgoing Call" Webex Availability State to the "WebexAppCall" Webex Contact Center Idle code under Desktop > Webex App configuration.
- D. Enable "State Synchronization" under Desktop > Webex App configuration.
- E. Enable "Webex App Integration" under Desktop > Webex App configuration.
- F. Enable "State Synchronization" under Collaboration > Webex App in the Desktop Profile that will be used by agents.

정답: B,D,E

설명:


Webex App state synchronization is configured under the Desktop > Webex App configuration area, where the administrator enables Webex App integration, enables state synchronization, and maps Webex availability states to Webex Contact Center idle codes. The requested behavior is specific: when an agent is on a non-contact-center Webex App call, Agent Desktop must move to the configured WebexAppCall idle state.

Cisco's documentation identifies the Webex availability state as On a Call for this situation, not Outgoing Call. Therefore, On a Call must be mapped to the WebexAppCall idle code. The idle code must already exist in Webex Contact Center; it does not need to be added to a desktop layout, because idle codes are assigned through desktop profile configuration rather than layout JSON. The option that places state synchronization under Collaboration in the desktop profile does not match the stated Control Hub path. The three required actions are enabling the Webex App integration, mapping On a Call, and enabling State Synchronization.

Reference: Cisco Help, Manage desktop profiles; Integrate Webex Contact Center CRM Connector for Microsoft Dynamics 365, state synchronization section.

질문 # 13

Refer to the exhibit.



A Webex Contact Center engineer is deploying a chat digital channel widget for Company ABC . After the chat digital channel widget code is implemented in the company website, the chat digital channel widget does not load. While investigating Webex Contact Center, engineer sees this output in the web browser .
What is causing this issue?

- A. incorrect website domain configured for Web Chat Asset
- B. missing Webex Connect flow for chat digital channel
- C. firewall blocking connection to chat-widget.ini.chat domain
- D. companyabc.com domain missing in Webex Contact Center "Content security policy allowed list" configuration

정답: A

설명:

A Web Chat widget that is visible in configuration but does not load on the company website commonly points to an asset-domain mismatch. Cisco Webex Connect live chat assets require the website domain to be configured for the asset so the platform can validate where the widget is embedded. The exhibit shows the browser-side failure after widget code is implemented, which is consistent with the site domain not matching the domain configured for the Web Chat Asset. Missing Webex Connect flow configuration usually causes chat handling or routing failures after a chat is initiated, not the widget failing to load. A firewall block to a widget domain is possible in the real world, but the question says the engineer sees output in the browser while investigating Webex Contact Center, and the Cisco configuration control involved is the website domain on the asset. Content Security Policy allow-listing in Webex Contact Center is for desktop/embedded content behavior, not the primary asset-domain validation for web chat loading. Reference: Webex Connect Help, Livechat; Cisco Help, Set up digital channels in Webex Contact Center.

질문 # 14

A company wants to provide business continuity if WAN connectivity to Webex Calling is interrupted. Which Cisco solution supports local call survivability?

- A. Cisco Emergency Responder
- B. Webex Edge Audio
- C. Survivable Gateway
- D. Unified Border Element media bypass only

정답: C

설명:

A Survivable Gateway enables local call processing functionality during WAN or cloud outages. Phones can continue placing internal and limited PSTN calls even if connectivity to Webex Calling services fails. Edge Audio and

Emergency Responder address different collaboration requirements unrelated to local survivability.

질문 # 15

.....

Pass4Test덤프를 IT국제인증자격증 시험대비자료중 가장 퍼펙트한 자료로 거듭날수 있도록 최선을 다하고 있습니다. Cisco 300-830 덤프에는Cisco 300-830시험문제의 모든 범위와 유형을 포함하고 있어 시험적중율이 높아 구매하신 분이 모두 시험을 패스한 인기덤프입니다.만약 시험문제가 변경되어 시험에서 불합격 받으신다면 덤프비용 전액 환불해드리기에 안심하셔도 됩니다.

300-830시험패스 가능 덤프 : <https://www.pass4test.net/300-830.html>

IT인증자격증을 취득하려는 분들은 300-830덤프에 관심을 가져보세요, 300-830덤프를 다운받아 가장 쉬운 시험준비를 하여 한방에 패스가되는것입니다, Pass4Test는 여러분을 위해 최신Cisco인증 300-830시험에 대비한Cisco인증 300-830덤프를 발췌하였습니다, 300-830 덤프자료는 IT인증자격증중 가장 인기있는 자격증을 취득하는 필수 시험과목입니다, Pass4Test에서 출시한 Cisco 300-830덤프이 샘플을 받아보시면 저희 사이트의 자료에 믿음이 생길것입니다, Pass4Test의 믿음직한 Cisco인증 300-830덤프를 공부해보세요.

문득 신발이 벗겨졌다, 한주가 곧 데리러 온다는 얘기를 들었지만 언제인지는 확실하지 않고, IT인증자격증을 취득하려는 분들은 300-830덤프에 관심을 가져보세요, 300-830덤프를 다운받아 가장 쉬운 시험준비를 하여 한방에 패스가되는것입니다.

높은 적중율을 자랑하는 300-830유효한 시험덤프 덤프데모문제

Pass4Test는 여러분을 위해 최신Cisco인증 300-830시험에 대비한Cisco인증 300-830덤프를 발췌하였습니다, 300-830덤프자료는 IT인증자격증중 가장 인기있는 자격증을 취득하는 필수 시험과목입니다.

Pass4Test에서 출시한 Cisco 300-830덤프이 샘플을 받아보시면 저희 사이트의 자료에 믿음이 생길것입니다.

- 300-830최고품질 인증 시험덤프데모 □ 300-830질문과 답 □ 300-830최신버전 시험공부 □ 시험 자료를 무료로 다운로드하려면➡ www.koreadumps.com □□□을 통해➡ 300-830 □를 검색하십시오300-830공부문제
- 300-830유효한 시험덤프 인증 시험덤프데모 □ 무료 다운로드를 위해 (300-830) 를 검색하려면□ www.itdumpskr.com □을(를) 입력하십시오300-830퍼펙트 덤프문제
- 300-830유효한 시험덤프 인증 시험패스하여 자격증 취득하기 □ ⇒ www.dumptop.com ⇐의 무료 다운로드⇒ 300-830 ⇐페이지가 지금 열립니다300-830인증덤프 샘플 다운로드
- 300-830최신 시험 최신 덤프 □ 300-830최신버전 시험대비 공부자료 □ 300-830인증 시험 인기덤프 □ 시험 자료를 무료로 다운로드하려면✓ www.itdumpskr.com □✓□을 통해➡ 300-830 □□□를 검색하십시오300-830인증덤프 샘플 다운로드
- 최신버전 300-830유효한 시험덤프 완벽한 시험자료 □ 「 www.itdumpskr.com 」 에서□ 300-830 □를 검색하고 무료로 다운로드하세요300-830최신 덤프데모 다운
- 퍼펙트한 300-830유효한 시험덤프 덤프자료 □ 《 www.itdumpskr.com 》 웹사이트를 열고[300-830]를 검색하여 무료 다운로드300-830덤프최신문제
- 300-830자격증문제 □ 300-830덤프최신문제 □ 300-830최신버전 시험공부자료 □ 오픈 웹 사이트 { www.exampassdump.com } 검색 【 300-830 】 무료 다운로드300-830퍼펙트 덤프문제
- 300-830최신버전 시험공부자료 □ 300-830시험덤프문제 □ 300-830시험대비 덤프 최신 데모 □ (www.itdumpskr.com) 에서□ 300-830 □를 검색하고 무료 다운로드 받기300-830인증덤프 샘플 다운로드
- 300-830시험패스 덤프공부자료 □ 300-830시험덤프문제 □ 300-830최신버전 시험공부 □ 「 www.koreadumps.com 」 에서➡ 300-830 □를 검색하고 무료 다운로드 받기300-830시험덤프문제
- 시험패스에 유효한 300-830유효한 시험덤프 인증 시험공부자료 □ 지금 ➡ www.itdumpskr.com □□□에서⇒ 300-830 ⇐를 검색하고 무료로 다운로드하세요300-830유효한 시험덤프
- 300-830공부문제 □ 300-830최신버전 시험공부 □ 300-830최신버전 시험공부 □ “ www.exampassdump.com ” 웹사이트를 열고□ 300-830 □를 검색하여 무료 다운로드300-830공부문제
- bookmarkangaroo.com, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, larissayaze381390.blogacep.com, www.stes.tyc.edu.tw, joanribu089150.wikilentillas.com, munaacademy-om.com, unmalife.com, training.bimarc.com, junaidueko082021.onzeblog.com, Disposable vapes