

CHFM試験の準備方法 | 最新のCHFM最新関連参考書 試験 | 認定するCertified Healthcare Facility Manager (CHFM) certification exam 真実試験



無料でクラウドストレージから最新のFast2test CHFM PDFダンプをダウンロードする：<https://drive.google.com/open?id=1am5PWGeL0QQ6Bp0hQYm5gVWDkRJ8w8xf>

現在、試験銀行がシミュレーションテストを提供するような統合システムを持っていることはほとんどありません。CHFM学習ツールについて学習した後、実際のCHFM試験を刺激することの重要性が徐々に認識されます。この機能により、練習システムがどのように動作するかを簡単に把握し、CHFM試験に関する中核的な知識を得ることができます。さらに、実際の試験環境にいるときは、質問への回答の速度と品質を制御し、エクササイズの良い習慣を身に付けることを学ぶことができます。そのため、CHFM試験に合格できます。

CHFM試験には多くの利点があり、Medical Professional購入する価値があります。購入前にCHFMガイドの質問デモをダウンロードして試用し、支払いが完了したらすぐに使用できます。支払いが完了したら、5~10分以内に送信します。その後、あなたはそれを学び、実践することができます。Certified Healthcare Facility Manager (CHFM) certification exam試験に合格するための最新のCHFM試験問題があることを確認するために、CHFMトレント質問を頻繁に更新します。CHFM試験に合格すると、大企業に入社して賃金を2倍にすることができます。

>> CHFM最新関連参考書 <<

最高なMedical ProfessionalのCHFM認定試験テストソフトウェア

CHFM認定試験の準備をするために一生懸命勉強して疲れを感じる際には、他の人が何をしているかを知っていますか。あなたと同じIT認定試験を受験する周りの人を見てください。あなたが試験のために不安と感じているとき、どうして他の人が自信満々で、のんびり見ているのでしょうか。あなたの能力は彼らより弱いのですか。もちろんそんなことはないです。では、なぜ他の人が簡単にCHFM試験に合格することができるかを知りたいですか。それは彼らがFast2testのCHFM問題集を利用したからです。この問題集を勉強することだけで楽に試験に合格することができます。信じないのですか。不思議を思っていますか。では、急いで試してください。まず問題集のdemoを体験することができます。そうすれば、この問題集の品質を確認することができます。はやくFast2testのサイトをクリックしてください。

Medical Professional Certified Healthcare Facility Manager (CHFM) certification exam 認定 CHFM 試験問題 (Q22-Q27):

質問 # 22

The cost to replace an aging chiller should be part of an organization's

- A. depreciation fund.
- B. operating budget.
- C. project fund.
- D. capital budget.

正解: D

解説:

Replacement of major building systems (e.g., chillers, boilers, roofs) falls under capital expenditures because these items are large, non-recurring, and add to or extend the life of facility assets. The capital budget accounts for these costs, which are not part of the day-to-day operations budget.

Correct: Capital budget (A) - Covers replacement of major equipment and infrastructure.

Incorrect:

B). Project fund - May finance special projects but not part of standard budgeting categories.

C). Depreciation fund - An accounting mechanism, not typically a direct budget line for replacement.

D). Operating budget - Covers recurring expenses like utilities, maintenance, and repairs, not full replacements.

References:

AHA/ASHE: Health Care Facility Budgeting Guidance.

CHFM Candidate Handbook - Financial Management domain: capital vs. operating budgeting.

質問 # 23

A diesel emergency generator is rated at 500 KVA. When the generator is tested, the load on it is 220 KVA.

According to the NFPA, the MINIMUM testing requirements are to run the unit

- A. annually with supplemental loads for 30 minutes.
- B. monthly until the water temperature and oil pressure have stabilized.
- C. annually with supplemental loads for 2 hours.
- D. monthly under load for 30 minutes.

正解: B

解説:

NFPA 110 (Standard for Emergency and Standby Power Systems) requires that emergency generators be tested monthly under load. If the available load is less than 30% of the generator's nameplate rating, the test may be conducted until operating parameters (water temperature, oil pressure) stabilize. For longer durations, supplemental loading or load bank testing applies, but the minimum standard is monthly operation until systems stabilize.

Reference: NFPA 110 (2010), Section 8.4.2.

質問 # 24

Which of the following must be considered at the schematic design stage?

- A. general conditions
- B. lighting fixtures
- C. equipment specifications
- D. egress requirements

正解: D

解説:

In the schematic design phase, the design team establishes overall building configuration, circulation, and code-driven life safety concepts, including means of egress. Life Safety Code requirements (occupant loads, exit access, number and arrangement of exits, travel distances) are fundamental constraints that shape the plan early; they must be set before moving into design development where specific fixtures and detailed equipment specifications are finalized. Contract "general conditions" are part of procurement/contract documents later, not schematic design.

References:

AIA, Architect's Handbook of Professional Practice (Programming and Schematic Design-code and egress framework).

NFPA 101, Life Safety Code (fundamentals of means of egress).

AHA/ASHE CHFM Study Resources - Planning, Design, and Construction domain.

質問 # 25

The Americans with Disabilities Act (ADA) requires that tactile Braille information be included on which of the following signs in a healthcare facility?

- A. directional
- B. mechanical spaces
- C. informational
- **D. room identification**

正解: D

解説:

Under the ADA Accessibility Guidelines (ADAAG), room identification signs must include raised tactile characters and Braille. These apply to permanent spaces such as patient rooms, restrooms, and offices.

C). room identification (Correct): Required by ADA to have tactile and Braille.

A). directional: May use visual characters only; Braille is not required.

B). informational: Same as directional, not required to have Braille.

D). mechanical spaces: These areas are typically staff-only; signs do not require tactile or Braille by ADA standards.

References:

Americans with Disabilities Act Accessibility Guidelines (ADAAG), Sections 216 and 703.

CHFM Compliance domain - regulatory requirements for accessibility.

質問 # 26

Medical gases normally found in a patient room include

oxygen.

medical air.

nitrogen.

vacuum.

- A. 1, 2, and 3 only
- B. 2, 3, and 4 only
- C. 1, 3, and 4 only
- **D. 1, 2, and 4 only**

正解: D

解説:

In a standard patient room in a healthcare facility, the typical medical gas outlets include:

Oxygen (1) - for patient respiratory therapy.

Medical Air (2) - used for respiratory support.

Vacuum (4) - for suction applications.

Nitrogen (3) is not normally supplied in a patient room; it is typically used in surgical suites for powering tools.

References:

NFPA 99: Health Care Facilities Code, Chapter 5, Medical Gas and Vacuum Systems.

CHFM Candidate Handbook - Maintenance and Operations domain (Utility Systems).

質問 # 27

.....

長い間、Fast2test私たち Medical ProfessionalのCHFM試験トレントは、重要な要素の使用に学生を引き付けるために常に高品質であり、高品質を保証するだけでなく、より良い教育方法を学生に提供し、同時にCHFM実践教材は、より優れた教育効果をもたらします。また、ウェブ上のCHFM試験問題の3つの異なるバージョンにより、高品質のCertified Healthcare Facility Manager (CHFM) certification exam学習ガイドは、学生が自分の学習方法に適した選択方法を知るのに役立ち、CHFM学習教材は非常に優れています 試験に合格するためのオプション。

CHFM真実試験: <https://jp.fast2test.com/CHFM-premium-file.html>

CHFM試験資料は、希望するCHFM認定を取得するのに役立ちます、また、99%から100%の高い合格率により、CHFM試験は非常に簡単です、Medical Professional CHFM最新関連参考書 怠け者の罰は自分の失敗だけでなく、他人の成功でもあります、CHFM証明書を取得することは、私たちの日常生活と仕事にとって非常に重要であることは間違いありません、それで、CHFM試験問題集資料を選んでいたら、あなたは望ましい結果を取られます、我々は弊社の問題集が最新のCHFM真実試験 - Certified Healthcare Facility Manager (CHFM) certification

