

Advanced Deploy VMware NSX-T Data Center 3.X updated training vce & 3V0-41.22 free demo & Advanced Deploy VMware NSX-T Data Center 3.X valid torrent



P.S. Free 2026 VMware 3V0-41.22 dumps are available on Google Drive shared by PDFBraindumps:
https://drive.google.com/open?id=1-zIK6zqPZHa80P9_8fGqOH7choLktul

Our 3V0-41.22 exam materials will help you pass the exam with the least time. You can pass your exam after learning 48 to 72 hours of our 3V0-41.22 exam dumps. Since we have a professional team to edit and verify the exam materials, therefore the 3V0-41.22 exam materials are high-quality and accurate. Besides 3V0-41.22 Exam Dumps contain most of knowledge points of the exam, and you will have a good command of them in the process of learning. We are pass guarantee and money back guarantee. If you fail to pass the exam, we will refund your money.

Our 3V0-41.22 study materials will provide you with 100% assurance of passing the professional qualification exam. We are very confident in the quality of 3V0-41.22 guide torrent. Our pass rate of 3V0-41.22 training braindump is high as 98% to 100%. You can totally rely on our 3V0-41.22 Practice Questions. We have free demo of our 3V0-41.22 learning prep for you to check the excellent quality. As long as you free download the 3V0-41.22 exam questions, you will be satisfied with them and pass the 3V0-41.22 exam with ease.

>> 3V0-41.22 Training Materials <<

Valid 3V0-41.22 Test Book | Exam 3V0-41.22 Cram Review

As we all know, the world does not have two identical leaves. People's tastes also vary a lot. So we have tried our best to develop

the three packages of our 3V0-41.22 exam braindumps for you to choose. Now we have free demo of the 3V0-41.22 study materials exactly according to the three packages on the website for you to download before you pay for the 3V0-41.22 Practice Engine, and the free demos are a small part of the questions and answers. You can check the quality and validity by them.

VMware Advanced Deploy VMware NSX-T Data Center 3.X Sample Questions (Q13-Q18):

NEW QUESTION # 13

Task 13

You have been asked to configure the NSX backups for the environment so that if the NSX Manager fails it can be restored with the same IP address to the original primary Data Center that is in an Active / Standby configuration. Backups should be scheduled to run once every 24 hours as well as when there are changes published to the NSX environment. Ensure that backups are completed on their respective environment. Verify the backup file has been created on the SFTP server.

* Credentials needed to complete the task:

SFTP User:	sftpuser
Password:	VMware1!
SFTP IP:	192.168.110.91
Hostname:	ubuntu-01.corp.local

You need to:

- * Verify that an SFTP server is available on the network and obtain SFTP Fingerprint.
- * Configure NSX Backups via NSX Appliance Backup
- * Configure Scheduling Criteria

Backup Configuration Criteria

Backup Schedule:	Once backup per 24 hours
Additional Backup Triggers:	Detect NSX configuration (5 min time interval)
Primary Data Center Configuration:	Active / Standby
Backup locations:	All backups on respective NSX environment
Additional Notes:	NSX Manager shall be restored with same IP address
Directory Path:	/data
Passphrase:	VMware1!

Complete the requested task.

Notes: Passwords are contained in the user_readme.txt. This task is not dependent on other tasks. This task should take approximately 15 minutes to complete.

Answer:

Explanation:

See the Explanation part of the Complete Solution and step by step instructions.

Explanation

To configure the NSX backups for the environment, you need to follow these steps:

Verify that an SFTP server is available on the network and obtain SFTP fingerprint. You can use the search_web("SFTP server availability") tool to find some information on how to set up and check an SFTP server. You can also use the ssh-keyscan command to get the fingerprint of the SFTP server. For example, ssh-keyscan -t ecdsa sftp_server will return the ECDSA key of the sftp_server. You can compare this key with the one displayed on the NSX Manager UI when you configure the backup settings. Configure NSX Backups via NSX Appliance Backup. Log in to the NSX Manager UI with admin credentials. The default URL is https://<nsx-manager-ip-address>. Select System > Lifecycle Management > Backup & Restore. Click Edit under the SFTP Server label to configure your SFTP server. Enter the FQDN or IP address of the backup file server, such as 10.10.10.100. The protocol text box is already filled in. SFTP is the only supported protocol. Change the default port if necessary. The default TCP port is 22. In the Directory Path text box, enter the absolute directory path where the backups will be stored, such as /data. The directory must already exist and cannot be the root directory (/). Avoid using path drive letters or spaces in directory names; they are not supported. In the Passphrase text box, enter a passphrase that will be used to encrypt and decrypt the backup files, such as VMware1!.

Click Save to create the backup configuration.

Configure Scheduling Criteria. On the Backup & Restore page, click Edit under the Schedule label to configure your backup schedule. Select Enabled from the drop-down menu to enable scheduled backups.

Select Daily from the Frequency drop-down menu to run backups once every 24 hours. Select a time from the Time drop-down menu to specify when the backup will start, such as 12:00 AM. Select Enabled from the Additional Backup Trigger drop-down menu to run backups when there are changes published to the NSX environment. Click Save to create the backup schedule.

Verify that a backup file has been created on the SFTP server. On the Backup & Restore page, click Start Backup to run a manual backup and verify that it completes successfully. You should see a message saying "Backup completed successfully". You can also check the status and details of your backups on this page, such as backup size, duration, and timestamp. Alternatively, you can log in

to your SFTP server and check if there is a backup file in your specified directory path, such as /data.

NEW QUESTION # 14

SIMULATION

Task 15

You have been asked to enable logging so that the global operations team can view in Realize Log Insight that their Service Level Agreements are being met for all network traffic that is going in and out of the NSX environment. This NSX environment is an Active / Active two Data Center design utilizing N-VDS with BCP. You need to ensure successful logging for the production NSX-T environment.

You need to:

Verify via putty with SSH that the administrator can connect to all NSX-Transport Nodes. You will use the credentials identified in Putty (admin).

Verify that there is no current active logging enabled by reviewing that directory is empty -/var/log/syslog- Enable NSX Manager Cluster logging Select multiple configuration choices that could be appropriate success criteria Enable NSX Edge Node logging Validate logs are generated on each selected appliance by reviewing the "/var/log/syslog" Complete the requested task.

Notes: Passwords are contained in the user _ readme.txt. complete.

These task steps are dependent on one another. This task should take approximately 10 minutes to complete.

Answer:

Explanation:

See the Explanation part of the Complete Solution and step by step instructions Explanation:

To enable logging for the production NSX-T environment, you need to follow these steps:

Verify via putty with SSH that the administrator can connect to all NSX-Transport Nodes. You can use the credentials identified in Putty (admin) to log in to each transport node. For example, you can use the following command to connect to the sfo01w01en01 edge transport node: ssh admin@sfo01w01en01. You should see a welcome message and a prompt to enter commands.

Verify that there is no current active logging enabled by reviewing that directory is empty -/var/log/syslog-. You can use the ls command to list the files in the /var/log/syslog directory. For example, you can use the following command to check the sfo01w01en01 edge transport node: ls /var/log/syslog. You should see an empty output if there is no active logging enabled.

Enable NSX Manager Cluster logging. You can use the search_web("NSX Manager Cluster logging configuration") tool to find some information on how to configure remote logging for NSX Manager Cluster. One of the results is NSX-T Syslog Configuration Revisited - vDives, which provides the following steps:

Navigate to System > Fabric > Profiles > Node Profiles then select All NSX Nodes then under Syslog Servers click +ADD Enter the IP or FQDN of the syslog server, the Port and Protocol and the desired Log Level then click ADD Select multiple configuration choices that could be appropriate success criteria. You can use the search_web("NSX-T logging success criteria") tool to find some information on how to verify and troubleshoot logging for NSX-T. Some of the possible success criteria are:

The syslog server receives log messages from all NSX nodes

The log messages contain relevant information such as timestamp, hostname, facility, severity, message ID, and message content The log messages are formatted and filtered according to the configured settings The log messages are encrypted and authenticated if using secure protocols such as TLS or LI-TLS Enable NSX Edge Node logging. You can use the search_web("NSX Edge Node logging configuration") tool to find some information on how to configure remote logging for NSX Edge Node. One of the results is Configure Remote Logging - VMware Docs, which provides the following steps:

Run the following command to configure a log server and the types of messages to send to the log server. Multiple facilities or message IDs can be specified as a comma delimited list, without spaces.

```
set logging-server <hostname-or-ip-address [<port>] proto <proto> level <level> [facility <facility>] [messageid <messageid>] [serverca <filename>] [clientca <filename>] [certificate <filename>] [key <filename>] [structured-data <structured-data>] Validate logs are generated on each selected appliance by reviewing the "/var/log/syslog". You can use the cat or tail commands to view the contents of the /var/log/syslog file on each appliance. For example, you can use the following command to view the last 10 lines of the sfo01w01en01 edge transport node: tail -n 10 /var/log/syslog. You should see log messages similar to this:
```

```
2023-04-06T12:34:56+00:00 sfo01w01en01 user.info nsx-edge[1234]: 2023-04-06T12:34:56Z nsx-edge[1234]: INFO: [nsx@6876 comp="nsx-edge" subcomp="nsx-edge" level="INFO" security="False"] Message from nsx-edge You have successfully enabled logging for the production NSX-T environment.
```

NEW QUESTION # 15

SIMULATION

Task 7

you are asked to create a custom QoS profile to prioritize the traffic on the phoenix-VLAN segment and limit the rate of ingress traffic.

You need to:

* Create a custom QoS profile for the phoenix-VLAN using the following configuration detail:

• Create a custom QoS profile for the phoenix-VLAN using the following configuration detail:	
Name:	ingress-phoenix-qos-profile
Priority:	0
Class of Service:	
Ingress traffic rate limits:	10 Mbps for average, 200 Mbps for peak

* Apply the profile on the 'phoenix-VLAN' segment

Complete the requested task.

Notes: Passwords are contained in the user_readme.txt.

take approximately 5 minutes to complete.

Subsequent tasks may require the completion of this task. This task should

Answer:

Explanation:

See the Explanation part of the Complete Solution and step by step instructions Explanation:

To create a custom QoS profile to prioritize the traffic on the phoenix-VLAN segment and limit the rate of ingress traffic, you need to follow these steps:

Log in to the NSX Manager UI with admin credentials. The default URL is <https://<nsx-manager-ip-address>>.

Navigate to Networking > Segments > Switching Profiles and click Add Switching Profile. Select QoS as the profile type.

Enter a name and an optional description for the QoS profile, such as phoenix-QoS.

In the Mode section, select Untrusted as the mode from the drop-down menu. This will allow you to set a custom DSCP value for the outbound IP header of the traffic on the segment.

In the Priority section, enter 46 as the DSCP value. This will mark the traffic with Expedited Forwarding (EF) per-hop behavior, which is typically used for high-priority applications such as voice or video.

In the Class of Service section, enter 5 as the CoS value. This will map the DSCP value to a CoS value that can be used by VLAN-based logical ports or physical switches to prioritize the traffic.

In the Ingress section, enter 1000000 as the Average Bandwidth in Kbps. This will limit the rate of inbound traffic from the VMs to the logical network to 1 Mbps.

Optionally, you can also configure Peak Bandwidth and Burst Size settings for the ingress traffic, which will allow some burst traffic above the average bandwidth limit for a short duration.

Click Save to create the QoS profile.

Navigate to Networking > Segments and select the phoenix-VLAN segment that you want to apply the QoS profile to.

Click Actions > Apply Profile and select phoenix-QoS as the switching profile that you want to apply to the segment.

Click Apply to apply the profile to the segment.

You have successfully created a custom QoS profile and applied it to the phoenix-VLAN segment.

NEW QUESTION # 16

Task 3

You are asked to deploy a new instance of NSX-T into an environment with two isolated tenants. These tenants each have separate physical data center cores and have standardized on BCP as a routing protocol.

You need to:

• Configure a new Edge cluster with the following configuration detail:	
Name:	edge-cluster-01
Edge cluster profile:	nsx-default-edge-high-availability-profile
Includes Edges:	nsx-edge-01 and nsx-edge-02
• Configure a Tier-0 Gateway with the following configuration detail:	
Name:	T0-01
HA Mode:	Active Active
Edge cluster:	edge-cluster-01

• Configure two ECMP Uplinks to provide maximum throughput and fault tolerance. Use the following configuration detail:

- Uplink-1

Type:	External
Name:	Uplink-1
IP Address/Mask:	192.168.100.2/24
Connected to:	Uplink
Edge Node:	nsx-edge-01

- Uplink-2

Type:	External
Name:	Uplink-2
IP Address/Mask:	192.168.100.3/24
Connected to:	Uplink
Edge Node:	nsx-edge-02

• Configure BGP on the Tier-0 Gateway with the following detail:

Local AS:	65001
BGP Neighbors:	IP Address: 192.168.100.1 BFD: Disabled Remote AS Number: 65002
Additional Info:	All other values should remain at default while ensuring that ECMP is On
Source Addresses:	192.168.100.2 and 192.168.100.3

• Configure VRF Lite for the secondary tenant with the following detail:

Name:	TO-01-vrf
Connected to Tier-0 Gateway:	TO-01

Complete the requested task.

Notes: Passwords are Contained in the user_readme.txt. Task 3 is dependent on the Completion Of Task and 2.

Other tasks are dependent On the Completion Of this task. Do not wait for configuration changes to be applied in this task as processing may take up to 10 minutes to complete. Check back on completion. This task should take approximately 10 minutes to complete.

Answer:

Explanation:

See the Explanation part of the Complete Solution and step by step instructions.

Explanation

To deploy a new instance of NSX-T into an environment with two isolated tenants, you need to follow these steps:

Log in to the NSX Manager UI with admin credentials. The default URL is

<https://<nsx-manager-ip-address>>.

Navigate to System > Fabric > Nodes > Edge Transport Nodes and click Add Edge VM.

Enter a name and an optional description for the edge VM. Select the compute manager, cluster, and resource pool where you want to deploy the edge VM. Click Next.

Select the deployment size and form factor for the edge VM. For this task, you can select Medium as the size and VM as the form factor. Click Next.

Select the datastore and folder where you want to store the edge VM files. Click Next.

Configure the management network settings for the edge VM. Enter a hostname, a management IP address, a default gateway, a DNS server, and a domain search list. Optionally, you can enable SSH and join the edge VM to a domain. Click Next.

Configure the transport network settings for the edge VM. Select an N-VDS as the host switch type and enter a name for it. Select an uplink profile from the drop-down menu or create a new one by clicking New Uplink Profile. Map the uplinks to the physical NICs on the edge VM. For example, map Uplink 1 to fp-eth0 and Uplink 2 to fp-eth1. Optionally, you can configure IP assignment, MTU, or LLDP for the uplinks. Click Next.

Review the configuration summary and click Finish to deploy the edge VM.

Repeat steps 2 to 8 to deploy another edge VM for redundancy.

Navigate to Networking > Tier-0 Gateway and click Add Gateway > VRF.

Enter a name and an optional description for the VRF gateway. Select an existing tier-0 gateway as the parent gateway or create a new one by clicking New Tier-0 Gateway.

Click VRF Settings and enter a VRF ID for the tenant. Optionally, you can enable EVPN settings if you want to use EVPN as the control plane protocol for VXLAN overlay networks.

Click Save to create the VRF gateway.

Repeat steps 10 to 13 to create another VRF gateway for the second tenant with a different VRF ID.

Navigate to Networking > Segments and click Add Segment.

Enter a name and an optional description for the segment. Select VLAN as the connectivity option and enter a VLAN ID for the segment. For example, enter 128 for Tenant A's first uplink VLAN segment.

Select an existing transport zone from the drop-down menu or create a new one by clicking New Transport Zone.

Click Save to create the segment.

Repeat steps 15 to 18 to create three more segments for Tenant A's second uplink VLAN segment (VLAN ID 129) and Tenant B's uplink VLAN segments (VLAN ID 158 and 159).

Navigate to Networking > Tier-0 Gateway and select the VRF gateway that you created for Tenant A.

Click Interfaces > Set > Add Interface.

Enter a name and an optional description for the interface.

Enter the IP address and mask for the external interface in CIDR format, such as 10.10.10.1/24.

In Type, select External.

In Connected To (Segment), select the VLAN segment that you created for Tenant A's first uplink VLAN segment (VLAN ID 128).

Select an edge node where you want to attach the interface, such as Edge-01.

Enter the Access VLAN ID from the list as configured for the segment, such as 128.

Click Save and then Close.

Repeat steps 21 to 28 to create another interface for Tenant A's second uplink VLAN segment (VLAN ID 129) on another edge node, such as Edge-02.

Repeat steps 20 to 29 to create two interfaces for Tenant B's uplink VLAN segments (VLAN ID 158 and 159) on each edge node using their respective VRF gateway and IP addresses.

Configure BGP on each VRF gateway using NSX UI or CLI commands 12. You need to specify the local AS number, remote AS number, BGP neighbors, route redistribution, route filters, timers, authentication, graceful restart, etc., according to your requirements 34.

Configure BGP on each physical router using their respective CLI commands 56. You need to specify similar parameters as in step 31 and ensure that they match with their corresponding VRF gateway settings 78.

Verify that BGP sessions are established between each VRF gateway and its physical router neighbors using NSX UI or CLI commands. You can also check the routing tables and BGP statistics on each device.

You have successfully deployed a new instance of NSX-T into an environment with two isolated tenants using VRF Lite and BGP.

NEW QUESTION # 17

SIMULATION

Task 8

You are tasked With troubleshooting the NSX IPSec VPN service Which has been reported down. Verify the current NSX configuration is deployed and resolve any issues.

You need to:

* Verify the present configuration as provided below:

NSX IPSec Session Name:	IPSEC
Remote IP:	192.168.140.2
Local Networks:	10.10.10.0/24
Remote Networks:	10.10.20.0/24
Pre-shared Key:	VMware!VMware!

Complete the requested task.

Notes: Passwords are contained in the user_readme.txt. This task is not dependent on another. This task Should take approximately 15 minutes to complete.

Answer:

Explanation:

See the Explanation part of the Complete Solution and step by step instructions Explanation:

To troubleshoot the NSX IPSec VPN service that has been reported down, you need to follow these steps:

Log in to the NSX Manager UI with admin credentials. The default URL is <https://<nsx-manager-ip-address>>.

Navigate to Networking > VPN > IPSec VPN and select the IPSec VPN session that is down. You can identify the session by its name, local endpoint, remote endpoint, and status.

Click Show IPSec Statistics and view the details of the IPSec VPN session failure. You can see the error message, the tunnel state, the IKE and ESP status, and the statistics of the traffic sent and received.

Compare the configuration details of the IPSec VPN session with the expected configuration as provided below. Check for any discrepancies or errors in the parameters such as local and remote endpoints, local and remote networks, IKE and ESP profiles, etc.

If you find any configuration errors, click Actions > Edit and modify the parameters accordingly. Click Save to apply the changes.

If you do not find any configuration errors, check the connectivity and firewall rules between the local and remote endpoints. You can use ping or traceroute commands from the NSX Edge CLI to test the connectivity. You can also use show service ipsec command to check the status of IPSec VPN service on the NSX Edge.

If you find any connectivity or firewall issues, resolve them by adjusting the network settings or firewall rules on the NSX Edge or the

third-party device.

After resolving the issues, verify that the IPSec VPN session is up and running by refreshing the IPSec VPN page on the NSX Manager UI. You can also use show service ipsec sp and show service ipsec sa commands on the NSX Edge CLI to check the status of security policy and security association for the IPSec VPN session.

NEW QUESTION # 18

.....

We know deeply that a reliable 3V0-41.22 exam material is our company's foothold in this competitive market. High accuracy and high quality are the most important things we always looking for. Compared with the other products in the market, our 3V0-41.22 latest questions grasp of the core knowledge and key point of the real exam, the targeted and efficient Advanced Deploy VMware NSX-T Data Center 3.X study training dumps guarantee our candidates to pass the test easily. Passing exam won't be a problem anymore as long as you are familiar with our 3V0-41.22 Exam Material (only about 20 to 30 hours practice). High accuracy and high quality are the reasons why you should choose us.

Valid 3V0-41.22 Test Book: https://www.pdfbraindumps.com/3V0-41.22_valid-braindumps.html

VMware 3V0-41.22 Training Materials Grasp the pace of time, complete the exam within the time specified in the exam Learn to summarize and reflect, People who don't study from updated Advanced Deploy VMware NSX-T Data Center 3.X (3V0-41.22) questions fail the examination and loss time and money, While, the questions of the demo are just the part questions of the complete 3V0-41.22 certkingdom study dumps, you can just take the free demo as a reference, We provide timely and free update for you to get more 3V0-41.22 questions torrent and follow the latest trend.

Media types, infrastructure components, and network devices, Enjoy and organize 3V0-41.22 all your music, videos, and photos, Grasp the pace of time, complete the exam within the time specified in the exam Learn to summarize and reflect.

Real Advanced Deploy VMware NSX-T Data Center 3.X Pass4sure Torrent - 3V0-41.22 Study Pdf & Advanced Deploy VMware NSX-T Data Center 3.X Training Vce

People who don't study from updated Advanced Deploy VMware NSX-T Data Center 3.X (3V0-41.22) questions fail the examination and loss time and money, While, the questions of the demo are just the part questions of the complete 3V0-41.22 certkingdom study dumps, you can just take the free demo as a reference.

We provide timely and free update for you to get more 3V0-41.22 questions torrent and follow the latest trend, These two versions of our 3V0-41.22 practice guide helps you to test your knowledge and over the exam anxiety.

- Clear 3V0-41.22 Exam Authorized 3V0-41.22 Certification Study 3V0-41.22 Center Easily obtain free download of { 3V0-41.22 } by searching on “ www.pdfdumps.com ” Authorized 3V0-41.22 Certification
- Pass 3V0-41.22 Exam with Trustable 3V0-41.22 Training Materials by Pdfvce Simply search for 《 3V0-41.22 》 for free download on ➤ www.pdfvce.com Clear 3V0-41.22 Exam
- Valid 3V0-41.22 Exam Materials Authorized 3V0-41.22 Certification 3V0-41.22 Reliable Exam Topics Easily obtain ➡ 3V0-41.22 ⇄ for free download through ➤ www.pdfdumps.com 3V0-41.22 Test Answers
- Valid Test 3V0-41.22 Bootcamp Reliable 3V0-41.22 Exam Guide 3V0-41.22 Reliable Dumps Sheet Copy URL ➤ www.pdfvce.com open and search for 3V0-41.22 to download for free Clear 3V0-41.22 Exam
- Choosing 3V0-41.22 Training Materials - Get Rid Of Advanced Deploy VMware NSX-T Data Center 3.X Enter ➤ www.dumpsquestion.com and search for [3V0-41.22] to download for free 3V0-41.22 Reliable Dumps Sheet
- VMware 3V0-41.22 Exam | 3V0-41.22 Training Materials - Free Download for your Valid 3V0-41.22 Test Book any time Simply search for { 3V0-41.22 } for free download on “ www.pdfvce.com ” 3V0-41.22 Reliable Dumps Sheet
- Current 3V0-41.22 Exam Content 3V0-41.22 Test Answers Authorized 3V0-41.22 Certification Open website ➤ www.examcollectionpass.com and search for ➤ 3V0-41.22 for free download Valid 3V0-41.22 Test Guide
- 3V0-41.22 Exam Simulator 3V0-41.22 Reliable Exam Topics 3V0-41.22 Test Answers Enter ➡ www.pdfvce.com and search for “ 3V0-41.22 ” to download for free Valid 3V0-41.22 Exam Materials
- Download 3V0-41.22 Pdf 3V0-41.22 New Real Exam Download 3V0-41.22 Pdf Simply search for ➤ 3V0-41.22 for free download on ✓ www.testkingpass.com ✓ Latest 3V0-41.22 Test Fee
- 3V0-41.22 Reliable Exam Topics Study 3V0-41.22 Center Test Certification 3V0-41.22 Cost ♥ Search for 《 3V0-41.22 》 on ➤ www.pdfvce.com immediately to obtain a free download Latest 3V0-41.22 Test Fee
- 2026 VMware Efficient 3V0-41.22 Training Materials Download 3V0-41.22 for free by simply entering

www.troytecdumps.com □ website □ 3V0-41.22 New Dumps Sheet

What's more, part of that PDFBraindumps 3V0-41.22 dumps now are free: https://drive.google.com/open?id=1-zIK6zqPZHa80P9_8fiGqOH7choLktu1