

ISO-14001-Lead-Auditor最新対策問題、ISO-14001-Lead-Auditor関連日本語内容



2026年CertShikenの最新ISO-14001-Lead-Auditor PDFダンプおよびISO-14001-Lead-Auditor試験エンジンの無料共有: <https://drive.google.com/open?id=1nHUtCFil6Hybk0NYj86gAxlPXfvgfHro>

PECB ISO-14001-Lead-Auditor試験のAPPテストエンジンは、ほとんどの認定候補者がファッションであり、この新しい学習方法に簡単に適応できるため、少なくとも60%の受験者に人気があります。ISO-14001-Lead-Auditor試験のAPPテストエンジンは、いつでもどこでも使用できると考える人がいます。また、候補者の一部は、このバージョンでは実際のテストで実際のシーンをシミュレートできると考えています。ブラウザを開くことができれば、学ぶことができます。また、オフラインで学習したい場合は、ISO-14001-Lead-Auditor試験のAPPテストエンジンをダウンロードしてインストールした後、キャッシュをクリアしないでください。

PECB ISO-14001-Lead-Auditor 認定試験の出題範囲:

トピック	出題範囲
トピック 1	ISO 14001監査プログラムの管理: この試験セクションでは、EMS監査員が監査プログラム全体を管理できる能力を評価します。これには、組織およびコンプライアンス目標に沿った監査プログラムの計画、実施、監視、そして継続的な改善が含まれます。
トピック 2	ISO 14001監査の終了: この領域は、監査終了プロセスにおける監査コンサルタントの責任に焦点を当てています。これには、指摘事項の評価、監査結論の準備、終了会議の開催、そして結果の適切な報告と伝達の確保が含まれます。
トピック 3	環境管理システムの要件: このセクションでは、監査コンサルタントがISO 14001の特定の要件を解釈して適用する能力を評価します。組織の状況、リーダーシップ、計画、サポート、運用、パフォーマンス評価など、規格の構造を理解することに重点を置いています。

>> ISO-14001-Lead-Auditor最新対策問題 <<

ISO-14001-Lead-Auditor関連日本語内容 & ISO-14001-Lead-Auditorサンプル問題集

多くの受験生の反応によって、CertShikenの模擬試験は全面的で質が高いです。PECB試験は難しいですから、参考資料がないなら、試験に合格するのは簡単ではありません。我々の的中率が高く、安いISO-14001-Lead-Auditor問題集を利用して試験に気楽に合格することができます。弊社の問題集がありましたら、易く成功できます。

PECB Certified EMS ISO 14001 Lead Auditor Exam 認定 ISO-14001-Lead-

Auditor 試驗問題 (Q10-Q15):

質問 # 10

You are conducting a Stage 2 certification audit of VitalSpark, a pharmaceutical organisation manufacturing vitamins and other healthcare medicines. In a separate area in the centre of their large site, a supplier produces oxygen supplies piped directly into the manufacturing processes of VitalSpark. They also deliver oxygen in bulk tankers to other customers. When you review the environmental aspects register, you find that the only environmental aspect recorded for this arrangement relates to the heavy goods vehicles of the supplier transiting the site.

You ask the EMS Manager about the environmental consequences to VitalSpark of this arrangement and are told that they are not significant since the supplier has its own services for water, sewage, waste and energy.

The EMS Manager tried unsuccessfully to communicate with the supplier who is located inside the VitalSpark site and outside the scope of the EMS.

You raise a non-conformance against clause 6.1.2 of ISO 14001:

"VitalSpark does not maintain documented information on aspects/impacts related to activities, products and services of the oxygen supplier." Which combination of two of the following actions proposed by VitalSpark would permit you to close out the nonconformity?

- A. VitalSpark will expand its audit programme to include audits of the oxygen supplier's organisation.
- B. VitalSpark will retrieve environmental data on a monthly basis from the on-site supplier.
- C. The oxygen supplier will be requested to undertake a full environmental survey of its processes.
- D. The oxygen supplier will be requested to implement an ISO 14001 management system within the next 3 months.
- E. VitalSpark will update its documented information on aspects/impacts to include those related to the oxygen supplier.
- F. VitalSpark will suggest that the oxygen supplier should undertake training in environmental awareness.

正解: B、E

質問 # 11

A multi-level shopping centre is open every day to the public from 09:00-21:00 hours. During an external audit of the centre to ISO 14001, you establish that there are 40 vending machines that are permanently switched on. Thirty of them do not sell perishable foodstuffs. You also note that there are eight escalators in the complex that run constantly during public access. When asked about environmental performance improvement objectives, the Centre Manager says that there are plans to increase the natural daylight by installing more skylights thus saving on lighting costs, but the estimated budget for this has not yet been approved by the board.

You: I note that energy consumption is a significant environmental aspect in the centre. How do you mitigate the impacts of this?

EMS Manager: We try to reduce our energy costs by negotiating a better deal from the energy company. We are considering changing to one that only supplies electricity from renewable sources.

You: What steps have you taken to reduce overall consumption?

EMS Manager: We conducted awareness training for staff. For example, turning off lights in staff areas not being used.

You: I see that the escalators account for the highest usage of energy. Are there any objectives to try and reduce this?

EMS Manager: No, it would be too costly to change them.

You: How do you measure electricity consumption?

EMS Manager: We have meters installed in each floor of the centre. We take readings every hour and we plot the consumption graph for every staff shift.

You continue the interview and find that energy consumption has increased steadily over the past five years.

Select the two statements that are true.

- A. The organisation's energy supplier sources renewable energy.
- B. The vending machines are switched on permanently.
- C. The organisation should take action to address its energy consumption.
- D. The Centre Manager is trained in energy awareness.
- E. The escalators are switched on permanently.
- F. The centre staff are responsible for energy consumption in the staff areas.

正解: B、C

質問 # 12

A management system meeting ISO 14001:2015 requirements is based on the Plan-Do-Check-Act (PDCA) cycle.

Which two elements of the management system are part of the 'Check' stage of the PDCA cycle?

- A. Control of the processes
- B. Management review
- C. Improvement
- **D. Monitoring performance**
- **E. Nonconformities**
- F. Environmental policy

正解: D、E

解説:

As per ISO 14001:2015 Clause 10 (Improvement) and Clause 9 (Performance Evaluation):

The 'Check' phase includes activities that evaluate performance, such as:

Clause 9.1:

"The organization shall monitor, measure, analyze and evaluate its environmental performance." Clause 10.2:

"When a nonconformity occurs, the organization shall react to the nonconformity, evaluate the need for corrective action."

Management review is part of the 'Act' phase (Clause 9.3), and Environmental Policy (Clause 5.2) belongs to 'Plan'.

Reference: ISO 14001:2015 Clauses 9.1, 10.2, 9.3, 5.2.

質問 # 13

During a Stage 1 audit, the EMS Manager asks that the audit includes coverage of a new storage site on the other side of town that they have taken over since the application was made.

Which two of the following actions should the auditor take?

- **A. Advise the EMS Manager that an extension of the scope is possible but will have to go through established procedures.**
- **B. Determine whether the EMS Management System covers the new site and, if so, proceed with the audit.**
- C. Advise the EMS Manager that the audit scope has been set and the audit will need to proceed as planned.
- D. Inform the auditee that the Stage 2 will be changed to include the new site.
- E. Suggest that the EMS Manager cancels the audit contract and reapplies for the new situation.
- F. Advise the EMS Manager that, within the existing scope, the new site can be included without any problem.

正解: A、B

解説:

According to ISO/IEC 17021-1:2015 Clause 9.2.2 and 9.3.1:

Scope changes may be accommodated during the certification process, but proper evaluation is required.

The auditor should:

Confirm whether the EMS has been extended to cover the new site (C).

Inform that scope expansion needs to follow formal procedures through the certification body (F).

Simply including the new site without evaluation (A) is incorrect.

The audit plan can be adjusted, but full reassessment (D) is unnecessary unless significant issues arise.

Reference: ISO/IEC 17021-1:2015 Clause 9.2.2, 9.3.1; ISO 14001 Lead Auditor Course Guide.

質問 # 14

Which two of the following options are an advantage of using a sampling plan for the audit?

- **A. Reduces the audit duration**
- B. Implements the audit plan efficiently
- **C. Gives confidence in the audit results**
- D. Overrides the auditor's instincts
- E. Use of the plan for consecutive audits
- F. Prevents conflict within the audit team

正解: A、C

解説:

According to ISO 19011:2018 Clause 5.3.2 and Annex B (Audit Sampling):

Sampling allows auditors to:

Reduce audit time while still covering sufficient evidence (A),

Provide statistically valid assurance and confidence in the results (C).

Sampling does not replace auditor judgment (D), nor is it intended to prevent conflict (F) or be reused blindly for future audits (E).

Reference: ISO 19011:2018 Clause 5.3.2, Annex B.

質問 # 15

.....

PECB完璧な素材の選択については、品質、価格、アフターサービスなどに反映される場合があります。ISO-14001-Lead-Auditor試験シミュレーションは、CertShiken試験のシラバスに厳密に基づいた試験に関する知識の蓄積です。情報や試験へのアクセスをユーザーに提供し、教室のように参加したときに模擬的なテスト環境を提供します。また、ISO-14001-Lead-Auditor学習ガイドの内容は、日常生活での実践に適した専門家によって選択されます。ISO-14001-Lead-Auditor準備資料PECB Certified EMS ISO 14001 Lead Auditor Examを渡すのに十分な時間がない忙しい労働者にとって特に有利です。

ISO-14001-Lead-Auditor関連日本語内容: <https://www.certshiken.com/ISO-14001-Lead-Auditor-shiken.html>

- 素晴らしいISO-14001-Lead-Auditor最新対策問題一回合格-有難いISO-14001-Lead-Auditor関連日本語内容 □ □ “www.jpshiken.com”から簡単に ➡ ISO-14001-Lead-Auditor □ □ □ を無料でダウンロードできますISO-14001-Lead-Auditor日本語練習問題
- 最新の更新ISO-14001-Lead-Auditor最新対策問題 - 資格試験のリーダー - 優秀なISO-14001-Lead-Auditor関連日本語内容 □ 検索するだけで“www.goshiken.com”から ➡ ISO-14001-Lead-Auditor □ □ □ を無料でダウンロードISO-14001-Lead-Auditor資格試験
- ISO-14001-Lead-Auditor練習問題 □ ISO-14001-Lead-Auditor赤本勉強 □ ISO-14001-Lead-Auditor練習問題 □ 今すぐ ➡ www.shikenpass.com □ で ➡ ISO-14001-Lead-Auditor □ を検索し、無料でダウンロードしてくださいISO-14001-Lead-Auditorテスト資料
- PECB ISO-14001-Lead-Auditor Exam | ISO-14001-Lead-Auditor最新対策問題 - 試験に一度合格するのを手伝うISO-14001-Lead-Auditor □ 【 www.goshiken.com 】で [ISO-14001-Lead-Auditor] を検索し、無料でダウンロードしてくださいISO-14001-Lead-Auditor模擬試験最新版
- ISO-14001-Lead-Auditor試験の準備方法 | 便利なISO-14001-Lead-Auditor最新対策問題試験 | 100%合格率のPECB Certified EMS ISO 14001 Lead Auditor Exam関連日本語内容 □ “www.xhs1991.com”サイトにて最新 ➡ ISO-14001-Lead-Auditor □ □ □ 問題集をダウンロードISO-14001-Lead-Auditorコンポーネント
- ISO-14001-Lead-Auditor試験の準備方法 | 便利なISO-14001-Lead-Auditor最新対策問題試験 | 100%合格率のPECB Certified EMS ISO 14001 Lead Auditor Exam関連日本語内容 □ { www.goshiken.com } で ✓ ISO-14001-Lead-Auditor □ ✓ □ を検索し、無料でダウンロードしてくださいISO-14001-Lead-Auditor資格試験
- ISO-14001-Lead-Auditor復習対策書 □ ISO-14001-Lead-Auditor資格復習テキスト □ ISO-14001-Lead-Auditor資格試験 !! ➤ www.passtest.jp □ に移動し、[ISO-14001-Lead-Auditor] を検索して、無料でダウンロード可能な試験資料を探しますISO-14001-Lead-Auditor試験対策
- ISO-14001-Lead-Auditor練習問題 □ ISO-14001-Lead-Auditor資格試験 □ ISO-14001-Lead-Auditor日本語練習問題 □ サイト { www.goshiken.com } で 《 ISO-14001-Lead-Auditor 》 問題集をダウンロードISO-14001-Lead-Auditor受験準備
- ISO-14001-Lead-Auditorコンポーネント □ ISO-14001-Lead-Auditor復習対策書 □ ISO-14001-Lead-Auditor資格試験 □ ☀ www.jpctestking.com □ ☀ □ サイトにて 【 ISO-14001-Lead-Auditor 】 問題集を無料で使おうISO-14001-Lead-Auditor日本語練習問題
- 高品質なISO-14001-Lead-Auditor最新対策問題 - 合格スムーズISO-14001-Lead-Auditor関連日本語内容 | ハイパスレートのISO-14001-Lead-Auditorサンプル問題集 □ 今すぐ □ www.goshiken.com □ で □ ISO-14001-Lead-Auditor □ を検索し、無料でダウンロードしてくださいISO-14001-Lead-Auditor受験内容
- ISO-14001-Lead-Auditor練習問題 □ ISO-14001-Lead-Auditor試験対策 □ ISO-14001-Lead-Auditor真実試験 □ (www.passtest.jp) を入力して ➤ ISO-14001-Lead-Auditor □ を検索し、無料でダウンロードしてくださいISO-14001-Lead-Auditor模擬問題集
- myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, www.brightfuturetech.co.za, www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, hillparkpianolessons.nz, www.stes.tyc.edu.tw, bbs.t-firefly.com, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, Disposable vapes

さらに、CertShiken ISO-14001-Lead-Auditorダンプの一部が現在無料で提供されています：
<https://drive.google.com/open?id=1nHUtCFil6Hybk0NYj86gAxlPXfvgHRo>