


LEED-AP-BD-C덤프공부자료 & LEED-AP-BD-C합격 보장가능덤프



Study Guide

- The international best-seller LEED AP BD+C study guide.
- 628 pages.

\$94

BONUS!!! DumpTOP LEED-AP-BD-C 시험 문제집 전체 버전을 무료로 다운로드하세요: <https://drive.google.com/open?id=1fXHPbQn83-mzghlOo2pnQb5l3Vke6yII>

USGBC LEED-AP-BD-C 시험탈락시USGBC LEED-AP-BD-C덤프비용전액을 환불해드릴만큼 저희 덤프자료에 자신이 있습니다. DumpTOP에서는USGBC LEED-AP-BD-C덤프를 항상 최신버전이도록 보장해드리고 싶지만USGBC LEED-AP-BD-C시험문제변경시점을 예측할수 없어 시험에서 불합격받을수도 간혹 있습니다. 하지만 시험에서 떨어지면 덤프비용을 전액 환불해드려 고객님의 이익을 보장해드립니다.

DumpTOP의 USGBC 인증 LEED-AP-BD-C시험덤프공부자료는 pdf버전과 소프트웨어버전 두가지 버전으로 제공되는데 USGBC 인증 LEED-AP-BD-C실제시험예상문제가 포함되어있습니다.덤프의 예상문제는 USGBC 인증 LEED-AP-BD-C실제시험의 대부분 문제를 적중하여 높은 통과율과 점유율을 자랑하고 있습니다. DumpTOP의 USGBC 인증 LEED-AP-BD-C덤프를 선택하시면 IT자격증 취득에 더할것 없는 힘이 될것입니다.

>> LEED-AP-BD-C덤프공부자료 <<

LEED-AP-BD-C합격보장 가능 덤프 & LEED-AP-BD-C높은 통과율 덤프 샘플문제

DumpTOP의 USGBC인증 LEED-AP-BD-C시험덤프는 고객님의 IT자격증을 취득하는 꿈을 실현시켜 드리는 시험패스의 지름길입니다. USGBC인증 LEED-AP-BD-C덤프에는 실제시험문제의 거의 모든 문제를 적중하고 습니다. DumpTOP의 USGBC인증 LEED-AP-BD-C덤프가 있으면 시험패스가 한결 간편해집니다.

최신 USGBC LEED LEED-AP-BD-C 무료샘플문제 (Q252-Q257):

질문 # 252

A new commercial building is being designed to use small capacity air handling units. To meet the requirements of the Carbon Dioxide Monitoring strategy in the Indoor Environmental Quality Credit, Enhanced Indoor Environmental Quality Strategies, where would CO2 monitors need to be located?

- A. In each occupied space
- B. In each occupied space over 500 ft² (46 m²)
- **C. In each densely occupied space**
- D. In each occupied space and outdoors

정답: C

설명:

According to the LEED v4 Reference Guide for Building Design and Construction, the Carbon Dioxide Monitoring strategy requires CO2 monitors to be located in each densely occupied space, which is defined as a space with a design occupant density of 25 people or more per 1,000 square feet (93 square meters). This strategy is intended to provide feedback on ventilation system performance and indoor air quality¹² References: 1: LEED v4 Reference Guide for Building Design and Construction, Indoor Environmental Quality Credit: Enhanced Indoor Air Quality Strategies, Option 2: Additional Enhanced IAQ Strategies, Strategy 3: Carbon Dioxide Monitoring, page 704. 2: LEED v4 Reference Guide for Building Design and Construction, Glossary, page 1019.

질문 # 253

What is the definition of the evapotranspiration rate?

- A. Evaporation of onsite reuse water
- B. Water loss from evaporation in micro irrigation systems
- **C. Amount of water loss in a vegetated surface in units of water depth**
- D. Percentage of potable water usage for irrigation

정답: C

설명:

The evapotranspiration rate is the amount of water loss in a vegetated surface in units of water depth, such as millimeters or inches. It is a measure of the water demand of the plants and the climate conditions. It is used to calculate the baseline water use for irrigation in the Outdoor Water Use Reduction credit.

Reference:

* LEED v4 BD+C Reference Guide, page 5381

* Outdoor Water Use Reduction Credits in LEED v4 - HydroPoint²

질문 # 254

For a task chair purchased for a healthcare facility, which portion of the product contributes toward Materials and Resources Credit, Furniture and Medical Furnishings?

- A. Fabric, 5% of product by weight, with stain resistant treatment containing Perfluorinated Compounds (PFCs)
- B. Plastic armrests, 30% of product by weight, with added antimicrobial treatment
- **C. Metal base, 20% of product by weight, which do not contain heavy metals and is not plated with hexavalent chromium**
- D. Wheels, 4% of product by weight, that do not contain lead, mercury, cadmium or antimony

정답: C

설명:

The metal base, 20% of product by weight, which do not contain heavy metals and is not plated with hexavalent chromium, contributes toward Materials and Resources Credit, Furniture and Medical Furnishings. This is because it meets the criteria of Option 1: Minimal Chemical Content, which requires that all components that constitute at least 5%, by weight, of a furniture or medical furnishing assembly must contain less than 100 ppm of at least four of the five chemical groups listed in the option. The other portions of the product either do not meet the 5% weight threshold (wheels), or contain chemicals that are restricted by Option 1 (fabric, armrests).

Reference: LEED v4 BD+C Reference Guide, Materials and Resources Category, MRc Furniture and Medical Furnishings, Option

질문 # 255

In a large industrial or commercial building, which energy end uses are classified as systems composed of discrete pieces of equipment that can be metered together for the purposes of Energy and Atmosphere Credit, Advanced Energy Metering?

- A. Condenser water system with a cooling tower and condenser water pumps
- B. Water flow system used for public faucets and toilets
- C. Electrical lighting system during peak use hours
- D. HVAC air system for air conditioning

정답: A

설명:

A condenser water system with a cooling tower and condenser water pumps is classified as a system composed of discrete pieces of equipment that can be metered together for the purposes of Energy and Atmosphere Credit, Advanced Energy Metering. This is because the condenser water system is a single energy end use that serves a specific function and can be isolated from other systems¹. HVAC air system, electrical lighting system, and water flow system are not considered as single energy end uses, but rather as multiple energy end uses that serve different functions and cannot be easily isolated².

Reference:

* LEED v4 for Building Design and Construction, p. 415

* Advanced Energy Metering, p. 2

질문 # 256

Which of the following sinks is classified as a private lavatory faucet under Water Efficiency Credit, Indoor Water Use Reduction?

- A. A sink in an office restroom
- B. A sink in a hotel room bathroom
- C. A sink in a school classroom
- D. A sink in a shared office restroom

정답: B

설명:

A sink in a hotel room bathroom is classified as a private lavatory faucet under Water Efficiency Credit, Indoor Water Use Reduction. According to the LEED v4 BD+C Reference Guide, a private lavatory faucet is defined as "a faucet that is not generally accessible and is used only by the building's occupants and not by the public or visitors" ¹. A sink in an office restroom, a school classroom, or a shared office restroom are examples of public lavatory faucets, which have different baseline flow rates and requirements. References:

LEED v4 BD+C Reference Guide, Water Efficiency Category, WEc Indoor Water Use Reduction, page 681.

질문 # 257

.....

여러분은 USGBC LEED-AP-BD-C 인증 시험을 패스함으로 IT 업계 관련 직업을 찾고자 하는 분들에게는 아주 큰 가산점이 될 수 있으며, 성당한 IT 업계 사업자와 한 걸음 가까워 집니다.

LEED-AP-BD-C 합격보장 가능 덤프 : <https://www.dumptop.com/USGBC/LEED-AP-BD-C-dump.html>

USGBC LEED-AP-BD-C 덤프 공부자료 많은 시간과 돈이 필요 없습니다, 경험이 풍부한 IT 전문가들이 연구제작해낸 LEED-AP-BD-C 최신버전덤프는 시험패스율이 100%에 가까워 {CorpName} LEED-AP-BD-C 시험의 첫번째 도전에서 한방에 시험패스하도록 도와드립니다, DumpTOP는 제일 전면적인 USGBC LEED-AP-BD-C 인증 시험자료의 문제와 답을 가지고 있습니다, USGBC LEED-AP-BD-C 덤프 공부자료 적응을 높은 최고 품질을 보장하는 덤프자료, USGBC LEED-AP-BD-C 덤프 공부자료 환불해드린 후에는 무료 업데이트 서비스가 종료됩니다, LEED-AP-BD-C 인증 시험덤프를 구매하시면 장점이 아주 많습니다.

제가 말해 놓고도 웃긴지 사내가 피식거리니, 아이가 그제야 비척거리며 LEED-AP-BD-C며 걸음을 떼 사내에게 다가왔다, 드디어 나를 발견한 오빠가 환하게 웃으며 내 이름을 외쳤다, 많은 시간과 돈이 필요 없습니다, 경험이 풍부

한 IT전문가들이 연구제작해낸 LEED-AP-BD-C 최신버전덤프는 시험패스율이 100%에 가까워 {CorpName} LEED-AP-BD-C시험의 첫번째 도전에서 한방에 시험패스하도록 도와드립니다.

최신버전 LEED-AP-BD-C덤프공부자료 덤프데모문제

DumpTOP는 제일 전면적인USGBC LEED-AP-BD-C인증시험자료의 문제와 답을 가지고 있습니다, 적중을 높은 최고 품질을 보장하는 덤프자료, 환불해드린후에는 무료업데이트 서비스가 종료됩니다.

- LEED-AP-BD-C최고품질 덤프자료 □ LEED-AP-BD-C최신 업데이트버전 인증시험자료 □ LEED-AP-BD-C 시험문제 □ 지금 【 www.itdumpskr.com 】을(를) 열고 무료 다운로드를 위해 【 LEED-AP-BD-C 】를 검색하십시오LEED-AP-BD-C시험대비 공부하기
- LEED-AP-BD-C높은 통과율 시험덤프 □ LEED-AP-BD-C높은 통과율 공부문제 □ LEED-AP-BD-C높은 통과율 시험덤프 □ ➡ www.itdumpskr.com □에서 검색만 하면> LEED-AP-BD-C <를 무료로 다운로드할 수 있습니다LEED-AP-BD-C높은 통과율 시험덤프
- LEED-AP-BD-C높은 통과율 덤프공부자료 □ LEED-AP-BD-C높은 통과율 시험덤프 □ LEED-AP-BD-C 시험문제 □ ➡ www.koreadumps.com □웹사이트에서➡ LEED-AP-BD-C □□□를 열고 검색하여 무료 다운로드LEED-AP-BD-C시험대비 최신 덤프
- 완벽한 LEED-AP-BD-C덤프공부자료 시험덤프로 시험패스가능 □ 오픈 웹 사이트“ www.itdumpskr.com ”검색 ➡ LEED-AP-BD-C □무료 다운로드LEED-AP-BD-C최신 업데이트버전 인증시험자료
- LEED-AP-BD-C인증시험대비 공부자료 □ LEED-AP-BD-C퍼펙트 최신 덤프모음집 □ LEED-AP-BD-C최신 업데이트버전 인증시험자료 □ ➡ kr.fast2test.com □□□웹사이트에서> LEED-AP-BD-C <를 열고 검색하여 무료 다운로드LEED-AP-BD-C시험패스
- 완벽한 LEED-AP-BD-C덤프공부자료 시험덤프로 시험패스가능 □ □ www.itdumpskr.com □웹사이트에서[LEED-AP-BD-C]를 열고 검색하여 무료 다운로드LEED-AP-BD-C인증시험대비 공부자료
- 완벽한 LEED-AP-BD-C덤프공부자료 시험덤프로 시험패스가능 □ 「 LEED-AP-BD-C 」를 무료로 다운로드하려면> www.koreadumps.com □웹사이트를 입력하세요LEED-AP-BD-C시험패스
- LEED-AP-BD-C높은 통과율 시험대비 덤프공부 □ LEED-AP-BD-C시험대비 공부하기 □ LEED-AP-BD-C 최신버전 시험대비자료 □ 검색만 하면□ www.itdumpskr.com □에서➡ LEED-AP-BD-C <무료 다운로드LEED-AP-BD-C최신 업데이트 인증덤프자료
- LEED-AP-BD-C높은 통과율 덤프공부자료 □ LEED-AP-BD-C높은 통과율 덤프공부자료 □ LEED-AP-BD-C 적중을 높은 덤프공부 □ □ www.passtip.net □의 무료 다운로드> LEED-AP-BD-C <페이지가 지금 열립니다 LEED-AP-BD-C퍼펙트 최신 덤프모음집
- LEED-AP-BD-C퍼펙트 덤프문제 □ LEED-AP-BD-C높은 통과율 덤프공부자료 □ LEED-AP-BD-C최신 업데이트 인증덤프자료 □ ☀ www.itdumpskr.com □☀□은➡ LEED-AP-BD-C □무료 다운로드를 받을 수 있는 최고의 사이트입니다LEED-AP-BD-C시험대비 공부하기
- LEED-AP-BD-C유명한 덤프자료 \ LEED-AP-BD-C최고품질 덤프자료 □ LEED-AP-BD-C최고품질 덤프자료 □ 시험 자료를 무료로 다운로드하려면➡ www.dumpstap.com <을 통해□ LEED-AP-BD-C □를 검색하십시오LEED-AP-BD-C최신 업데이트버전 덤프
- www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, cliqcourses.com, www.stes.tyc.edu.tw, pct.edu.pk, ncon.edu.sa, Disposable vapes

BONUS!!! DumpTOP LEED-AP-BD-C 시험 문제집 전체 버전을 무료로 다운로드하세요: <https://drive.google.com/open?id=1fXHPbQn83-mzghlOo2pnQb5l3Vke6yIl>