

Observability-Self-Hosted-Fundamentals인기문제모음

100%유효한최신버전인증덤프



SolarWinds Observability-Self-Hosted-Fundamentals인증 시험을 패스하려면 시험대비자료선택은 필수입니다. 우리 Fast2test에서는 빠른 시일 내에SolarWinds Observability-Self-Hosted-Fundamentals관련 자료를 제공할 수 있습니다. Fast2test의 전문가들은 모두 경험도 많고, 그들이 연구자료는 실제시험의 문제와 답과 거이 일치합니다. Fast2test 는 인증 시험에 참가하는 분들한테 편리를 제공하는 사이트이며,여러분들이 시험패스에 도움을 줄 수 있는 사이트입니다.

SolarWinds Observability-Self-Hosted-Fundamentals 시험요강:

주제	소개
주제 1	Alerts: This domain covers creating and managing alerts that notify administrators of important events, threshold breaches, or conditions requiring attention across monitored infrastructure.
주제 2	Node Management: This domain focuses on managing monitored nodes including handling node statuses and working with agents for monitoring and data collection from endpoints.
주제 3	SolarWinds Platform Troubleshooting Tools: This domain covers troubleshooting tools including AppStack and PerfStack for correlating performance data, and Intelligent Mapping for visualizing network topology to identify and resolve issues.
주제 4	Reports: This domain focuses on creating, scheduling, and managing reports that provide insights into network performance, availability, and metrics for documentation and analysis.
주제 5	Customization and User Experience: This domain addresses platform customization through dashboards and views, managing user accounts and permissions, implementing custom properties, and organizing resources using groups.

Observability-Self-Hosted-Fundamentals 인증덤프 샘플체험 & Observability-Self-Hosted-Fundamentals 시험패스 인증덤프문제

Fast2test의 도움으로 여러분은 많은 시간과 돈을 들이지 않으셔도 혹은 여러학원등을 다니시지 않으셔도 우리 덤프로 안전하게 시험을 통과하실 수 있습니다. SolarWinds Observability-Self-Hosted-Fundamentals 시험자료는 우리 Fast2test에서 실제시험에 의하여 만들어진 것입니다. 지금까지의 시험문제와 답과 시험문제분석 등입니다. Fast2test에서 제공하는 SolarWinds Observability-Self-Hosted-Fundamentals 시험자료의 문제와 답은 실제시험의 문제와 답과 아주 비슷합니다.

최신 SolarWinds Certified Professional Observability-Self-Hosted-Fundamentals 무료샘플문제 (Q73-Q78):

질문 # 73

What is supported when importing custom property values to SolarWinds* Hybrid Cloud Observability (HCO)?

- A. importing complex .xls or .xlsx files
- B. importing values from .json file format
- C. incoming values can contain special characters
- D. incoming values validated before being written

정답: D

설명:

The Custom Property Import tool is designed to help administrators bulk-update metadata for hundreds or thousands of nodes simultaneously. According to the SolarWinds Platform Administrator Guide, maintaining data integrity is a priority during this process. A critical feature supported during the import is that incoming values are validated before being written (D). When an administrator uploads a CSV or Excel file containing custom property values, the platform performs a validation check against the defined "Type" of each property in the database. For example, if a custom property InstallDate is defined as a "Date" type, and the import file contains a text string like "Last Tuesday," the validation engine will flag an error and prevent the import from corrupting the database. This validation also checks for character limits and ensures that values for restricted "Drop-down" properties match the predefined allowed list. This safeguard is essential for ensuring that automated alerts and reports, which rely on this metadata, function correctly without being disrupted by malformed data entries.

질문 # 74

A SolarWinds* Hybrid Cloud Observability (HCO) user account is to be used to run a NOC view in an operations center. The view is to run continuously without being logged out. Which setting should be configured within the user account to accomplish this goal?

- A. set account expiration date to 1 year from now
- B. grant account manage view permissions
- C. grant account manage dashboard permissions
- D. disable session timeout default settings

정답: D

설명:

For Network Operations Centers (NOCs) that display SolarWinds dashboards on large wall-mounted monitors, maintaining a continuous session is vital. By default, the SolarWinds Platform implements a security timeout (often 15 to 20 minutes of inactivity) that automatically logs a user out to protect the console.

According to the SolarWinds Platform Administrator Guide, to prevent this for a dedicated NOC account, the administrator must disable session timeout default settings (A). This is found within the "Advanced" section of the specific User Account settings. When this toggle is enabled, the platform ignores the global session timeout for that specific login, allowing the dashboard to refresh indefinitely without requiring manual re-authentication.

While granting management permissions (Options B and C) might allow the user to create the view, it does nothing to prevent the session from expiring. Similarly, an "Account Expiration Date" (Option D) only controls the long-term validity of the account, not the duration of an individual active web session. Disabling the timeout is the standard procedural requirement for any "Service Account"

or "Display Account" used in a continuous monitoring environment.

질문 # 75

Which two of the following customizations can be made on a report layout? (Choose two.)

- A. logo on the report
- B. font of the report content
- C. width of the report
- D. position of page number

정답: A,C

설명:

The SolarWinds Platform web-based report builder provides specific layout options to ensure reports are professional and readable. According to the SolarWinds Platform Reporting Guide, customization of a report's visual structure is handled through the Layout tab.

* Logo on the report (B): Administrators can upload a custom company logo to appear in the header of the report. This ensures that exported PDFs and web views align with corporate branding standards.

* Width of the report (D): The layout editor allows users to define the report width, typically choosing between a fixed pixel width (often used to ensure a consistent look on printed paper or PDF) or a percentage-based fluid width that adjusts to the browser window.

While the platform allows for some styling, granular control over the font of the report content (Option A) is generally limited to global CSS or predefined themes rather than individual report layout settings. Similarly, the position of the page number (Option C) is usually a fixed element of the report's footer template and is not a standard customizable field within the primary web-based report layout wizard.

질문 # 76

Which two of the following data categories appear in an AppStack view? (Choose two.)

- A. SNMP pollers
- B. database instances
- C. NetFlow
- D. servers

정답: B,D

설명:

AppStack is designed to provide a "top-to-bottom" visual representation of the IT infrastructure layers that support an application. According to the SolarWinds Platform Administrator Guide, the AppStack Environment view automatically maps relationships between specific monitored entities.

The two primary categories that appear in this view are database instances (A) and servers (C). In a typical application stack, the "Server" represents the physical or virtual hardware, while the "Database Instance" (monitored via AppInsight for SQL, Oracle, etc.) represents the software layer running on that server.

AppStack visually links these so that if a database instance shows a critical status, an administrator can instantly see which server it is hosted on and if there are underlying infrastructure issues. Other common categories include Applications, Transactions, Virtual Hosts, Clusters, and Volumes.

NetFlow (Option B) is a traffic analysis technology used in the NetFlow Traffic Analyzer (NTA) and is generally not a primary "entity" category in the standard AppStack environment map. SNMP Pollers (Option D) are the backend mechanisms used to collect data; they are a configuration component rather than a logical infrastructure entity that would be represented as a layer in an application dependency stack.

질문 # 77

What is the effect of checking the Encrypt connections with SSL box in the configuration wizard?

- A. The installed SolarWinds product will use the login account to access the databases on the SQL server.
- B. The login account to access the SQL server will be encrypted and stored in SolarWinds' Hybrid Cloud Observability Platform server.

- C. The login credentials will be encrypted between SolarWinds' Hybrid Cloud Observability Platform server and the SQL server while in transit.
- D. The network data between SolarWinds' Hybrid Cloud Observability Platform server and the SQL server will be encrypted.

정답: D

설명:

According to the SolarWinds Platform configuration documentation, the option to Encrypt connections with SSL during the database configuration wizard specifically dictates the security level of the communication channel between the application server and the database backend. When this box is checked, the platform ensures that the network data between SolarWinds' Hybrid Cloud Observability Platform server and the SQL server will be encrypted. This security measure is critical for protecting the integrity and confidentiality of the performance metrics, configuration data, and credentials as they traverse the internal network between these two primary architectural components.

This encryption utilizes Transport Layer Security (TLS) to wrap the TDS (Tabular Data Stream) protocol used by Microsoft SQL Server. By enabling this feature, the platform prevents potential "man-in-the-middle" attacks where an adversary could sniff network traffic to intercept sensitive monitoring data or administrative information stored within the SQL database. It is important to note that for this setting to function correctly, the SQL Server must be configured with a valid SSL/TLS certificate that is trusted by the SolarWinds application server.

This setting differs from simple credential encryption (Option C) or secure storage (Option B) because it applies to all data transmitted during the session, not just the initial login exchange. Furthermore, while the configuration wizard does require a login account (Option A), that account's specific permissions are a separate functional requirement from the underlying encryption of the transport layer. Enabling SSL encryption is a standard best practice for organizations following strict compliance frameworks like HIPAA, PCI-DSS, or SOC2, where protecting data-in-transit is a mandatory requirement even on internal, "trusted" network segments. This centralized encryption toggle simplifies the deployment of high-security observability environments by orchestrating the secure connection parameters through the standard SolarWinds Configuration Wizard interface.

질문 # 78

.....

Observability-Self-Hosted-Fundamentals 인증 시험은 IT 업계에 종사하고 계신 분이시라면 최근 많은 인기를 누리고 있다는 것을 알고 계실 것입니다. Observability-Self-Hosted-Fundamentals 인증 시험을 패스하여 자격증을 취득하는데 가장 쉬운 방법은 Fast2test에서 제공해드리는 Observability-Self-Hosted-Fundamentals 덤프를 공부하는 것입니다. SolarWinds Observability-Self-Hosted-Fundamentals 덤프에 있는 문제와 답만 기억하시면 Observability-Self-Hosted-Fundamentals 시험을 패스하는데 많은 도움이 됩니다. 덤프 구매 후 최신 버전으로 업데이트되면 업데이트 버전을 시스템 자동으로 구매 시 사용한 메일 주소로 발송해드려 덤프 유효 기간을 최대한 길게 연장해드립니다.

Observability-Self-Hosted-Fundamentals 인증 덤프 샘플 체험 : <https://kr.fast2test.com/Observability-Self-Hosted-Fundamentals-premium-file.html>

- Observability-Self-Hosted-Fundamentals 퍼펙트 최신 덤프 모음집 □ Observability-Self-Hosted-Fundamentals 시험 준비 공부 □ Observability-Self-Hosted-Fundamentals 시험 대비 덤프 자료 □ 시험 자료를 무료로 다운로드하려면 □ www.dumpsttop.com □ 을 통해 ▶ Observability-Self-Hosted-Fundamentals □ 를 검색하십시오 Observability-Self-Hosted-Fundamentals 최신 업데이트 덤프
- Observability-Self-Hosted-Fundamentals 인기 문제 모음 완벽한 시험 공부 □ 지금 [www.itdumpskr.com] 을 (를) 열고 무료 다운로드를 위해 { Observability-Self-Hosted-Fundamentals } 를 검색하십시오 Observability-Self-Hosted-Fundamentals 시험 대비 최신 덤프
- 완벽한 Observability-Self-Hosted-Fundamentals 인기 문제 모음 인증 자료 □ 지금 ▶ www.dumpsttop.com □ 에서 ▶ Observability-Self-Hosted-Fundamentals □ 를 검색하고 무료로 다운로드 하세요 Observability-Self-Hosted-Fundamentals 높은 통과율 인기 덤프
- 최신 버전 Observability-Self-Hosted-Fundamentals 인기 문제 모음 완벽한 시험 대비 자료 □ 지금 ▶ www.itdumpskr.com □ 에서 ▶ Observability-Self-Hosted-Fundamentals □ 를 검색하고 무료로 다운로드 하세요 Observability-Self-Hosted-Fundamentals 적중율 높은 시험 덤프 자료
- Observability-Self-Hosted-Fundamentals 시험 유효 자료 □ Observability-Self-Hosted-Fundamentals 완벽한 시험 기출 자료 □ Observability-Self-Hosted-Fundamentals 시험 유효 자료 □ > www.dumpsttop.com □ 의 무료 다운로드 > Observability-Self-Hosted-Fundamentals < 페이지가 지금 열립니다 Observability-Self-Hosted-Fundamentals 적중율 높은 시험 덤프 자료
- Observability-Self-Hosted-Fundamentals 높은 통과율 인기 덤프 ▶ Observability-Self-Hosted-Fundamentals 완벽한 시험 기출 자료 □ Observability-Self-Hosted-Fundamentals 퍼펙트 덤프 공부 자료 □ ▶ www.itdumpskr.com □ 의 무료 다운로드 ▶ Observability-Self-Hosted-Fundamentals □ □ □ 페이지가 지금 열립니다 Observability-Self-Hosted-

- [illegible]