

C_SEC_2405 Übungsmaterialien & C_SEC_2405 Lernführung: SAP Certified Associate - Security Administrator & C_SEC_2405 Lernguide



Laden Sie die neuesten EchteFrage C_SEC_2405 PDF-Versionen von Prüfungsfragen kostenlos von Google Drive herunter:
<https://drive.google.com/open?id=1td1KZpTqxCwao24g1ZrgsfuA8XTGAIQ>

Was wissen Sie über die SAP C_SEC_2405 Zertifizierungsprüfungen? Als eine sehr populäre SAP Zertifizierungsprüfung ist diese Prüfung sehr wichtig. Aber wenn Sie für die bessere Vorbereitung der SAP C_SEC_2405 Prüfungen die Schulungsunterlagen finden, ist es nicht leicht für Sie eine sehr ausgezeichnetes Nachschlagebuch finden. Und Was können Sie machen? Es macht nichts. Wir EchteFrage Ihre Wünsche kennen und Ihre Bedürfnisse erfüllen bei Angeboten der besten Prüfungsfragen und Antworten zur SAP C_SEC_2405 Zertifizierung.

SAP C_SEC_2405 Prüfungsplan:

Thema	Einzelheiten
Thema 1	• Governance, Compliance, and Cybersecurity: This section of the exam measures the skills of compliance officers and covers the principles of governance, compliance, and cybersecurity of SAP systems. It includes understanding regulatory requirements and best practices for maintaining security. A critical skill evaluated is ensuring organizational compliance with relevant laws and policies.
Thema 2	• Public Cloud User and Role Management: This section of the exam measures the skills of SAP IT cloud Professionals and covers managing users and roles in public cloud environments for SAP applications.
Thema 3	• Infrastructure Security and Authentication: This section of the exam measures the skills of SAP IT Professionals and covers infrastructure security measures and authentication methods used in SAP environments. It emphasizes protecting systems from unauthorized access and ensuring secure user authentication.
Thema 4	• Authorization and Role Maintenance: This section of the exam measures the skills of SAP administrators and covers the management of user authorizations and roles within SAP systems. It emphasizes the processes involved in defining, maintaining, and approving roles to ensure secure access. A key skill assessed is managing role authorizations effectively to mitigate access risks.
Thema 5	• SAP Fiori Authorizations and SAP S • 4HANA: This section of the exam measures the skills of SAP Developers and covers authorization management specific to SAP Fiori applications within SAP S • 4HANA. It emphasizes configuring authorizations for Fiori apps to ensure appropriate access levels. A key skill assessed is understanding Fiori authorization concepts to enhance user experience.

SAP C_SEC_2405 Zertifizierung - C_SEC_2405 Prüfungsvorbereitung

Wollen Sie SAP C_SEC_2405 Zertifizierungsprüfung ablegen? Wollen Sie die SAP C_SEC_2405 Zertifizierung bekommen? Wie können Sie ohne sehr gute Vorbereitung diese Prüfung ablegen? Tatsächlich gibt es eine Weise für Sie, in sehr beschränkter Zeit die SAP C_SEC_2405 Prüfung leicht zu bestehen. Was können Sie machen? Es ist erreichbar, dass Sie die SAP C_SEC_2405 Dumps von EchteFrage benutzen.

SAP Certified Associate - Security Administrator C_SEC_2405 Prüfungsfragen mit Lösungen (Q38-Q43):

38. Frage

After you maintained authorization object S_TABU_DIS and ACTVT field value 02 as authorization defaults for transaction SM30 in your development system, what would be the correct option for transporting only these changes to your quality assurance system?

- A. Save your changes to a Workbench transport request and transport using the Transport Management System.
- B. Save your changes to a Customizing transport request and transport using the Transport Management System.
- C. Save your changes and use the transport interface in SU25 to transport the changes using the Transport Management System.
- D. Save tables USOBT_C and USOBX_C to a transport request and transport using the Transport Management System.

Antwort: A

Begründung:

When you maintain authorization defaults (e.g., adding authorization object S_TABU_DIS with ACTVT value 02 for transaction SM30) and need to transport these changes:

- * Changes are Cross-Client and Repository-Based:
- * Authorization default changes in SU24 are considered cross-client because they affect all clients in the system.
- * These changes are part of the SAP repository and are treated as Workbench requests.
- * Save Changes to a Workbench Transport Request:
- * Upon saving changes in SU24, the system prompts you to assign them to a transport request.
- * Select or create a Workbench transport request to capture the changes.
- * Use the Transport Management System (TMS):
- * Use TMS to transport the Workbench request from the development system to the quality assurance system.
- * This ensures that the authorization defaults are consistently applied across systems.

Why Other Options Are Incorrect:

- * Option B: Customizing transport requests are client-specific and not suitable for cross-client repository changes.
- * Option C: Manually transporting tables USOBT_C and USOBX_C is not recommended and can lead to inconsistencies.
- * Option D: SU25 is used for post-upgrade authorization adjustments, not for transporting SU24 changes.

SAP Security References:

- * SAP Help Portal: Transporting Authorization Data Changes
- * SAP Documentation: Using Workbench Requests for Cross-Client Objects
- * SAP Note: Best Practices for Transporting SU24 Authorization Defaults

39. Frage

Which authorization objects can be used to restrict access to SAP Enterprise Search models in the SAP Fiori launchpad? Note: There are 2 correct answers to this question.

- A. S_ESH_CONN
- B. SDDLVIEW
- C. RSDDL TIP
- D. S_ESH_ADM

Antwort: A,B

Begründung:

To restrict access to SAP Enterprise Search models in the SAP Fiori launchpad, the authorization objects SDDLVIEW and S_ESH_CONN are used. SDDLVIEW controls access to data definition language (DDL) views, which are often underlying components of search models, ensuring that only authorized users can access or execute these views within the Fiori environment. S_ESH_CONN governs access to enterprise search connectors, which link search models to the Fiori launchpad, allowing administrators to restrict which users can utilize specific search functionalities. These objects provide granular control over search model access, aligning with security and segregation of duties requirements. S_ESH_ADM is used for administrative tasks related to enterprise search, not direct model access, and RSDDLTP is not a standard SAP authorization object. By leveraging SDDLVIEW and S_ESH_CONN, SAP ensures that search capabilities in the Fiori launchpad are securely managed, preventing unauthorized access to sensitive data while enabling efficient search functionality for authorized users.

40. Frage

What does SAP Key Management Service (KMS) do to secure cryptographic keys? Note: There are 3 correct answers to this question.

- A. Store keys
- B. Generate keys
- C. Conceal keys
- D. Rotate keys
- E. Transmit keys

Antwort: A,B,D

41. Frage

When creating PFCG roles for SAP Fiori access, what is included automatically when adding a catalog to the menu of a back-end PFCG role? Note: There are 2 correct answers to this question.

- A. The start authorizations and the authorization default values for each IWSG TADIR service definitions in the catalog.
- B. The IWSG TADIR service definitions from the catalog.
- C. The IWSV TADIR service definitions from the catalog.
- D. The start authorizations and the authorization default values for each IWSV TADIR service definitions in the catalog.

Antwort: A,C

42. Frage

What must you do if you want to enforce an additional authorization check when a user starts an SAP transaction?

- A. Assign the authorization object to be checked to the chosen transaction code in the SAP Default authorization data using transaction SU22 and set Check Indicator to "Check".
- B. Assign the authorization object to be checked to the chosen transaction code with transaction SU24 and set Default Status to "Yes".
- C. Assign the authorization object and permissions to the chosen transaction code using transaction SE93.
- D. Assign authorization object S_START to the chosen transaction code with transaction SU24 and specify the Program ID and Object Type.

Antwort: C

Begründung:

To enforce an additional authorization check when a user starts an SAP transaction, you must assign the relevant authorization object and its permissions to the transaction code using transaction SE93. This transaction allows you to define or modify the properties of a transaction, including specifying authorization objects that must be checked when the transaction is executed. By linking the authorization object directly to the transaction in SE93, the system enforces the additional check at the point of transaction execution, ensuring that only authorized users can proceed. Transactions SU24 and SU22 are used for maintaining authorization defaults, but they do not directly enforce checks at transaction start, and S_START is specific to Fiori app authorizations, not general transactions.

• • • • •

C_SEC_2405 Zertifizierung: https://www.echtefrage.top/C_SEC_2405-deutsch-pruefungen.html

- Außerdem sind jetzt einige Teile dieser EchteFrage C_SEC_2405 Prüfungsfragen kostenlos erhältlich:
<https://drive.google.com/open?id=1ttd1KZpTqxCwao24glZrgsfuA8XTGAIQ>