

Perfect Latest NSE5_SSE_AD-7.6 Exam Vce & Leading Offer in Qualification Exams & Useful New NSE5_SSE_AD-7.6 Dumps Questions



Our NSE5_SSE_AD-7.6 study guide has become a brand for our candidates to get help for their exams. Because our NSE5_SSE_AD-7.6 learning materials contain not only the newest questions appeared in real exams in these years, but the most classic knowledge to master. Besides, it is unavoidable that you may baffle by some question points during review process of the NSE5_SSE_AD-7.6 Exam Questions, so there are clear analysis under some necessary questions.

Fortinet NSE5_SSE_AD-7.6 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none">SASE Deployment: This domain covers FortiSASE administration settings, user onboarding methods, and integration with SD-WAN infrastructure.
Topic 2	<ul style="list-style-type: none">Secure Internet Access (SIA) and Secure SaaS Access (SSA): This section focuses on implementing security profiles for content inspection and deploying compliance rules to managed endpoints.
Topic 3	<ul style="list-style-type: none">Decentralized SD-WAN: This domain covers basic SD-WAN implementation including configuring members, zones, and performance SLAs to monitor network quality.
Topic 4	<ul style="list-style-type: none">Rules and Routing: This section addresses configuring SD-WAN rules and routing policies to control and direct traffic flow across different links.
Topic 5	<ul style="list-style-type: none">Analytics: This domain covers analyzing SD-WAN and FortiSASE logs to monitor traffic behavior, identify security threats, and generate reports.

Free PDF 2026 Fortinet NSE5_SSE_AD-7.6 –Reliable Latest Exam Vce

If you want to get through the NSE5_SSE_AD-7.6 practice exam quickly with less time and efforts, our learning materials is definitely your best option. One or two days' preparation and remember the correct NSE5_SSE_AD-7.6 test answers, getting the certification will be simple for our candidates. Free trials of NSE5_SSE_AD-7.6 Exam PDF are available for everyone and great discounts are waiting for you. Join us and realize your dream.

Fortinet NSE 5 - FortiSASE and SD-WAN 7.6 Core Administrator Sample Questions (Q23-Q28):

NEW QUESTION # 23

Which two statements about configuring a steering bypass destination in FortiSASE are correct? (Choose two.)

- A. Apply condition can be set only to On-net or Off-net, but not both
- B. Subnet is the only destination type that supports the Apply condition
- C. You can select from four destination types: Infrastructure, FQDN, Local Application, or Subnet
- D. Apply condition allows split tunneling destinations to be applied to On-net, off-net, or both types of endpoints

Answer: C,D

Explanation:

According to the FortiSASE 7.6 Feature Administration Guide, steering bypass destinations (also known as split tunneling) allow administrators to optimize bandwidth by redirecting specific trusted traffic away from the SASE tunnel to the endpoint's local physical interface.

* Destination Types (Option C): When creating a bypass destination, administrators can select from four distinct types: Infrastructure (pre-defined apps like Zoom/O365), FQDN (specific domains), Local Application (identifying processes on the laptop), or Subnet (specific IP ranges).

* Apply Condition (Option B): The "Apply" condition is a flexible setting that allows the administrator to choose when the bypass is active. It can be applied to endpoints that are On-net (inside the office), Off-net (remote), or Both. This ensures that if a user is in the office, they don't use the SASE tunnel for local resources, but if they are home, they might still bypass high-bandwidth sites like YouTube to preserve tunnel capacity.

Why other options are incorrect:

* Option A: Subnet is one of four types and is not the only type supporting these conditions.

* Option D: The system explicitly supports "Both" to ensure consistency across network transitions.

NEW QUESTION # 24

Which three factors about SLA targets and SD-WAN rules should you consider when configuring SD-WAN rules? (Choose three answers)

- A. Member metrics are measured only if a rule uses the SLA target.
- B. SLA targets are used only by SD-WAN rules that are configured with a Lowest Cost (SLA) strategy.
- C. SD-WAN rules can use SLA targets to check whether the preferred members meet the SLA requirements.
- D. When configuring an SD-WAN rule, you can select multiple SLA targets from different performance SLAs.
- E. When configuring an SD-WAN rule, you can select multiple SLA targets if they are from the same performance SLA.

Answer: B,C,E

Explanation:

According to the SD-WAN 7.6 Core Administrator study guide and the Fortinet Document Library, the interaction between SD-WAN rules and SLA targets is governed by specific selection and measurement logic:

* Usage by Strategy (Option B): SLA targets are fundamentally used by the Lowest Cost (SLA) strategy to determine which links are currently healthy enough to be considered for traffic steering. While other strategies like Best Quality use a "Measured SLA" to monitor metrics, they do not typically use the

"Required SLA Target" to disqualify links unless specifically configured in a hybrid mode. In most curriculum contexts, the "Required SLA Target" field is specifically associated with the Lowest Cost and Maximize Bandwidth strategies.

* SLA Compliance Checking (Option D): SD-WAN rules utilize SLA targets as a "pass/fail" gatekeeper. The engine checks if the preferred members meet the defined SLA requirements (latency, jitter, or packet loss thresholds). If a preferred member fails the SLA, the rule will move to the next member in the priority list that does meet the SLA.

* Single SLA Binding (Option E): When configuring an SD-WAN rule, the GUI and CLI allow you to select multiple SLA targets,

but they must all belong to the same Performance SLA profile. You cannot mix and match targets from different health checks (e.g., Target 1 from "Google_HC" and Target 2 from "Amazon_HC") within a single SD-WAN rule.

Why other options are incorrect:

- * Option A: This is incorrect because a single SD-WAN rule can only be associated with one specific Performance SLA profile at a time; therefore, you cannot select targets from different SLAs.
- * Option C: This is incorrect because member metrics (latency, jitter, packet loss) are measured by the Performance SLA probes regardless of whether an SD-WAN rule is currently using that SLA target for steering decisions. Measurement is a function of the health-check, not the rule matching process.

NEW QUESTION # 25

An existing Fortinet SD-WAN customer who has recently deployed FortiSASE wants to have a comprehensive view of, and combined reports for, both SD-WAN branches and remote users. How can the customer achieve this?

- A. Forward the logs from FortiGate to FortiSASE.
- B. Forward the logs from FortiSASE to Fortinet SOCaaS.
- C. Forward the logs from the external SD-WAN FortiAnalyzer to FortiSASE.
- D. **Forward the logs from FortiSASE to the external FortiAnalyzer.**

Answer: D

Explanation:

For customers with hybrid environments (on-premises SD-WAN branches and remote FortiSASE users), the FortiOS 7.6 and FortiSASE curriculum recommends centralized log aggregation for unified visibility.

* Centralized Reporting: The standard architectural best practice is to forward logs from FortiSASE to an external FortiAnalyzer (Option C).

* Unified View: Since the customer's on-premises FortiGate SD-WAN branches are already sending logs to an existing FortiAnalyzer, adding the FortiSASE log stream to that same FortiAnalyzer allows for the creation of combined reports.

* Fabric Integration: This setup leverages the Security Fabric, enabling the FortiAnalyzer to provide a single pane of glass for monitoring security events, application usage, and SD-WAN performance metrics across the entire distributed network.

Why other options are incorrect:

- * Option A: SOCaaS is a managed service for threat monitoring, not a primary tool for an administrator to generate combined SD-WAN/SASE operational reports.
- * Option B: FortiSASE is not designed to act as a log collector or reporting hub for external on-premises FortiGates.
- * Option D: Data flows from the source (FortiSASE) to the collector (FortiAnalyzer), not the other way around.

NEW QUESTION # 26

You want FortiGate to use SD-WAN rules to steer ping local-out traffic. Which two constraints should you consider? (Choose two.)

- A. **You must configure each local-out feature individually to use SD-WAN.**
- B. You can steer local-out traffic only with SD-WAN rules that use the manual strategy.
- C. By default, FortiGate uses SD-WAN rules only for local-out traffic that corresponds to ping and traceroute.
- D. **By default, FortiGate uses SD-WAN rules only for local-out traffic that corresponds to ping and traceroute.**

Answer: A,D

Explanation:

In the SD-WAN 7.6 Core Administrator curriculum, steering "local-out" traffic (traffic generated by the FortiGate itself, such as DNS queries, FortiGuard updates, or diagnostic pings) requires specific configuration because this traffic follows a different path than "forward" traffic.

* Individual Configuration (Option A): By default, local-out traffic bypasses the SD-WAN engine and uses the standard system routing table (RIB/FIB). To use SD-WAN rules for specific features like DNS or RADIUS, you must individually enable the `sdwan interface-select-method` within that feature's configuration (e.g., `config system dns` or `config user radius`).

* Default Steerable Traffic (Option B): In FortiOS 7.6, while most local-out traffic is excluded from SD-WAN by default, the system is designed so that when SD-WAN is active, it primarily considers SD-WAN rules for specific diagnostic local-out traffic—specifically ping and traceroute—to allow administrators to verify path quality using the same logic as user traffic.

Why other options are incorrect:

- * Option C: Local-out traffic can be steered using any SD-WAN strategy (Manual, Best Quality, etc.), provided the `interface-selection-method` is set to `sdwan`.

NEW QUESTION # 27

The IT team is wondering whether they will need to continue using MDM tools for future FortiClient upgrades. What options are available for handling future FortiClient upgrades?

- A. Perform onboarding for managed endpoint users with a newer FortiClient version.
- **B. Enable the Endpoint Upgrade feature on the FortiSASE portal.**
- C. FortiClient will need to be manually upgraded.
- D. A newer FortiClient version will be auto-upgraded on demand.

Answer: B

Explanation:

According to the FortiSASE 7.6 Feature Administration Guide and the latest updates to the NSE 5 SASE curriculum, FortiSASE has introduced native lifecycle management for FortiClient agents to reduce the operational burden on IT teams who previously relied solely on third-party MDM (Mobile Device Management) or GPO (Group Policy Objects) for every update.

The Endpoint Upgrade feature, found under System > Endpoint Upgrade in the FortiSASE portal, allows administrators to perform the following:

* Centralized Version Control: Administrators can see which versions are currently deployed and which "Recommended" versions are available from FortiGuard.

* Scheduled Rollouts: You can choose to upgrade all endpoints or specific endpoint groups at a designated time, ensuring that upgrades do not disrupt business operations.

* Status Monitoring: The portal provides a real-time dashboard showing the progress of the upgrade (e.g., Downloading, Installing, Reboot Pending, or Success).

* Manual vs. Managed: While MDM is still highly recommended for the initial onboarding (the first time FortiClient is installed and connected to the SASE cloud), all subsequent upgrades can be handled natively by the FortiSASE portal.

Why other options are incorrect:

* Option B: Manual upgrades are inefficient for large-scale deployments (~400 users in this scenario) and are not the intended "feature-rich" solution provided by FortiSASE.

* Option C: "Onboarding" refers to the initial setup. Re-onboarding every time a version changes would be redundant and counterproductive.

* Option D: While the system can manage the upgrade, it is not "auto-upgraded on demand" by the client itself without administrative configuration in the portal. The administrator must still define the target version and schedule.

NEW QUESTION # 28

.....

Authentic Solutions Of The Fortinet NSE5_SSE_AD-7.6 Exam Questions. Consider sitting for an Fortinet NSE 5 - FortiSASE and SD-WAN 7.6 Core Administrator and discovering that the practice materials you've been using are incorrect and useless. The technical staff at ExamTorrent has gone through the Fortinet certification process and knows the need to be realistic and exact. Hundreds of professionals worldwide examine and test every Fortinet NSE5_SSE_AD-7.6 Practice Exam regularly.

New NSE5_SSE_AD-7.6 Dumps Questions: https://www.examtorrent.com/NSE5_SSE_AD-7.6-exam-dumps-torrent.html

- Simplified Document Sharing and Accessibility With Fortinet NSE5_SSE_AD-7.6 PDF Questions □ The page for free download of □ NSE5_SSE_AD-7.6 □ on "www.vce4dumps.com" will open immediately □ NSE5_SSE_AD-7.6 Reliable Test Pdf
- NSE5_SSE_AD-7.6 Test Online □ NSE5_SSE_AD-7.6 Valid Exam Testking □ NSE5_SSE_AD-7.6 Online Test □ Easily obtain free download of ▶ NSE5_SSE_AD-7.6 ▲ by searching on □ www.pdfvce.com □ □ NSE5_SSE_AD-7.6 Test Torrent
- Valid NSE5_SSE_AD-7.6 Test Topics □ NSE5_SSE_AD-7.6 Valid Exam Testking □ NSE5_SSE_AD-7.6 Reliable Test Pdf □ Search for □ NSE5_SSE_AD-7.6 □ and download it for free immediately on □ www.testkingpass.com □ □ □ Exam NSE5_SSE_AD-7.6 Collection Pdf
- Well-Prepared Fortinet Latest NSE5_SSE_AD-7.6 Exam Vce Are Leading Materials - Accurate NSE5_SSE_AD-7.6: Fortinet NSE 5 - FortiSASE and SD-WAN 7.6 Core Administrator □ Search for □ NSE5_SSE_AD-7.6 □ and easily obtain a free download on □ www.pdfvce.com □ □ NSE5_SSE_AD-7.6 Vce Download
- Vce NSE5_SSE_AD-7.6 Torrent □ NSE5_SSE_AD-7.6 Test Torrent □ Exam NSE5_SSE_AD-7.6 Collection Pdf □ □ Immediately open ▶ www.troyecdumps.com ▲ and search for ▶ NSE5_SSE_AD-7.6 □ to obtain a free download □ NSE5_SSE_AD-7.6 Related Content
- Exam NSE5_SSE_AD-7.6 Collection Pdf □ NSE5_SSE_AD-7.6 Test Online □ NSE5_SSE_AD-7.6 Valid Exam

Testking ♥ Easily obtain 《 NSE5_SSE_AD-7.6 》 for free download through www.pdfvce.com □ Valid NSE5_SSE_AD-7.6 Exam Duration