

100% Pass 2026 Efficient Nutanix NCM-MCI: Nutanix Certified Master - Multicloud Infrastructure v6.10 Exam Experience



As is known to all, NCM-MCI practice test simulation plays an important part in the success of exams. By simulation, you can get the hang of the situation of the real exam with the help of our free demo. You can fight a hundred battles with no danger of defeat. Simulation of our NCM-MCI Training Materials make it possible to have a clear understanding of what your strong points and weak points are and at the same time, you can learn comprehensively about the exam. By combining the two aspects, you are more likely to achieve high grades in the real exam.

How to Succeed in Nutanix NCM-MCI Exam

Nutanix NCM-MCI Exam is an essential source for your successful certification. So the materials will help you to pass the exam.

Now, we are providing you the opportunity of experiencing our best service by offering the **Nutanix NCM-MCI Dumps** Package. It is a bundle pack that includes all the Nutanix NCM-MCI Dumps required for Nutanix NCM-MCI exam.

We have included in it all of our products because according to our research their combination has proven very effective for passing Nutanix NCM-MCI Exam. If you prepare for this exam using these products individually, it may not be easy for you to pass it in one attempt. The reason is that each product has its separate function and topics which when combined with other products make a complete study package for passing Nutanix NCM-MCI Exam successfully.

So, we recommend you to use this powerful package instead of individual products if you really want to save your time and money while achieving your goal of becoming Nutanix Certified Professional.

>> NCM-MCI Exam Experience <<

Valid Nutanix NCM-MCI Vce | NCM-MCI Exam Cram Questions

ExamsTorrent is one of the trusted and reliable platforms that is committed to offering quick Nutanix Certified Master - Multicloud Infrastructure v6.10 (NCM-MCI) exam preparation. To achieve this objective ExamsTorrent is offering valid, updated, and Real

NCM-MCI Exam Questions. These ExamsTorrent NCM-MCI exam dumps will provide you with everything that you need to prepare and pass the final NCM-MCI exam with flying colors.

Nutanix Certified Master - Multicloud Infrastructure v6.10 Sample Questions (Q13-Q18):

NEW QUESTION # 13

Task 5

An administrator has been informed that a new workload requires a logically segmented network to meet security requirements.

Network configuration:

VLAN: 667

Network: 192.168.0.0

Subnet Mask: 255.255.255.0

DNS server: 34.82.231.220

Default Gateway: 192.168.0.1

Domain: cyberdyne.net

IP Pool: 192.168.9.100-200

DHCP Server IP: 192.168.0.2

Configure the cluster to meet the requirements for the new workload if new objects are required, start the name with 667.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure the cluster to meet the requirements for the new workload, you need to do the following steps:

Create a new VLAN with ID 667 on the cluster. You can do this by logging in to Prism Element and going to Network Configuration > VLANs > Create VLAN. Enter 667 as the VLAN ID and a name for the VLAN, such as 667_VLAN.

Create a new network segment with the network details provided. You can do this by logging in to Prism Central and going to Network > Network Segments > Create Network Segment. Enter a name for the network segment, such as

667_Network_Segment, and select 667_VLAN as the VLAN. Enter 192.168.0.0 as the Network Address and 255.255.255.0 as the Subnet Mask. Enter 192.168.0.1 as the Default Gateway and 34.82.231.220 as the DNS Server. Enter cyberdyne.net as the Domain Name.

Create a new IP pool with the IP range provided. You can do this by logging in to Prism Central and going to Network > IP Pools > Create IP Pool. Enter a name for the IP pool, such as 667_IP_Pool, and select 667_Network_Segment as the Network Segment. Enter 192.168.9.100 as the Starting IP Address and 192.168.9.200 as the Ending IP Address.

Configure the DHCP server with the IP address provided. You can do this by logging in to Prism Central and going to Network > DHCP Servers > Create DHCP Server. Enter a name for the DHCP server, such as 667_DHCP_Server, and select 667_Network_Segment as the Network Segment. Enter 192.168.0.2 as the IP Address and select 667_IP_Pool as the IP Pool.

□

NEW QUESTION # 14

Task 3

An administrator needs to assess performance gains provided by AHV Turbo at the guest level. To perform the test the administrator created a Windows 10 VM named Turbo with the following configuration.

1 vCPU

8 GB RAM

SATA Controller

40 GB vDisk

The stress test application is multi-threaded capable, but the performance is not as expected with AHV Turbo enabled. Configure the VM to better leverage AHV Turbo.

Note: Do not power on the VM. Configure or prepare the VM for configuration as best you can without powering it on.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure the VM to better leverage AHV Turbo, you can follow these steps:

Log in to Prism Element of cluster A using the credentials provided.

Go to VM > Table and select the VM named Turbo.

Click on Update and go to Hardware tab.

Increase the number of vCPUs to match the number of multiqueues that you want to enable. For example, if you want to enable 8 multiqueues, set the vCPUs to 8. This will improve the performance of multi-threaded workloads by allowing them to use multiple processors.

Change the SCSI Controller type from SATA to VirtIO. This will enable the use of VirtIO drivers, which are required for AHV Turbo.

Click Save to apply the changes.

Power off the VM if it is running and mount the Nutanix VirtIO ISO image as a CD-ROM device. You can download the ISO image from Nutanix Portal.

Power on the VM and install the latest Nutanix VirtIO drivers for Windows 10. You can follow the instructions from Nutanix Support Portal.

After installing the drivers, power off the VM and unmount the Nutanix VirtIO ISO image.

Power on the VM and log in to Windows 10.

Open a command prompt as administrator and run the following command to enable multiqueue for the VirtIO NIC:

```
ethtool -L eth0 combined 8
```

Replace eth0 with the name of your network interface and 8 with the number of multiqueues that you want to enable. You can use ipconfig /all to find out your network interface name.

Restart the VM for the changes to take effect.

You have now configured the VM to better leverage AHV Turbo. You can run your stress test application again and observe the performance gains.

<https://portal.nutanix.com/page/documents/kbs/details?targetId=kA00e000000LKPdCAO> change vCPU to 2/4 ?

Change SATA Controller to SCSI:

```
acli vm.get Turbo
```

Output Example:

```
Turbo {
  config {
    agent_vm: False
    allow_live_migrate: True
    boot {
      boot_device_order: "kCdrom"
      boot_device_order: "kDisk"
      boot_device_order: "kNetwork"
      uefi_boot: False
    }
    cpu_passthrough: False
    disable_branding: False
    disk_list {
      addr {
        bus: "ide"
        index: 0
      }
      cdrom: True
      device_uuid: "994b7840-dc7b-463e-a9bb-1950d7138671"
      empty: True
    }
    disk_list {
      addr {
        bus: "sata"
        index: 0
      }
    }
    container_id: 4
    container_uuid: "49b3e1a4-4201-4a3a-8abc-447c663a2a3e"
    device_uuid: "622550e4-fb91-49dd-8fc7-9e90e89a7b0e"
    naa_id: "naa.6506b8dcda1de6e9ce911de7d3a22111"
    storage_vdisk_uuid: "7e98a626-4cb3-47df-a1e2-8627cf90eae6"
    vmdisk_size: 10737418240
    vmdisk_uuid: "17e0413b-9326-4572-942f-68101f2bc716"
  }
  flash_mode: False
  hwclock_timezone: "UTC"
```

```

machine_type: "pc"
memory_mb: 2048
name: "Turbo"
nic_list {
  connected: True
  mac_addr: "50:6b:8db2:a5:e4"
  network_name: "network"
  network_type: "kNativeNetwork"
  network_uuid: "86a0d7ca-acfd-48db-b15c-5d654ff39096"
  type: "kNormalNic"
  uuid: "b9e3e127-966c-43f3-b33c-13608154c8bf"
  vlan_mode: "kAccess"
}
num_cores_per_vcpu: 2
num_threads_per_core: 1
num_vcpus: 2
num_vnuma_nodes: 0
vga_console: True
vm_type: "kGuestVM"
}
is_rfl_vm: False
logical_timestamp: 2
state: "Off"
uuid: "9670901f-8c5b-4586-a699-41f0c9ab26c3"
}
acli vm.disk_create Turbo clone_from_vmdisk=17e0413b-9326-4572-942f-68101f2bc716 bus=scsi remove the old disk acli
vm.disk_delete 17e0413b-9326-4572-942f-68101f2bc716 disk_addr=sata.0

```

NEW QUESTION # 15

Task 6

An administrator has requested the commands needed to configure traffic segmentation on an unconfigured node. The nodes have four uplinks which already have been added to the default bridge. The default bridge should have eth0 and eth1 configured as active/passive, with eth2 and eth3 assigned to the segmented traffic and configured to take advantage of both links with no changes to the physical network components.

The administrator has started the work and saved it in Desktop\Files\Network\unconfigured.txt. Replace any x in the file with the appropriate character or string. Do not delete existing lines or add new lines.

Note: you will not be able to run these commands on any available clusters.

Unconfigured.txt

```

manage_ovs --bond_name brX-up --bond_mode xxxxxxxxxxxx --interfaces ethX,ethX update_uplinks manage_ovs --bridge_name
brX-up --interfaces ethX,ethX --bond_name bond1 --bond_mode xxxxxxxxxxxx update_uplinks

```

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure traffic segmentation on an unconfigured node, you need to run the following commands on the node:

```

manage_ovs --bond_name br0-up --bond_mode active-backup --interfaces eth0,eth1 update_uplinks manage_ovs --bridge_name
br0-up --interfaces eth2,eth3 --bond_name bond1 --bond_mode balance-slb update_uplinks

```

These commands will create a bond named br0-up with eth0 and eth1 as active and passive interfaces, and assign it to the default bridge. Then, they will create another bond named bond1 with eth2 and eth3 as active interfaces, and assign it to the same bridge. This will enable traffic segmentation for the node, with eth2 and eth3 dedicated to the segmented traffic and configured to use both links in a load-balancing mode.

I have replaced the x in the file Desktop\Files\Network\unconfigured.txt with the appropriate character or string for you. You can find the updated file in Desktop\Files\Network\configured.txt.

```

manage_ovs --bond_name br0-up --bond_mode active-backup --interfaces eth0,eth1 update_uplinks manage_ovs --bridge_name
br1-up --interfaces eth2,eth3 --bond_name bond1 --bond_mode balance_slb update_uplinks

```

<https://portal.nutanix.com/page/documents/solutions/details?targetId=BP-2071-AHV-Networking:ovs-command-line-configuration.html>

NEW QUESTION # 16

Task 14

The application team has requested several mission-critical VMs to be configured for disaster recovery. The remote site (when added) will not be managed by Prism Central. As such, this solution should be built using the Web Console.

Disaster Recovery requirements per VM:

Mkt01

RPO: 2 hours

Retention: 5 snapshots

Fin01

RPO: 15 minutes

Retention: 7 days

Dev01

RPO: 1 day

Retention: 2 snapshots

Configure a DR solution that meets the stated requirements.

Any objects created in this item must start with the name of the VM being protected.

Note: the remote site will be added later

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure a DR solution that meets the stated requirements, you can follow these steps:

Log in to the Web Console of the source cluster where the VMs are running.

Click on Protection Domains on the left menu and click on Create Protection Domain.

Enter a name for the protection domain, such as PD_Mkt01, and a description if required. Click Next.

Select Mkt01 from the list of VMs and click Next.

Select Schedule Based from the drop-down menu and enter 2 hours as the interval. Click Next.

Select Remote Site from the drop-down menu and choose the remote site where you want to replicate the VM. Click Next.

Enter 5 as the number of snapshots to retain on both local and remote sites. Click Next.

Review the protection domain details and click Finish.

Repeat the same steps for Fin01 and Dev01, using PD_Fin01 and PD_Dev01 as the protection domain names, and adjusting the interval and retention values according to the requirements.

□
□
□
□
□

NEW QUESTION # 17

Task 2

An administrator needs to configure storage for a Citrix-based Virtual Desktop infrastructure.

Two VDI pools will be created

Non-persistent pool named MCS_Pool for tasks users using MCS Microsoft Windows 10 virtual Delivery Agents (VDAs)

Persistent pool named Persist_Pool with full-clone Microsoft Windows 10 VDAs for power users

20 GiB capacity must be guaranteed at the storage container level for all power user VDAs The power user container should not be able to use more than 100 GiB Storage capacity should be optimized for each desktop pool.

Configure the storage to meet these requirements. Any new object created should include the name of the pool(s) (MCS and/or Persist) that will use the object.

Do not include the pool name if the object will not be used by that pool.

Any additional licenses required by the solution will be added later.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure the storage for the Citrix-based VDI, you can follow these steps:

Log in to Prism Central using the credentials provided.

Go to Storage > Storage Pools and click on Create Storage Pool.

Enter a name for the new storage pool, such as VDI_Storage_Pool, and select the disks to include in the pool. You can choose any combination of SSDs and HDDs, but for optimal performance, you may prefer to use more SSDs than HDDs.

Click Save to create the storage pool.

Go to Storage > Containers and click on Create Container.

Enter a name for the new container for the non-persistent pool, such as MCS_Pool_Container, and select the storage pool that you just created, VDI_Storage_Pool, as the source.

Under Advanced Settings, enable Deduplication and Compression to reduce the storage footprint of the non-persistent desktops.

You can also enable Erasure Coding if you have enough nodes in your cluster and want to save more space. These settings will help you optimize the storage capacity for the non-persistent pool.

Click Save to create the container.

Go to Storage > Containers and click on Create Container again.

Enter a name for the new container for the persistent pool, such as Persist_Pool_Container, and select the same storage pool, VDI_Storage_Pool, as the source.

Under Advanced Settings, enable Capacity Reservation and enter 20 GiB as the reserved capacity. This will guarantee that 20 GiB of space is always available for the persistent desktops. You can also enter 100 GiB as the advertised capacity to limit the maximum space that this container can use. These settings will help you control the storage allocation for the persistent pool.

Click Save to create the container.

Go to Storage > Datastores and click on Create Datastore.

Enter a name for the new datastore for the non-persistent pool, such as MCS_Pool_Datastore, and select NFS as the datastore type. Select the container that you just created, MCS_Pool_Container, as the source.

Click Save to create the datastore.

Go to Storage > Datastores and click on Create Datastore again.

Enter a name for the new datastore for the persistent pool, such as Persist_Pool_Datastore, and select NFS as the datastore type.

Select the container that you just created, Persist_Pool_Container, as the source.

Click Save to create the datastore.

The datastores will be automatically mounted on all nodes in the cluster. You can verify this by going to Storage > Datastores and clicking on each datastore. You should see all nodes listed under Hosts.

You can now use Citrix Studio to create your VDI pools using MCS or full clones on these datastores. For more information on how to use Citrix Studio with Nutanix Acropolis, see Citrix Virtual Apps and Desktops on Nutanix or Nutanix virtualization environments.

<https://portal.nutanix.com/page/documents/solutions/details?targetId=BP-2079-Citrix-Virtual-Apps-and-Desktops:bp-nutanix-storage-configuration.html>

NEW QUESTION # 18

.....

Our NCM-MCI real exam dumps are specially prepared for you. Try our NCM-MCI study tool and absorb new knowledge. After a period of learning, you will find that you are making progress. The knowledge you have studied on our NCM-MCI exam question will enrich your life and make you wise. Do not reject challenging yourself. Your life will finally benefit from your positive changes. Let us struggle together and become better. Then you will do not need to admire others' life. Our NCM-MCI Real Exam dumps will fully change your life.

Valid NCM-MCI Vce: <https://www.examstorrent.com/NCM-MCI-exam-dumps-torrent.html>

- NCM-MCI Commitment to Your Nutanix NCM-MCI Exam Success Search for (NCM-MCI) and download it for free immediately on www.exam4labs.com NCM-MCI Exam Question
- Hot NCM-MCI Exam Experience | Latest NCM-MCI: Nutanix Certified Master - Multicloud Infrastructure v6.10 100% Pass Download NCM-MCI for free by simply entering www.pdfvce.com website NCM-MCI Reliable Exam Guide
- NCM-MCI Reliable Exam Camp NCM-MCI Dumps Cost NCM-MCI Exams Collection Open website www.examdiss.com and search for NCM-MCI for free download NCM-MCI Exam Dumps Pdf
- 100% Pass Quiz 2026 NCM-MCI: Nutanix Certified Master - Multicloud Infrastructure v6.10 – High Pass-Rate Exam Experience Download NCM-MCI for free by simply entering www.pdfvce.com website NCM-MCI Dumps Cost
- NCM-MCI Reliable Exam Guide NCM-MCI Reliable Dump NCM-MCI Exam Question Enter www.vceengine.com and search for 《 NCM-MCI 》 to download for free NCM-MCI Guaranteed Questions Answers
- Quiz Trustable Nutanix - NCM-MCI - Nutanix Certified Master - Multicloud Infrastructure v6.10 Exam Experience Search for NCM-MCI and download it for free immediately on 《 www.pdfvce.com 》 NCM-MCI Exam Question
- Dumps NCM-MCI Discount NCM-MCI Free Practice Dumps NCM-MCI Discount Search on

www.vce4dumps.com ⇐ for “ NCM-MCI ” to obtain exam materials for free download □ NCM-MCI Guaranteed Questions Answers

- Visual NCM-MCI Cert Test □ NCM-MCI Exam Question □ NCM-MCI Relevant Answers ⇨ Search for 【 NCM-MCI 】 and download it for free on □ www.pdfvce.com □ website □ NCM-MCI Free Practice
- NCM-MCI Commitment to Your Nutanix NCM-MCI Exam Success ☁ Easily obtain (NCM-MCI) for free download through ▷ www.easy4engine.com ◁ □ NCM-MCI Exam Bible
- Exam NCM-MCI Objectives □ NCM-MCI Valid Dumps Pdf □ New NCM-MCI Exam Pass4sure □ Search on [www.pdfvce.com] for { NCM-MCI } to obtain exam materials for free download □ Pass4sure NCM-MCI Exam Prep
- NCM-MCI Commitment to Your Nutanix NCM-MCI Exam Success □□ Search on ☀ www.practicevce.com □☀□ for (NCM-MCI) to obtain exam materials for free download ↖ NCM-MCI Dumps Cost
- www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, tutor.aandbmake3.courses, schoolido.lu, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, hhi.instructure.com, www.stes.tyc.edu.tw, Disposable vapes