

# Interactive Oracle 1z1-076 Practice Exam - Test 1z1-076 Questions Fee

**Oracle 1Z0-076 Exam Prep Made Easy: The Benefits of Using Practice Tests**



P.S. Free & New 1z1-076 dumps are available on Google Drive shared by GetValidTest: <https://drive.google.com/open?id=1wSTaRjQDu4OBanm1DuE3REZsuNpaJLE1>

Our 1z1-076 preparation torrent can keep pace with the digitized world by providing timely application. There are versions of Software and APP online, they can simulate the real exam environment. If you take good advantage of this 1z1-076 practice materials character, you will not feel nervous when you deal with the 1z1-076 Real Exam. Furthermore, they can be downloaded to all electronic devices so that you can have a rather modern study experience conveniently. Why not have a try on our 1z1-076 exam questions?

Are you in the condition that you want to make progress but you don't know how to and you are a little lost in the preparation. Perhaps you need help with our 1z1-076 preparation materials. A good product, the most important thing is to seize the user's most concerned part. We can tell you that 99% of those who use our 1z1-076 Exam Questions have already got the certificates they want and they all lead a better life now. Just buy our 1z1-076 training braindumps, then you will succeed as well!

>> **Interactive Oracle 1z1-076 Practice Exam** <<

## Test Oracle 1z1-076 Questions Fee - 1z1-076 Test Collection Pdf

Our Oracle 1z1-076 exam questions have gained wide popularity among candidates. Almost all customers are willing to introduce our 1z1-076 practice quiz to their classmates and friends. And sometimes, they may buy our exam products together. After they have tried our study materials, most of them have successfully passed the Oracle 1z1-076 Exam and made a lot of money.

## Oracle Database 19c: Data Guard Administration Sample Questions (Q56-Q61):

### NEW QUESTION # 56

Which two statements are true regarding Data Guard environments in an Oracle Multi-tenant architecture?

- A. A Data Guard environment with a multi-tenant primary database can operate in any Protection mode.
- B. PDB\_FILE\_NAME CONVERT must be set to enable creation of standby databases if they are created on the same host as the primary.
- C. Different redo transport methods can be configured for different pluggable databases within one Data Guard environment.
- D. Standby redo log files are required for each pluggable database that is protected with Data Guard.
- E. The Data Guard broker may be used for multi-tenant databases.

**Answer: A,E**

Explanation:

Oracle Multi-tenant architecture and Data Guard have several interactions, but specific aspects hold true in such environments:

\* The Data Guard broker may be used for multi-tenant databases (B): Data Guard Broker simplifies the management and monitoring

of Data Guard configurations and is fully compatible with the Oracle Multi-tenant architecture, allowing for easy management of Data Guard configurations that include multi-tenant container databases (CDBs) and their pluggable databases (PDBs).

\* A Data Guard environment with a multi-tenant primary database can operate in any Protection mode (E): Data Guard can be configured to operate in Maximum Performance, Maximum Availability, or Maximum Protection mode, regardless of whether the primary database is a multi-tenant database.

This flexibility ensures that Data Guard can meet various data protection and availability requirements in multi-tenant environments. References:

- \* Oracle Data Guard Broker documentation
- \* Oracle Multitenant Administrator's Guide

### NEW QUESTION # 57

Which three statements are true about snapshot standby databases?

- A. The switchover TO command allows a switchover operation to a snapshot standby database.
- B. **Tablespaces can be created.**
- C. The FAILOVER TO command results in a transition of a snapshot standby database to the primary role.
- D. **Tables can be dropped.**
- E. **Tablespaces can be dropped.**
- F. A logical standby database can be converted into a snapshot standby database.

**Answer: B,D,E**

Explanation:

A snapshot standby database is a fully updateable standby database that is created by converting a physical standby database into a snapshot standby database. The main characteristics of a snapshot standby database include:

- \* B: Tablespaces can indeed be dropped in a snapshot standby database because it is updateable and allows all types of DML and DDL operations that do not conflict with the standby role.
- \* C: Tablespaces can be created in a snapshot standby database for the same reasons that they can be dropped; it supports all operations that do not interfere with its standby nature.
- \* E: Tables can be dropped in a snapshot standby database, as it is a fully updateable standby.

Options A and D are incorrect because 'FAILOVER TO' and 'SWITCHOVER TO' commands are not used with snapshot standby databases in these contexts. A failover converts a standby database into the primary role after the original primary has become unavailable, and is not a reversible role transition. Switchover is a planned role reversal between the primary database and one of its standby databases and is not applicable to snapshot standby databases in the context provided.

Option F is incorrect because a logical standby database cannot be converted into a snapshot standby database directly. A logical standby is used for different purposes such as reporting and querying with real-time data, and its structure is different from a physical standby which can be converted into a snapshot standby.

References: Oracle Data Guard Concepts and Administration guide details the operations allowed on snapshot standby databases and the processes for transitioning between physical, snapshot, and logical standby databases.

### NEW QUESTION # 58

You notice that the SQL apply lag on your logical standby database has increased but the redo transport lag has not.

Which four could be reasons for the increase in SQL apply lag?

- A. An increased number of bulk inserts on the primary
- B. **An increased number of bulk updates on the primary**
- C. An undersized undo tablespace on the logical standby
- D. **Many SQL apply operations do full table scans**
- E. The standby redo log files are undersized on the primary database
- F. **An undersized shared pool**

**Answer: B,C,D,F**

Explanation:

The SQL apply lag on a logical standby database can be caused by several factors:

- \* A: An undersized undo tablespace can lead to delays in SQL apply operations as it may not be able to handle the volume of undo records generated by the SQL apply process.
- \* B: SQL apply operations that do full table scans can consume significant system resources, potentially leading to higher apply lag.
- \* C: An increased number of bulk updates on the primary database may generate a large volume of redo data, which can cause

apply lag if the logical standby cannot apply the changes quickly enough.

\* F: An undersized shared pool may affect the parsing and execution of SQL statements by SQL apply, which can contribute to the apply lag.

Option D is less likely to be a direct cause of SQL apply lag compared to bulk updates, as inserts generate new data rather than modifying existing data, which SQL apply can typically handle more efficiently.

Option E is incorrect because the size of the standby redo log files on the primary database impacts redo transport lag, not SQL apply lag.

References: Oracle Database High Availability Overview and Oracle Data Guard Concepts and Administration guide provide insights into the factors affecting SQL apply performance on logical standby databases.

## NEW QUESTION # 59

Which three are prerequisites for enabling Fast-Start Failover?

- A. You can specify only one standby database as the fast-start failover target.
- B. The Data Guard environment must be managed by the Data Guard Broker.
- C. The configuration must be operating in either Maximum Performance or Maximum Protection mode.
- D. Flashback Database must be enabled only on the Fast-Start Failover target standby database.
- E. The maximum protection mode can be used, but with two or more standby databases.
- F. Flashback Database must be enabled on both the primary database and the Fast-Start Failover target standby database.

**Answer: A,B,F**

### Explanation:

To enable Fast-Start Failover in a Data Guard environment, the following conditions must be in place:

\* The Data Guard environment must be managed by the Data Guard Broker (A): The Broker simplifies management tasks and is required to enable fast-start failover, which is an automatic failover mechanism provided by Data Guard.

\* You can specify only one standby database as the fast-start failover target (C): Fast-start failover is designed to fail over to a single, predetermined standby database, known as the target standby.

\* Flashback Database must be enabled on both the primary database and the Fast-Start Failover target standby database (F): Flashback Database provides a quick way to revert a database to a point

\* in time before a logical or physical corruption or error occurred. It must be enabled on both the primary and target standby databases to allow for the possibility of reinstating the old primary as a standby after a failover. References:

\* Oracle Data Guard Concepts and Administration Guide

## \* Oracle Database High Availability Overview

## NEW QUESTION # 60

You created the PRODSBY1 physical standby database for the PROD primary database using gsql and RMAN.

You are planning to create a Data Guard Broker configuration. You execute the command:



Which three statements are true regarding the execution of the command?

- A. The PRODSBY1 standby database is automatically added to the configuration if DG\_BROKER\_START is TRUE for PRODSBY1.
- B. The command will execute successfully only if Oracle Net connectivity to the PROD database instance is defined on the primary host.
- C. The command will execute successfully only if Oracle Net connectivity to the PROD and PRODSBY1 database instances are defined on the primary host.
- D. The PRODSBY1 standby database is automatically added to the configuration if Oracle Net connectivity to the PRODSBY1 database instance is defined on the primary host.
- E. The command will execute successfully only if the DG\_BROKER\_START initialization parameter is set to TRUE for the PROD database instance.
- F. The Data Guard Broker configuration files are automatically created in the destinations specified by the DG\_BROKER\_CONFIG\_FILE initialization parameters on the primary database.

**Answer: B,E,F**

### Explanation:

The command executed (CREATE CONFIGURATION 'DGConfig' AS PRIMARY DATABASE IS ' PROD' CONNECT IDENTIFIER IS PROD;) is used to create a Data Guard Broker configuration named 'DGConfig'. The successful execution of this command depends on several conditions:

- \* A: The DG\_BROKER\_START parameter must be set to TRUE on the primary database to start the Data Guard Broker processes. Without the broker processes running, the configuration cannot be created.
- \* D: Oracle Net connectivity to the PROD database instance must be established on the primary host. This is because the Data Guard Broker requires network accessibility to communicate with the primary database and manage the configuration.
- \* E: When the configuration is created, the Data Guard Broker configuration files are indeed automatically created in the locations specified by the DG\_BROKER\_CONFIG\_FILEn parameters on the primary database.

It's important to note that the command will not automatically add the PRODSBY1 standby database to the configuration (thus B and C are not correct), and there is no requirement for the standby database to have Oracle Net connectivity defined on the primary host for the execution of this command (making F incorrect as well).

References: This information can be validated in Oracle's Data Guard Broker documentation, which outlines the requirements for setting up and managing a Data Guard configuration using the Data Guard Broker.

## NEW QUESTION # 61

.....

Our exam prep material is famous among 1z1-076 exam candidates which help to polish the knowledge required to pass the Oracle 1z1-076 exam. The certification is organized by 1z1-076 internationally. Our Oracle 1z1-076 exam questions are the most cost-effective as we understand that you need low-cost material but are authentic and updated. GetValidTest provides its Oracle 1z1-076 Exam Questions in three forms, one is PDF eBook, the second is practice exam software for Windows-based systems, and the third is an online practice test.

**Test 1z1-076 Questions Fee:** <https://www.getvalidtest.com/1z1-076-exam.html>

Three formats of Oracle 1z1-076 practice material are always getting updated according to the content of real Oracle 1z1-076 examination, And our 1z1-076 exam braindumps will never let you down, As long as you bought our 1z1-076 practice engine, you are bound to pass the 1z1-076 exam for sure, Oracle Interactive 1z1-076 Practice Exam So our product will be a very good choice for you.

Personally, I tend to think of Exchange, SharePoint, and Lync as infrastructure 1z1-076 products, In the Java world, software tools are often available as reusable objects in standard or third-party libraries.

## 100% Pass 1z1-076 - Oracle Database 19c: Data Guard Administration Latest Interactive Practice Exam

Three formats of Oracle 1z1-076 practice material are always getting updated according to the content of real Oracle 1z1-076 examination, And our 1z1-076 exam braindumps will never let you down.

As long as you bought our 1z1-076 practice engine, you are bound to pass the 1z1-076 exam for sure, So our product will be a very good choice for you, Oracle 1z1-076 Ebook - With it you will have a key to success.

- 100% Pass Quiz 1z1-076 - Newest Interactive Oracle Database 19c: Data Guard Administration Practice Exam □ Enter □ [www.prep4away.com](http://www.prep4away.com) □ and search for ▷ 1z1-076 ▲ to download for free □ 1z1-076 Examcollection Free Dumps
- 1z1-076 Free Updates □ New 1z1-076 Test Voucher □ Visual 1z1-076 Cert Exam □ Download “ 1z1-076 ” for free by simply searching on ▶ [www.pdfvce.com](http://www.pdfvce.com) □ □ □ □ 1z1-076 Exam Study Solutions
- Oracle 1z1-076 Dumps with Practice Test Questions [2026] □ Open “ [www.testkingpass.com](http://www.testkingpass.com) ” and search for ▶ 1z1-076 □ □ □ to download exam materials for free □ Test 1z1-076 Practice
- New 1z1-076 Exam Dumps □ Visual 1z1-076 Cert Exam □ Valid 1z1-076 Test Book □ Open ▶ [www.pdfvce.com](http://www.pdfvce.com) □ □ □ enter □ 1z1-076 □ and obtain a free download □ Questions 1z1-076 Pdf
- Valid 1z1-076 Exam Pdf □ Visual 1z1-076 Cert Exam □ 1z1-076 Exam Study Solutions □ ▶ [www.pdfdumps.com](http://www.pdfdumps.com) ▲ is best website to obtain ✓ 1z1-076 □ ✓ □ for free download □ Test 1z1-076 Practice
- Valid 1z1-076 Test Book □ 1z1-076 Valid Dumps Demo □ 1z1-076 Exam Study Solutions □ ⇒ [www.pdfvce.com](http://www.pdfvce.com) ⇄ is best website to obtain ▶ 1z1-076 □ for free download □ 1z1-076 Test Simulator Free
- Oracle 1z1-076 Dumps with Practice Test Questions [2026] ▶ Search for “ 1z1-076 ” on □ [www.verifieddumps.com](http://www.verifieddumps.com) □ immediately to obtain a free download □ Real 1z1-076 Exams
- Oracle - Fantastic 1z1-076 - Interactive Oracle Database 19c: Data Guard Administration Practice Exam □ Search for “ 1z1-076 ” and download it for free immediately on ▶ [www.pdfvce.com](http://www.pdfvce.com) □ □ 1z1-076 Detailed Study Dumps
- Valid 1z1-076 Test Book □ 1z1-076 Free Updates □ 1z1-076 Exam Objectives □ Open ▲ [www.prepawaypdf.com](http://www.prepawaypdf.com)

- 】 and search for ▷ 1z1-076 ◁ to download exam materials for free □Real 1z1-076 Exams
- Real 1z1-076 Exams □ 1z1-076 Exam Objectives ↗ Latest Real 1z1-076 Exam □ Search for ⇒ 1z1-076 ⇄ and download exam materials for free through ↗ www.pdfvce.com □\*□ □Valid 1z1-076 Test Book
- 1z1-076 Exam Objectives □ 1z1-076 Learning Engine □ 1z1-076 Exam Objectives □ Search on ✓ www.prepawayete.com □✓□ for ▷ 1z1-076 ◁ to obtain exam materials for free download □1z1-076 Valid Test Question
- myportal.utt.edu.tt, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, ncon.edu.sa, www.stes.tyc.edu.tw, ncon.edu.sa, www.stes.tyc.edu.tw, Disposable vapes

P.S. Free & New 1z1-076 dumps are available on Google Drive shared by GetValidTest: <https://drive.google.com/open?id=1wSTaRjQDu4OBanm1DuE3REZsuNpaJLEl>