

# SAP C\_ADBTP\_2601 New Braindumps - Study C\_ADBTP\_2601 Group



Although the SAP C-S4FCC-2021 exam prep is of great importance, you do not need to be over concerned about it. With scientific review and arrangement from professional experts as your backup, and the most accurate and high quality content of our [SAP C-S4FCC-2021 Study Materials](#), you will cope with it like a piece of cake. So our C-S4FCC-2021 learning questions will be your indispensable practice materials during your way to success.

SAP C-S4FCC-2021 exam is designed to test the candidate's knowledge of SAP S/4HANA Finance and Group Reporting. C-S4FCC-2021 exam covers topics such as data modeling, consolidation, and reporting. It also covers topics such as the use of SAP HANA and SAP Analytics Cloud in group reporting.

[>> New Exam C-S4FCC-2021 Braindumps <<](#)

## 2023 New Exam C-S4FCC-2021 Braindumps - Latest SAP SAP Certified Application Associate - SAP S/4HANA Finance for Group Reporting Associates (SAP S/4HANA 2021) - Test C-S4FCC-2021 Centres

One of the advantages of our C-S4FCC-2021 study material is that it has various versions. There are includes PDF, APP and Practice exam software. Every version has their feature. C-S4FCC-2021 PDF can download as a document in your smart devices and lug it along with you, it makes your C-S4FCC-2021 prepare more convenient. C-S4FCC-2021 App is unlimited use of equipment, support for any electronic device, but also support offline use, while the Practice exam software creates is like an actual test environment for your [C-S4FCC-2021 Certification Exam](#). The software also sets up

[New Exam C-S4FCC-2021 Braindumps & Test C-S4FCC-2021 Centres](#)

C\_ADBTP\_2601 exam tests are a high-quality product recognized by hundreds of industry experts. Over the years, C\_ADBTP\_2601 exam questions have helped tens of thousands of candidates successfully pass professional qualification exams, and help them reach the peak of their career. It can be said that C\_ADBTP\_2601 test guide is the key to help you open your dream door. We have enough confidence in our products, so we can give a 100% refund guarantee to our customers. C\_ADBTP\_2601 Exam Questions promise that if you fail to pass the exam successfully after purchasing our product, we are willing to provide you with a 100% full refund.

There are so many benefits when you get qualified by the C\_ADBTP\_2601 certification. Expand your knowledge and your potential earning power to command a higher salary by earning the C\_ADBTP\_2601 best study material. Now, let's prepare for the exam test with the C\_ADBTP\_2601 training pdf offered by DumpExam. C\_ADBTP\_2601 Online Test engine is selected by many candidates because of its intelligence and interactive features. You can use the C\_ADBTP\_2601 online test off-line, while you should run it in the network environment.

[>> SAP C\\_ADBTP\\_2601 New Braindumps <<](#)

## Realistic C\_ADBTP\_2601 New Braindumps - Administrating SAP Business Technology Platform(C\_ADBTP\_2601) 100% Pass Quiz

Our C\_ADBTP\_2601 test prep embrace latest information, up-to-date knowledge and fresh ideas, encouraging the practice of thinking out of box rather than treading the same old path following a beaten track. As the industry has been developing more rapidly, our C\_ADBTP\_2601 exam dumps have to be updated at irregular intervals in case of keeping pace with changes. To give you a better using environment, our experts have specialized in the technology with the system upgraded to offer you the latest C\_ADBTP\_2601 Exam practices. What's more, we won't charge you in one-year cooperation; if you are pleased with it, we may have further cooperation. We will inform you of the latest preferential activities about our C\_ADBTP\_2601 test brandumps to express our gratitude towards your trust.

## **SAP Administrating SAP Business Technology Platform(C\_ADBTP\_2601) Sample Questions (Q10-Q15):**

### **NEW QUESTION # 10**

#### **SIMULATION**

Establish Shared Services

Task 1: Create a Shared Services Directory and Subaccounts

In your SAP BTP cockpit, create the directory Shared Services (Description: Shared Accounts) with your global account as the parent.

In the Shared Services directory, create the subaccount SH Dev (Description: Shared Services Development) with subdomain btppops#####-sh-dev in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.

In the Shared Services directory, create the subaccount SH Ops (Description: Shared Services Operations) with subdomain btppops#####-sh-ops in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.

#### **Answer:**

Explanation:

See the Explanation below for complete solution.

Explanation:

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Make sure you are working in the correct global account before creating anything.

Why this matters:

The new directory and both subaccounts must be created inside the correct global account hierarchy.

Part A - Create the Shared Services Directory

Step 1 - Open Directories

What to do

In the SAP BTP Cockpit, open your Global Account.

In the left navigation menu, click Directories.

□ Explanation:

This is where you create and manage directory structures under the global account.

What to verify

You should now see the list of existing directories.

Step 2 - Create the Directory Shared Services

What to do

Click Create or Create Directory.

Enter the following values:

Name: Shared Services

Description: Shared Accounts

Parent: your Global Account

Click Create.

□ Explanation:

This creates a new top-level directory directly under the global account.

It will be used to hold the shared-services subaccounts.

What to verify

You should now see:

Shared Services

under the global account.

Part B - Create the SH Dev Subaccount

Step 3 - Open the Shared Services Directory

What to do

In the directory list, select Shared Services.

Explanation:

Both required subaccounts must be created inside this directory.

What to verify

You should now be inside the Shared Services directory.

Step 4 - Open Subaccounts

What to do

Inside Shared Services, open Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the subaccount creation screen.

Step 5 - Create SH Dev

What to do

Enter the following:

Display Name / Name: SH Dev

Description: Shared Services Development

Subdomain: btpops#####-sh-dev

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Explanation:

This creates the shared services development subaccount in the required AWS Frankfurt region.

What to verify

After creation, you should see:

SH Dev

inside the Shared Services directory.

Part C - Create the SH Ops Subaccount

Step 6 - Start a New Subaccount

What to do

Still inside Shared Services, click Create → Subaccount again.

Explanation:

This opens the form for the second required subaccount.

Step 7 - Create SH Ops

What to do

Enter the following:

Display Name / Name: SH Ops

Description: Shared Services Operations

Subdomain: btpops#####-sh-ops

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Explanation:

This creates the shared services operations subaccount in the same required region.

What to verify

After creation, you should see:

SH Ops

inside the Shared Services directory.

Final Expected Result for Task 1

You should now have:

Directory

Shared Services

Description: Shared Accounts

Parent: Global Account

Subaccounts inside Shared Services

SH Dev

Description: Shared Services Development

Subdomain: btpops#####-sh-dev  
Region: AWS → Europe (Frankfurt) cf-eu10  
SH Ops

Description: Shared Services Operations

Subdomain: btpops#####-sh-ops  
Region: AWS → Europe (Frankfurt) cf-eu10

Common Mistakes to Avoid

1. Creating the directory in the wrong place

Shared Services must be created with:

parent = Global Account

2. Creating the subaccounts outside the directory

Both subaccounts must be created inside:

Shared Services

3. Wrong subdomain values

Use exactly:

btpops#####-sh-dev

btpops#####-sh-ops

Only replace ##### with your global account number.

4. Wrong region

Both subaccounts must use:

Amazon Web Services (AWS)

Europe (Frankfurt)

cf-eu10

5. Mixing up SH Dev and SH Ops

Be careful:

SH Dev = Shared Services Development

SH Ops = Shared Services Operations

## NEW QUESTION # 11

### SIMULATION

Create a Service Instance in Cloud Foundry

Enable a service instance of the HTML5 Application Repository Service for Cloud Foundry.

Create a Service Instance in a Cloud Foundry Environment

In your SAP BTP cockpit, in the EU HCM Dev subaccount, create the service instance htm5-eu-hcm-dev for the HTML5 Application Repository Service with the service plan app-host in the Cloud Foundry space activity-recording

### Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open Human Resources.

Open the EU HCM Dev subaccount.

This matters because the task must be completed in EU HCM Dev, and the service instance must be created in the specific Cloud Foundry space activity-recording. SAP Help also confirms that the HTML5 Application Repository is used in the Cloud Foundry environment and that the app-host plan is the host service used to store HTML5 application content.

Step 1 - Open the Cloud Foundry space

In EU HCM Dev, go to:

Cloud Foundry

Spaces

Select the space:

activity-recording

SAP Help describes creating Cloud Foundry service instances by first navigating to the subaccount, opening Cloud Foundry Spaces, selecting the target space, and then using that space's Services > Service Instances are a.

Step 2 - Open Service Instances in the space

Inside the activity-recording space, go to:

Services

Service Instances

This is the Cloud Foundry-space-level location used for creating service instances in that space.

Step 3 - Start creating the new instance

Click Create.

□ A wizard opens for the new service instance. SAP Help describes this as the standard cockpit flow for creating service instances in Cloud Foundry spaces.

Step 4 - Choose the required service

In the service selection, choose:

HTML5 Application Repository Service

SAP Help documents the HTML5 Application Repository as the service used for centrally storing HTML5 applications' static content on SAP BTP in the Cloud Foundry environment.

□ Step 5 - Choose the required service plan

Select the service plan:

app-host

SAP Help states that the app-host service plan is used to deploy applications to the HTML5 Application Repository.

Step 6 - Enter the instance name

Set the service instance name to:

html5-eu-hcm-dev

Then continue and confirm creation.

□ SAP Help recommends using a CLI-friendly name for service instances, and the task gives the exact required name.

□ Step 7 - Verify the space is correct

Before final confirmation, verify the target Cloud Foundry space is:

activity-recording

This is important because Cloud Foundry service instances are created within a specific space, not only at the subaccount level.

Step 8 - Create and confirm

Click Create or Finish.

Wait for the status to change from in-progress to created.

SAP Help notes that after creation, the instance appears in the service instances table and its status can be checked there.

Final expected result

Inside EU HCM Dev, in Cloud Foundry space activity-recording, you should have a service instance with:

Service: HTML5 Application Repository Service

Plan: app-host

Instance Name: html5-eu-hcm-dev

Common mistakes to avoid

Creating the instance in the wrong subaccount; it must be EU HCM Dev.

Creating it in the wrong Cloud Foundry space; it must be activity-recording.

Choosing the wrong service; use HTML5 Application Repository Service.

Choosing the wrong plan; use app-host. SAP Help specifically links app-host with hosting deployed HTML5 app content.

□ Typing the wrong instance name; use exactly html5-eu-hcm-dev.

## NEW QUESTION # 12

### SIMULATION

#### Enable Service Subscriptions

In the entitlements of a directory, add a service plan for a service subscription. Assign and create this subscription to/in a subaccount of the directory.

Task 1: Entitle a Service in a Directory

In your SAP BTP cockpit, enable entitlement management for your Partner directory.

In your Partner directory, entitle the standard (Application) service plan for the SAP Build Work Zone, standard edition.

#### Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open the Partner directory.

Why this matters:

Both actions in this task must be done at the Partner directory level, not directly in a subaccount.

Step 1 - Open the Partner Directory

What to do

In the left navigation, click Directories.

Select Partner.

Explanation:

This opens the directory where you must manage entitlements for this task.

What to verify

You should now be inside the Partner directory page.

Step 2 - Open Entitlements

What to do

Inside the Partner directory, go to Entitlements.

Explanation:

This is the area where you manage quota and service plan assignments for the directory and its subaccounts.

What to verify

You should see the entitlements page for Partner.

Step 3 - Enable Entitlement Management for the Partner Directory

What to do

In the Entitlements area, look for the option to Enable Entitlement Management.

Click Enable.

Explanation:

A directory must have entitlement management enabled before you can add and manage service plans there.

What to verify

After enabling, the Partner directory should allow entitlement assignment and management.

Step 4 - Start Adding a Service Plan

What to do

In the Entitlements page of the Partner directory, click Configure Entitlements or Add Service Plans.

Explanation:

This opens the service catalog where you can select the service and plan to add.

What to verify

You should see the list of available services and plans.

Step 5 - Find the Required Service

What to do

Search for or scroll to:

SAP Build Work Zone, standard edition

Select that service.

Explanation:

You must choose the exact service named in the task. Be careful not to select a different SAP Build service by mistake.

What to verify

The selected service should be:

SAP Build Work Zone, standard edition

Step 6 - Select the Correct Service Plan

What to do

Under the selected service, choose the service plan:

standard (Application)

Add the plan to the entitlement configuration.

Explanation:

This task requires the standard (Application) service plan specifically.

Do not choose another plan if more than one is listed.

What to verify

The selected plan should read exactly:

standard (Application)

Step 7 - Save the Entitlement Changes

What to do

Click Add, Save, or Confirm depending on the screen.

Then click Save for the entitlement configuration.

Explanation:

This commits the new service plan entitlement to the Partner directory.

What to verify

After saving, the entitlements list for Partner should include:

SAP Build Work Zone, standard edition

plan: standard (Application)

Final Expected Result for Task 1

Inside the Partner directory:

Entitlement management is enabled

The service SAP Build Work Zone, standard edition is entitled

The plan standard (Application) is added

Common Mistakes to Avoid

1. Working in the wrong level

Do this in:

Partner directory

Not in:

Global Account

Subaccount

Another directory

2. Forgetting to enable entitlement management first

If entitlement management is not enabled for the directory, you may not be able to add the service plan properly.

3. Choosing the wrong service

Be sure you select:

SAP Build Work Zone, standard edition

Not another SAP Build service.

4. Choosing the wrong plan

You must select:

standard (Application)

## NEW QUESTION # 13

### SIMULATION

Task 2: Create Subaccounts in a Directory

In the Partner directory, create the subaccount AM PA Dev Test (Description: Partner Development and Testing) with subdomain btpops#####-am-pa-dev-test in the region Microsoft Azure → US West (WA) cf-us20.

In the Partner directory, create the subaccount AM PA Prod (Description: Partner Production) with subdomain btpops#####-am-pa-prod using AM PA Dev Test as source subaccount. Set the subaccount as used in production.

### Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Task 2 - Create Subaccounts in a Directory

You must create these two subaccounts inside the Partner directory:

AM PA Dev Test

AM PA Prod

Important:

Replace ##### with your global account number

Enter all names and subdomains exactly

Be careful with hyphens and spaces

AM PA Prod must be marked as used in production

Before You Start

Log in to SAP BTP Cockpit.

Open your correct Global Account.

Go to Directories.

Open the Partner directory.

Why this matters:

Both subaccounts in this task must be created inside the Partner directory. If you create them under the global account or another directory, the task will be wrong.

Step 1 - Open the Partner Directory

What to do

In the left menu, click Directories.

In the directory list, select Partner.

Explanation:

The Partner directory is the container where both required subaccounts must be created.

What to verify

You should now be inside the Partner directory page.

Step 2 - Start Creating the First Subaccount

What to do

Inside the Partner directory, go to Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the subaccount creation screen.

What to verify

You should now see the form for creating a new subaccount.

Step 3 - Enter Data for AM PA Dev Test

What to do

Enter the following values:

Display Name / Name: AM PA Dev Test

Description: Partner Development and Testing

Subdomain: btpops#####-am-pa-dev-test

Then choose the region:

Cloud Provider: Microsoft Azure

Region: US West (WA)

Environment / Technical Region: cf-us20

After checking all values, click Create.

Explanation:

This creates the development and testing subaccount for the Partner directory.

The important points are:

the subaccount name must match exactly

the subdomain must include your account number in place of #####

the region must be Microsoft Azure → US West (WA) cf-us20

What to verify

After creation, you should see the new subaccount:

AM PA Dev Test

inside the Partner directory.

Step 4 - Confirm the First Subaccount Exists

What to do

Check the subaccounts list under Partner.

Explanation:

Before creating the production subaccount, confirm that AM PA Dev Test was created successfully, because it will be used as the source subaccount for the next step.

What to verify

You should see:

AM PA Dev Test

If it is not there, do not continue until it is created correctly.

Step 5 - Start Creating the Second Subaccount

What to do

Still inside the Partner directory, click Create → Subaccount again.

Explanation:

This opens a new subaccount creation form for the production subaccount.

Step 6 - Enter Data for AM PA Prod

What to do

Enter the following values:

Display Name / Name: AM PA Prod

Description: Partner Production

Subdomain: btpops#####-am-pa-prod

Then set:

Source Subaccount: AM PA Dev Test

Enable the production setting:

Used in Production: Yes

Then click Create.

□ Explanation:

This creates the production subaccount by using AM PA Dev Test as the source subaccount.

Using a source subaccount means SAP BTP copies base settings from the selected source, which helps keep configuration aligned.

The production indicator is mandatory here because this is the production subaccount.

What to verify

After creation, you should see:

AM PA Prod

inside the Partner directory, and it should be marked as a production subaccount.

Final Expected Result for Task 2

Inside the Partner directory, you must have these two subaccounts:

1. AM PA Dev Test

Description: Partner Development and Testing

Subdomain: btpops#####-am-pa-dev-test

Region: Microsoft Azure → US West (WA) cf-us20

2. AM PA Prod

Description: Partner Production

Subdomain: btpops#####-am-pa-prod

Source Subaccount: AM PA Dev Test

Used in Production: Yes

□ Common Mistakes to Avoid

1. Creating the subaccounts in the wrong place

Both subaccounts must be created in:

Partner directory

Not in:

Global Account

Americas

Eurasia

Human Resources

2. Wrong subdomain format

Use exactly:

btpops#####-am-pa-dev-test

btpops#####-am-pa-prod

Replace only ##### with your global account number.

Do not:

remove hyphens

add spaces

misspell dev-test or pa-prod

3. Wrong region for AM PA Dev Test

It must be:

Microsoft Azure

US West (WA)

cf-us20

4. Forgetting the source subaccount for AM PA Prod

You must select:

AM PA Dev Test

as the source subaccount.

5. Forgetting the production flag

For AM PA Prod, make sure:

Used in Production is enabled

## NEW QUESTION # 14

.....

Different with other similar education platforms on the internet, the Adminstrating SAP Business Technology

Platform(C\_ADBTP\_2601) guide torrent has a high hit rate, in the past, according to data from the students' learning to use the

C\_ADBTP\_2601 test torrent, 99% of these students can pass the qualification test and acquire the qualification of their yearning,

this powerfully shows that the information provided by the C\_ADBTP\_2601 Study Tool suit every key points perfectly, targeted



