


New Cisco 300-610 Dumps Questions - New 300-610 Practice Questions



BTW, DOWNLOAD part of PremiumVCEDump 300-610 dumps from Cloud Storage: <https://drive.google.com/open?id=1sHlc3zTYPmcSAaTMsZ4CM6sbYQr7tpmc>

Finding 60 exam preparation material that suits your learning preferences, timetable, and objectives is essential to prepare successfully for the test. You can prepare for the Cisco 300-610 test in a short time and attain the Designing Cisco Data Center Infrastructure certification exam with the aid of our updated and valid exam questions. We emphasize quality over quantity, so we provide you with Cisco 300-610 Actual Exam questions to help you succeed without overwhelming you.

Cisco 300-610 exam, also known as Designing Cisco Data Center Infrastructure (DCID), is a certification offered by Cisco Systems for IT professionals who want to specialize in designing data center infrastructure. 300-610 exam focuses on the design and implementation of data center technologies such as network, storage, compute, and virtualization. Passing 300-610 Exam validates the proficiency and knowledge of the candidate in designing data center infrastructure solutions.

>> [New Cisco 300-610 Dumps Questions](#) <<

Real Cisco Exam Questions And Answers From 300-610

Young people are facing greater employment pressure. It is imperative to increase your competitiveness. Selecting our 300-610 learning quiz, you can get more practical skills when you are solving your problems in your daily work. Because our 300-610 Exam Questions contain the most updated knowledge and information. What is more, you can get the most authoritative 300-610 certification, which will make you stand out a crowd of normal people.

Cisco Designing Cisco Data Center Infrastructure Sample Questions (Q33-Q38):

NEW QUESTION # 33

Refer to the exhibit.

An engineer is configuring a QoS policy with these requirements
Match-all AF11 traffic and set it to a DSCP value of 14.

The committed rate must be 10 Mbps with a committed burst rate of 1000 ms Drop any AF11 traffic that violates these settings.
Any traffic other than af11 must have a DSCP value of 0
The given class-map configuration already exists. Which solution must the engineer use to meet the requirements?

- A.
- B.
- C.
- D.

Answer: C

NEW QUESTION # 34

Refer to the exhibit. Which template is used when a vHBA template pair is created for a specific server that inherits its attributes from an existing template?

- A. Initial
- B. Updating
- C. Primary
- D. Secondary

Answer: D

Explanation:

https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/ucs-manager/GUI-User-Guides/Network-Mgmt/3-1/b_UCSM_Network_Mgmt_Guide_3_1/b_UCSM_Network_Mgmt_Guide_3_1_chapter_0111.html

- Secondary Template: All shared configurations are inherited from the Primary template.
- Initial Template: vNICs created from this template are not updated if the template changes.
- Updating Template: vNICs created from this template are updated if the template changes

NEW QUESTION # 35

A large financial institution hosts all customer data in a critical data center with a single physical location. Top management is concerned about the risk of a single-site failure, but budget is also an issue, so the network engineering team is working to implement a cost-effective redundancy strategy with a second data center. The new data center must use a three-tier design identical to the existing data center. Business requirements dictate that all data must always be accessible from anywhere in the world, even if a single site fails. The team purchased two Cisco Nexus 7700 Series Switches and four Catalyst 8000 Series Routers. Which action must the team take to accomplish the goal?

- A. Implement HSRP with the Nexus 7700 Series devices to provide gateway redundancy to ensure seamless failover between the Nexus switches
- B. Implement NVGRE on the Catalyst 8000 routers to create a DCI communication channel between the data centers and provide Layer 2 extension capabilities
- C. Implement OTV with the Nexus 7700 Series devices to extend Layer 2 connectivity between the two data centers and provide disaster-recovery capabilities
- D. Implement FabricPath on the Catalyst 8000 routers in both data centers to provide full redundancy in the event of a disaster

Answer: C

NEW QUESTION # 36

An engineer is configuring Fibre Channel policies in a service profile template. The requirement is to set the default vHBA behavior policy as part of the deployment. The Cisco UCS Manager must also create the required vHBA type based on the adapter installed on the server and associated with the service profile. Which action meets the requirements?

- A. Set the dynamic-uuid identity.
- B. Enable the HW Inherit settings.
- C. Configure the Windows settings profile.
- D. Apply the Linux settings profile.

Answer: B

NEW QUESTION # 37

Drag and drop the SAN components from the left onto the correct design considerations on the right.

Answer:

Explanation:

NEW QUESTION # 38

Having a good command of processional knowledge in this line, they devised our high quality and high effective 300-610 study materials by unremitting effort and studious research. They are meritorious and unsuspecting experts with professional background. By concluding quintessential points into 300-610 Preparation engine, you can pass the exam with the least time while huge progress. And our pass rate of the 300-610 exam questions is high as 98% to 100%.

New 300-610 Practice Questions: <https://www.premiumvcedump.com/Cisco/valid-300-610-premium-vce-exam-dumps.html>

BONUS!!! Download part of PremiumVCEDump 300-610 dumps for free: <https://drive.google.com/open?id=1sHLc3zTYPmcSAaTMz4CM6sbYQr7tpmc>