


Unlock Your Potential with Network Appliance NS0-165 Exam Questions



Our NS0-165 exam material boosts both the high passing rate which is about 98%-100% and the high hit rate to have few difficulties to pass the test. Our NS0-165 exam simulation is compiled based on the resources from the authorized experts' diligent working and the real exam and confer to the past years' exam papers thus they are very practical. The content of the questions and answers of NS0-165 Exam Questions is refined and focuses on the most important information. To let the clients be familiar with the atmosphere and pace of the real NS0-165 exam we provide the function of stimulating the exam.

We are specializing in the career to bring all our clients pleasant and awarded study experience and successfully obtain their desired certification file. With our NS0-165 exam guide, your exam will become a piece of cake. We can proudly claim that you can be ready to pass your NS0-165 Exam after studying with our NS0-165 study materials for 20 to 30 hours. Since our professional experts simplify the content, you can easily understand and grasp the important and valid information.

>> NS0-165 Reliable Dumps Free <<

Test NS0-165 Answers & NS0-165 Exam Engine

Your privacy and personal right are protected by our company and corresponding laws and regulations on our NS0-165 study guide. Whether you are purchasing our NS0-165 training questions, installing or using them, we won't give away your information to other platforms, and the whole transaction process will be open and transparent. Therefore, let us be your long-term partner and we promise our NS0-165 Preparation exam won't let down.

Network Appliance NetApp Data ONTAP Administrator Exam Sample Questions (Q90-Q95):

NEW QUESTION # 90

Fill in the blank for the following statement: To manage a SnapVault backup through a commercial NDMP application, you must specify a _____ authorized through that application.

- A. volume and qtree
- B. directory path
- C. user and password
- D. SnapVault license

Answer: C

NEW QUESTION # 91

You recently configured a new SVM and enabled jumbo frames (MTU 9000) on NetApp ONTAP software and on the clients. However, some clients are experiencing timeouts or degraded performance when accessing the system. You are using the ping -lif NAME -vserver NAME - destination CLIENTIP -disallow-fragmentation true -packet-size XXX command to test the network path for jumbo frames. What value must be used on the parameter packet-size?

- A. 0
- B. 1
- C. 2
- D. 3

Answer: C

Explanation:

When testing jumbo frames with ICMP, the packet-size value must account for the IP and ICMP headers. For an MTU of 9000 bytes, subtracting the 28 bytes of header overhead results in a payload size of 8972 bytes, which correctly validates end-to-end jumbo frame support.

NEW QUESTION # 92

A customer has a 2-node AFF A220 cluster and needs to enable the FC protocol. The onboard UTA2 ports are configured for 10Gbps Ethernet. In this scenario, what are two different methods to use FCP over the UTA2 ports? (Choose two.)

- A. Connect onboard UTA2 ports to a Nexus switch and enable FCP.
- B. Change the existing UTA2 ports from 10 Gbps speed to 8 Gb speed.
- C. Swap the Ethernet transceivers in the UTA2 ports for 1Gbps transceivers, and configure the ports as target ports.
- D. Swap the Ethernet transceivers in the UTA2 ports for FC transceivers, and configure the ports as target ports.

Answer: A,D

NEW QUESTION # 93

While troubleshooting a double disk failure with SyncMirror. You decide to remove and destroy a plex from a mirrored volume. What steps would you perform to remove a plex from a mirrored volume?

- A. Take the volume offline and use the vol destroy command.
- B. Ensure the plex is online and use the vol destroy plexname command.
- C. Take the volume offline and use the vol destroy -f command.
- D. Ensure the plex is offline and use the vol destroy plexname command.

Answer: D

NEW QUESTION # 94

You need to configure data-at-rest encryption for your NetApp ONTAP 9.8 cluster. Your company does not have Key Management Interoperability Protocol (KMIP) services available but must require a passphrase to be entered when a node is rebooted.

In this scenario, which two actions should be performed to satisfy these requirements? (Choose two.)

- A. Enable onboard key management.
- B. Enable cluster-wide FIPS-compliant mode.
- C. Configure an external key management server.
- D. Enable common criteria mode.

Answer: A,D

Explanation:

Enabling onboard key management by default you are not required to enter a passphrase when the node is rebooted. To be asked the password, you need to enable the common criteria mode also.

NEW QUESTION # 95

.....

In addition to the NS0-165 exam materials, our company also focuses on the preparation and production of other learning materials. If you choose our NS0-165 study guide this time, I believe you will find our products unique and powerful. Then you don't have to spend extra time searching for information when you're facing other exams later, just choose us again. As long as you face problems with the exam, our company is confident to help you solve. Give our NS0-165 practice quiz a choice is to give you a chance to succeed. We are very willing to go hand in hand with you on the way to preparing for NS0-165 exam.

Test NS0-165 Answers: https://www.real4dumps.com/NS0-165_examcollection.html

myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, bbs.tongchai.org.cn, Disposable vapes