

Interactive NCM-MCI-6.10 Testing Engine & NCM-MCI-6.10 Exam Papers



Preparing for the Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) (NCM-MCI-6.10) certification exam can be time-consuming and expensive. That's why we guarantee that our customers will pass the prepare for your Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) (NCM-MCI-6.10) exam on the first attempt by using our product. By providing this guarantee, we save our customers both time and money, making our NCM-MCI-6.10 Practice material a wise investment in their career development.

If you buy ActualTestsIT exam dumps, you will obtain free update for a year. Once the dumps update, ActualTestsIT will immediately send the latest NCM-MCI-6.10 Certification NCM-MCI-6.10 training materials to your mailbox. You can also request we provide you with the latest dumps at any time. If you want to know the latest exam questions, even if you have passed the certification test, ActualTestsIT will also free update exam dumps for you.

>> Interactive NCM-MCI-6.10 Testing Engine <<

NCM-MCI-6.10 Exam Papers - Free NCM-MCI-6.10 Test Questions

This Nutanix braindump study package contains NCM-MCI-6.10 latest questions and answers from the real NCM-MCI-6.10 exam. These questions and answers are verified by a team of professionals and the content of this NCM-MCI-6.10 braindump is taken from the real exam. Since we are 100% sure of the content we provide a Money Back Guarantee offer! We believe that NCM-MCI-6.10 Braindumps can help you pass your NCM-MCI-6.10 exam with minimal effort.

Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) Sample Questions (Q11-Q16):

NEW QUESTION # 11

An administrator regularly sees a WARN for backup_schedule_check and also receives alerts for Pulse not being enabled on Cluster 1.

Detailed information for backup_schedule_check:

Node xx.xx.xx.xx:

WARN: Backup schedule(s) exist for protection domain NoVMs; however, there are no entities in the protection domain.

Refer

to KB 1910 (<http://portal.nutanix.com/kb/1910>) for details on backup_schedule_check or Recheck with: ncc health_checks data_protection_checks protection_domain_checks backup_schedule_check.

This shows up in NCC, however, it is something set up by the company and they do not want the NCC check to be run.

Configure Cluster 1 to no longer have messages in NCC about the backup_schedule_check.

Turn off the alert for Pulse not being enabled, and resolve the alert. They would like messages about Pulse to be recorded, but do not want an alert.

Note: You may need to run the "Pulse is not enabled" check in order to have one to resolve.

Answer:

Explanation:

See the Explanation below for detailed answer.

Explanation:

Here is the step-by-step solution to configure Cluster 1 from its Prism Element interface.

1. Disable the backup_schedule_check NCC Check

This will prevent the WARN message for the NoVMs protection domain.

- * Log in to the Cluster 1 Prism Element (PE) interface.

- * Navigate to the Health dashboard (click the "heart" icon in the top-left).

- * In the left-hand menu, select NCC.

- * In the search bar for the checks, type backup_schedule_check to find the specific check.

- * Select the checkbox next to the backup_schedule_check in the list.

- * Click the Disable button that appears above the table. This will stop this check from running during NCC health reports.

2. Configure and Resolve Pulse Alerts

This process involves two parts: disabling the alerting policy, and then enabling Pulse itself to resolve the underlying condition.

A. Disable the Alert Policy

This stops the system from generating a new alert if Pulse is ever disabled, satisfying the "do not want an alert" requirement.

- * Click the gear icon (Settings) in the top-right corner.

- * From the left-hand menu, select Alert Policies.

- * In the search bar, type Pulse to find the policy.

- * Select the checkbox for the alert policy named Pulse is not enabled (or pulse_disabled_alert).

- * Click the Update button.

- * Uncheck the Enable box for the policy.

- * Click Save.

B. Enable Pulse (to Resolve the Condition)

This enables the Pulse service to record messages (as requested) and fixes the root cause of the alert, allowing it to be resolved.

- * Click the gear icon (Settings) in the top-right corner.

- * From the left-hand menu, select Pulse.

- * Click the Enable Pulse button (or "Update" if it's already partially configured).

- * Check the box for Enable Pulse.

- * (Note: Any "Enable alerts for Pulse" boxes would remain unchecked or be ignored, as the main Alert Policy itself is now disabled.)

- * Click Save.

C. Resolve the Active Alert

- * Navigate to the Alerts dashboard (click the "bell" icon in the top-left).

- * Find the active alert: Pulse is not enabled.

- * (Note: If the alert is not present, you would first go to the Health dashboard, run the check_pulse NCC check to generate it, and then return to the Alerts dashboard.)

- * Select the checkbox next to the "Pulse is not enabled" alert.

- * Click the Resolve button that appears at the top of the list. Since the underlying condition (Pulse being disabled) is now fixed, the alert will be successfully resolved.

NEW QUESTION # 12

An administrator needs to perform AOS and AHV upgrades on a Nutanix cluster and wants to ensure that VM data is replicated as quickly as possible when hosts and CVMs are rebooted.

Configure Cluster 1 so that after planned host and CVM reboots, the rebuild scan starts immediately.

Note:

You will need to use SSH for this task. Ignore the fact that this is a 1-node cluster.

Answer:

Explanation:

See the Explanation below for detailed answer.

Explanation:

Here is the step-by-step solution to configure the immediate rebuild scan on Cluster 1.

This task must be performed from an SSH session connected to a CVM (Controller VM) on Cluster 1.

1. Access the Cluster 1 CVM

- * From the Prism Central dashboard, navigate to Hardware > Clusters and click on Cluster 1 to open its Prism Element (PE) interface.

- * In the Cluster 1 PE, navigate to Hardware > CVMs to find the IP address of any CVM in the cluster.

- * Use an SSH client (like PuTTY) to connect to the CVM's IP address.

- * Log in with the admin user and password.

2. Modify the Rebuild Delay Setting

By default, the cluster waits 15 minutes (900 seconds) before starting a rebuild scan after a CVM reboot. You will change this setting to 0.

- * Once logged into the CVM, run the following command to set the delay to 0 seconds:

```
gflag --set --gflags=stargate_delayed_rebuild_scan_secs=0
```

- * (Optional but recommended) You can verify the change took effect by running the "get" command:

```
gflag --get --gflags=stargate_delayed_rebuild_scan_secs
```

The output should now show stargate_delayed_rebuild_scan_secs=0.

NEW QUESTION # 13

Task 11

Running NCC on a cluster prior to an upgrade results in the following output FAIL: CVM System Partition /home usage at 93% (greater than threshold, 90%) Identify the CVM with the issue, remove the file causing the storage bloat, and check the health again by running the individual disk usage health check only on the problematic CVM do not run NCC health check Note: Make sure only the individual health check is executed from the affected node

Answer:

Explanation:

See the Explanation for step by step solution.

Explanation:

To identify the CVM with the issue, remove the file causing the storage bloat, and check the health again, you can follow these steps:

Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and find the NCC health check output file from the list.

You can use the date and time information to locate the file. The file name should be something like ncc- output-YYYY-MM-DD-HH-MM-SS.log.

Open the file and look for the line that says FAIL: CVM System Partition /home usage at 93% (greater than threshold, 90%). Note down the IP address of the CVM that has this issue. It should be something like X.X.X.

X.

Log in to the CVM using SSH or console with the username and password provided.

Run the command `du -sh /home/*` to see the disk usage of each file and directory under /home. Identify the file that is taking up most of the space. It could be a log file, a backup file, or a temporary file. Make sure it is not a system file or a configuration file that is needed by the CVM.

Run the command `rm -f /home/<filename>` to remove the file causing the storage bloat. Replace <filename> with the actual name of the file.

Run the command `ncc health_checks hardware_checks disk_checks disk_usage_check --cvm_list=X.X.X.`

X to check the health again by running the individual disk usage health check only on the problematic CVM.

Replace X.X.X.X with the IP address of the CVM that you noted down earlier.

Verify that the output shows PASS: CVM System Partition /home usage at XX% (less than threshold, 90%).

This means that the issue has been resolved.

```
#access to CVM IP by Putty
allssh df -h #look for the path /dev/sdb3 and select the IP of the CVM
ssh CVM_IP
ls
cd software_downloads
ls
cd nos
ls -l -h
rm files_name
df -h
ncc health_checks hardware_checks disk_checks disk_usage_check
```

NEW QUESTION # 14

Your security team is working on automation to manage Security Policies.

They have exported some of the existing rules to the file "Security Policy.txt" located on the desktop. This file needs to be modified for the test environment.

- * All rules except the quarantine rule should be logged.
- * Only the Quarantine rule should be enforced, the other rules will only be logged.
- * The quarantine rule should affect the SecOps environment.
- * The SMB rule should only affect VMs with the "smbhost" and "smbclient" tags.
- * The "DN test" policy should allow ipv6 and should not restrict any protocols between the included tiers.

There are three rules in the file, do not delete, add or copy lines. Only replace xxxx with the correct value as appropriate. It is possible that not all "xxxxx" will be replaced.

Save the file with the same name.

Possible values to replace the "xxxxx":

8080

ALL

APPLY

false

MONITOR

Non-Prod

SecOps

smbhost

smbclient

TCP

True

Answer:

Explanation:

See the Explanation below for detailed answer.

Explanation:

Here is the step-by-step solution to modify the security policy file as required.

Navigate to the desktop and open the file Security Policy.txt (which corresponds to the provided Security Policy.bak content) using a text editor like Notepad.

Modify the file content by replacing the xxxxx and xxxx placeholders according to the security requirements.

Modifications by Rule

Here are the specific changes to make within the file:

1. Quarantine Rule

Requirement 1 (No Logging): The quarantine rule should not be logged.

Change "is_policy_hitlog_enabled": "xxxxx" to "is_policy_hitlog_enabled": "false" Requirement 2 (Enforce): This rule must be enforced.

Change "action": "xxxxx" (under quarantine_rule) to "action": "APPLY"

Requirement 3 (Environment): The rule must affect the "SecOps" environment.

Change "Environment": ["xxxxx"] to "Environment": ["SecOps"]

2. SMB-block Rule

Requirement 1 (Logging): This rule must be logged.

Change "is_policy_hitlog_enabled": "xxxxx" to "is_policy_hitlog_enabled": "True" Requirement 2 (Monitor): This rule must not be enforced, only logged.

Change "action": "xxxxx" (under isolation_rule) to "action": "MONITOR"

Requirement 4 (Tags): The rule must affect the "smbhost" and "smbclient" tags.

Change "SMBv1": ["xxxxx"] to "SMBv1": ["smbhost"]

Change "SMRv1": ["xxxxx"] to "SMRv1": ["smbclient"]

3. DN test (dn-policy1) Rule

Requirement 2 (Monitor): This rule must not be enforced, only logged.

Change "action": "xxxx" (under app_rule) to "action": "MONITOR"

Requirement 5 (Allow IPv6): This policy must allow IPv6 traffic.

Change "allow_ipv6_traffic": "xxxx" to "allow_ipv6_traffic": "True"

Final Step

After making all the replacements, Save the file, overwriting the original Security Policy.txt on the desktop.

Example of completed rules (replace xxxxx accordingly):

Rule Name: Quarantine Rule

Logged: false

Action: APPLY

Environment: SecOps

Protocols: TCP

Ports: 8080

Rule Name: SMB Rule

Logged: True

Action: MONITOR

Tags: smbhost, smbclient

Protocols: TCP

Ports: 8080

Rule Name: DN Test Policy

Logged: True

Action: MONITOR

Environment: Non-Prod

Protocols: ALL

Ports: 8080

NEW QUESTION # 15

Due to new security requirements, an administrator has been tasked with updating the security settings for user accounts within Prism Element on Cluster 1.

An SSL Certificate Signing Request with Subject Alternative Name should be generated for submission to the security team's Certificate Authority with the following details:

countryName = US

stateOrProvinceName = North Carolina

localityName = Durham

organizationName = ACME

organizationalUnitName = Infrastructure

commonName = prism_element.ACME.org

emailAddress = administrator@ACME.org

Alternate names = cvm1.ACME.org, cvm2.ACME.org, cvm3.ACME.org

Encryption: RSA 2048, sha256

When the Certificate Signing Request is generated, place a copy of both the .cnf file and the .csr file on the desktop named 'prism_element_acme.cnf' and 'prism_element_acme.csr' Save a copy of the command(s) used for this scenario to a new file on the desktop named "Task 5.txt".

Note: You must copy and paste the command(s) and output from SSH to the "Task 5.txt" file to achieve all points available.

Answer:

Explanation:

See the Explanation below for detailed answer.

Explanation:

Here is the step-by-step solution to generate the Certificate Signing Request (CSR) on Cluster 1.

This entire process is performed from an SSH session connected to a CVM (Controller VM) on Cluster 1.

1. Access Cluster 1 CVM

* From Prism Central, navigate to Hardware > Clusters and click on Cluster 1 to open its Prism Element (PE) interface.

* In the Cluster 1 PE, navigate to Hardware > CVMs to find the IP address of any CVM in the cluster.

* Use an SSH client (like PuTTY) to connect to the CVM's IP address.

* Log in with the admin user and password.

2. Create the Configuration File (.cnf)

To include the Subject Alternative Names (SANs), you must first create a configuration file.

* In the CVM's command line, create the .cnf file using a text editor:

```
vi prism_element_acme.cnf
```

* Press i to enter "Insert" mode.

* Paste the following text exactly into the editor:

```
Ini, TOML
```

```
[ req ]
```

```
default_bits = 2048
```

```
distinguished_name = req_distinguished_name
```

```
req_extensions = v3_req
```

```
prompt = no
```

```
[ req_distinguished_name ]
```

```
C = US
```

```
ST = North Carolina
```

```
L = Durham
```

```
O = ACME
```

```
OU = Infrastructure
```

```
CN = prism_element.ACME.org
```

```
emailAddress = administrator@ACME.org
```

```
[ v3_req ]
```

```
subjectAltName = @alt_names
```

```
[ alt_names ]
```

```
DNS.1 = cvm1.ACME.org
```

```
DNS.2 = cvm2.ACME.org
```

```
DNS.3 = cvm3.ACME.org
```

* Press Esc to exit "Insert" mode, then type :wq and press Enter to save and quit vi.

3. Generate the CSR and Key

* Run the following openssl command. This command uses the .cnf file to generate the new CSR (.csr) and a corresponding private key (.key), applying the sha256 encryption as requested.

```
Bash
```

```
openssl req -new -nodes -out prism_element_acme.csr -keyout prism_element_acme.key -config prism_element_acme.cnf -sha256
```

* The command will output the following, confirming the key generation:

* Generating a 2048 bit RSA private key

```
* .....+++++
```

```
* .....+++++
```

* writing new private key to 'prism_element_acme.key'

```
* -----
```

4. Save Files to the Desktop

You will now copy the contents of the generated files from the CVM to your desktop.

* For Task 5.txt (Commands and Output):

* Open a new Notepad file on the desktop.

* Copy and paste all the commands you ran in the SSH session and their full output (as shown in steps 2 and 3) into this file.

* Save the file on the desktop as Task 5.txt.

* For prism_element_acme.cnf:

* In the CVM SSH session, display the file's content:

```
cat prism_element_acme.cnf
```

* Copy the entire text output (starting from [req]).

* Open a new Notepad file on the desktop.

* Paste the content and save the file as prism_element_acme.cnf.

* For prism_element_acme.csr:

* In the CVM SSH session, display the file's content:

```
cat prism_element_acme.csr
```

* Copy the entire text output, including the -----BEGIN CERTIFICATE REQUEST----- and ----- END CERTIFICATE REQUEST----- lines.

* Open a new C:\Users\admin\Desktop\Notepad file on the desktop.

* Paste the content and save the file as prism_element_acme.csr.

NEW QUESTION # 16

.....

The passing rate of our NCM-MCI-6.10 guide materials is high as 98% to 100% and you don't need to worry that you have spent money but can't pass the test. We can't list all the advantages with several words and please read the introduction of the features and advantages of our NCM-MCI-6.10 training quiz in detail on the website. You will find that every button on the page is fast and convenient to use. And we also have the free demos of the NCM-MCI-6.10 exam questions for you to download before purchase.

NCM-MCI-6.10 Exam Papers: <https://www.actualtestsit.com/Nutanix/NCM-MCI-6.10-exam-prep-dumps.html>

Nutanix Interactive NCM-MCI-6.10 Testing Engine Of course, you care more about your passing rate, We assure you that if you study with our provided Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) (NCM-MCI-6.10) practice questions, you can pass Nutanix certifications Exam test in a single attempt, and if you fail to do it, you can claim your money back from us according to terms and conditions, If you install NCM-MCI-6.10 practice software on your Windows desktop, you won't need the internet to access it later.

Little Mac iApps Book, TheLittle Mac iApps Book, The, Disabling Route-Flap Free NCM-MCI-6.10 Test Questions Dampening, Of course, you care more about your passing rate, We assure you that if you study with our provided Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) (NCM-MCI-6.10) practice questions, you can pass Nutanix certifications NCM-MCI-6.10 Exam test in a single attempt, and if you fail to do it, you can claim your money back from us according to terms and conditions.

Reliable Interactive NCM-MCI-6.10 Testing Engine to Obtain Nutanix Certification

If you install NCM-MCI-6.10 practice software on your Windows desktop, you won't need the internet to access it later, Therefore, candidates will never risk their precious time and money.

Make sure to purchase the most recent and updated version of NCM-MCI-6.10 certification practice exam for best preparation of NCM-MCI-6.10 exam

- PDF NCM-MCI-6.10 Cram Exam □ NCM-MCI-6.10 Latest Learning Materials □ NCM-MCI-6.10 Valid Test Preparation □ Immediately open (www.testkingpass.com) and search for 《 NCM-MCI-6.10 》 to obtain a free download □ PDF NCM-MCI-6.10 Cram Exam
- NCM-MCI-6.10 New Practice Questions □ Reliable NCM-MCI-6.10 Test Topics □ NCM-MCI-6.10 Valid Dumps Ebook □ Go to website [www.pdfvce.com] open and search for > NCM-MCI-6.10 < to download for free □ New NCM-MCI-6.10 Test Materials
- Nutanix NCM-MCI-6.10 Practice Test Software for Desktop □ Download ➡ NCM-MCI-6.10 □ for free by simply searching on 【 www.vce4dumps.com 】 □ NCM-MCI-6.10 Top Questions
- NCM-MCI-6.10 Exam Interactive Testing Engine - 100% Pass-Rate NCM-MCI-6.10 Exam Papers Pass Success □ The page for free download of ➡ NCM-MCI-6.10 □ on □ www.pdfvce.com □ will open immediately □ NCM-MCI-6.10 Valid Test Preparation
- Pass Guaranteed Quiz Nutanix NCM-MCI-6.10 Marvelous Interactive Testing Engine □ Download 《 NCM-MCI-6.10 》 for free by simply entering { www.practicevce.com } website □ Cost Effective NCM-MCI-6.10 Dumps
- Valid NCM-MCI-6.10 Exam Test □ New NCM-MCI-6.10 Test Materials □ NCM-MCI-6.10 Dumps Questions □ Immediately open [www.pdfvce.com] and search for □ NCM-MCI-6.10 □ to obtain a free download □ NCM-MCI-6.10 Top Questions
- NCM-MCI-6.10 Latest Learning Materials □ Reliable NCM-MCI-6.10 Exam Materials □ PDF NCM-MCI-6.10 Cram Exam □ Search for ➡ NCM-MCI-6.10 □ and easily obtain a free download on 《 www.exam4labs.com 》 □ Valid NCM-MCI-6.10 Exam Test
- Interactive NCM-MCI-6.10 Testing Engine: 2026 Nutanix Realistic Interactive Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) Testing Engine Pass Guaranteed Quiz □ Search for “NCM-MCI-6.10 ” and download exam materials for free through ✓ www.pdfvce.com □ ✓ □ Cost Effective NCM-MCI-6.10 Dumps
- Nutanix NCM-MCI-6.10 Dumps PDF To Gain Brilliant Result (2026) □ Search for ➡ NCM-MCI-6.10 □ on ⇒ www.vce4dumps.com ⇐ immediately to obtain a free download □ Valid NCM-MCI-6.10 Exam Test
- NCM-MCI-6.10 Latest Learning Materials □ NCM-MCI-6.10 Latest Learning Materials □ NCM-MCI-6.10 Valid Dumps Ebook □ Open ▶ www.pdfvce.com ◀ and search for ➡ NCM-MCI-6.10 □ to download exam materials for free □ NCM-MCI-6.10 Valid Dumps Ebook
- Get Help from Real and Experts www.examcollectionpass.com Nutanix NCM-MCI-6.10 Practice Test □ Open 【 www.examcollectionpass.com 】 and search for □ NCM-MCI-6.10 □ to download exam materials for free □ NCM-MCI-6.10 Dumps Questions
- www.stes.tyc.edu.tw, learnonline.sprintlearn.net, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,

myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, a.lamianyc.com, ncon.edu.sa, www.stes.tyc.edu.tw, ncon.edu.sa,
lms.ait.edu.za, Disposable vapes