

# PEGACPRSA22V1최신덤프샘플문제다운 - PEGACPRSA22V1자격증참고서



그리고 ExamPassdump PEGACPRSA22V1 시험 문제집의 전체 버전을 클라우드 저장소에서 다운로드할 수 있습니다. <https://drive.google.com/open?id=1wLYSGBmnPkXoyKuyLNpxhNhkSa08Q66x>

IT인증자격증을 취득하려고 마음먹었으면 끝까지 도전해봐야 합니다. Pegasystems인증 PEGACPRSA22V1시험이 아무리 어려워도 ExamPassdump의 Pegasystems인증 PEGACPRSA22V1덤프가 동반해주면 시험이 쉬워지는 법은 많이 알려져 있습니다. ExamPassdump의 Pegasystems인증 PEGACPRSA22V1덤프는 100% 패스보장 가능한 덤프자료입니다. 한번만 믿어주시고 ExamPassdump제품으로 가면 시험패스는 식은 죽 먹기처럼 간단합니다.

Pegasystems PEGACPRSA22V1 (Certified Pega Robotics System Architect 22) 시험은 Pega Robotics 분야에서 기술과 지식을 개발하고자 하는 IT 전문가를 위한 자격증 시험입니다. Pega Robotics는 점차 인기를 얻고 있는 분야이며, 이 자격증은 전문가들이 이 분야에서 능력을 인증하는 뛰어난 방법입니다. 이 시험은 Pega Robotics Studio, 자동화 디자인, 디버깅 및 배포, 그리고 고급 로봇 개념 등 다양한 주제를 다룹니다.

Pegasystems PegacprSA22V1 인증 시험은 인증된 Pega Robotics System Architects에 관심이있는 개인의 기술과 지식을 검증하도록 설계되었습니다. Pega Robotics는 조직이 반복적이고 시간이 많이 걸리는 작업을 자동화하여 효율성을 향상시키고 비용을 줄일 수 있는 강력하고 유연한 플랫폼입니다. 인증 시험은 로봇 자동화 솔루션의 설계, 개발 및 배포를 포함한 Pega Robotics 개념에 대한 후보자의 이해를 테스트하도록 설계되었습니다. 이 시험에는 Pega Robotics Studio 및 런타임 환경, 웹 및 데스크탑 응용 프로그램 자동화, 디버깅 및 문제 해결, 보안 및 액세스 제어와 같은 주제가 다릅니다.

>> PEGACPRSA22V1최신 덤프샘플문제 다운 <<

## 시험패스 가능한 PEGACPRSA22V1최신 덤프샘플문제 다운 최신버전 덤프데모 문제

Pegasystems PEGACPRSA22V1 시험환경에 적응하고 싶은 분은 pdf버전 구매시 온라인버전 또는 테스트엔진 버전을 추가구매하시면 됩니다. 문제는 pdf버전의 문제와 같지만 pdf버전의 문제를 마스터한 후 실력테스 가능한 프로그램 이기에 Pegasystems PEGACPRSA22V1 시험환경에 익숙해져 시험을 보다 릴렉스한 상태에서 볼 수 있습니다.

Pega Robotics 시스템 아키텍트 인증 시험은 Pega Robotics 기술, 아키텍처 및 구현 방법에 대한 깊은 이해력이 필요한 도전적이고 포괄적인 시험입니다. 이 시험은 후보자의 Pega Robotics 시스템 아키텍처, 디자인 및 구현 지식과 이해력을 검증하기 위해 설계되었습니다. 시험은 여러 섹션으로 나누어져 있으며, 각 섹션은 Pega Robotics 기술의 특정 영역을 다룹니다.

## 최신 PCRSA PEGACPRSA22V1 무료샘플문제 (Q16-Q21):

### 질문 # 16

our project for a customer service department contains a Windows form with a btnUpdateAccount button. Users click btnUpdateAccount to automate the updates of other customer account systems at the end of the call. You create the UpdateAccount automation to ensure that the Windows form is still accessible after clicking the button. Which option represents the UpdateAccount automation with this requirement?



• A.



• B.



• C.



• D.

정답: D

설명:

\* Pega Robotics Studio - Automation Design Concepts (Events and UI Responsiveness)

"Automations started from a Windows Form Click event run on the UI thread. To keep the form responsive, long-running work should be started by calling other automations asynchronously. When an automation is executed synchronously, the UI thread is blocked until the call completes. Executing the child automation asynchronously allows users to continue interacting with the form."

\* Pega Robotics Studio - Calling Automations (Run method)

"The Run method includes a synchronous parameter.

True - the caller waits for completion (blocks the UI).

False - the automation starts asynchronously and control returns immediately to the caller (UI remains available).

Default follows the project setting."

\* Pega Robotics Studio - Windows Form Controls (Avoid self-triggering)

"Invoking PerformClick from within an automation that is already handling the button's click should be avoided. It re-triggers the button click and can lead to reentrancy or recursion and does not improve UI responsiveness."

\* Pega Robotics Studio - Message Dialogs

"Displaying a MessageDialog during processing is modal and prevents interaction with the form until the dialog is closed. Use only for completion or error notifications, not while long-running work is executing." Why Option B is correct:

- \* Option B starts from the btnUpdateAccount.Click event (so no self-trigger via PerformClick).
- \* It launches the downstream automations (UpdateBankerInsight and UpdatePegasFinance) using Run with the synchronous parameter set to False (asynchronous), which keeps the Windows form responsive and accessible to the user while updates run.
- \* It does not introduce a modal MessageBox before or during the updates (dialogs are only used for completion/notification), so it avoids blocking the UI.

Why the other options are not correct:

- \* Option A: Uses PerformClick on the button, which re-triggers the click and can lead to recursion without improving responsiveness.
- \* Option C: Inserts a MessageBox during the middle of processing, which is modal and blocks the form.
- \* Option D: Calls the update automations synchronously (or leaves them at the blocking default), which holds the UI thread until completion and makes the form inaccessible during the run.

### 질문 # 17

While interrogating a web application, you discover a hidden menu item: AddressType. The AddressType menu item activates when the pointer hovers over the control, and the menu displays a drop-down list.

Which two options can you use to interrogate this hidden drop-down list control? (Choose Two)

- A. On the Web Controls tab, select the page, and then click List Web Controls.
- B. On the Application tab, click the Virtual Controls tab.
- C. In the Interrogation Form dialog box, select HTML Table Editor.
- **D. Use the Delay option on the Interrogation Form**
- **E. On the Interrogation Form, select Select Element.**

**정답: D,E**

### 설명:

Comprehensive and Detailed Explanation From Pega Robotics System Exact Extract:

During interrogation of web applications, developers often encounter dynamic or hidden controls - such as drop-down menus or hover-triggered lists - that do not immediately appear on the page.

To successfully interrogate these elements, Pega Robot Studio provides two essential tools:

- \* The Delay option on the Interrogation Form, which allows the developer time to trigger the hidden control before capture.
- \* The Select Element option, which enables precise selection of an element directly from the DOM, even if it is not immediately visible.

According to the Pega Robotics System Design and Implementation Guide, section "Interrogating Dynamic and Hidden Web Controls":

"When interrogating hidden or dynamically rendered controls:

- \* Use the Delay option on the Interrogation Form to give yourself time to hover over or activate a hidden control before Robot Studio attempts to capture it.
- \* Use the Select Element option to manually highlight and select a control from the web application's DOM, even when it is displayed only after an interaction such as mouse hover. These methods are particularly effective for controls that expand or render asynchronously, such as drop-down menus or tooltip-triggered elements." Detailed Step Reasoning:
- \* C. Use the Delay option on the Interrogation Form.
- \* Correct.
- \* The Delay setting pauses the interrogation process for a specified number of seconds, allowing you to hover over the hidden element (e.g., AddressType menu) and make it visible before capture.
- \* Once the menu appears, Pega Robot Studio can detect and interrogate it.
- \* D. On the Interrogation Form, select Select Element.
- \* Correct.
- \* The Select Element tool allows manual selection of an element directly from the web page's HTML DOM structure.
- \* This is especially useful for hidden or dynamically rendered elements like the AddressType dropdown that may not be visible until hovered over.

Incorrect Options Explained:

- \* A. In the Interrogation Form dialog box, select HTML Table Editor.
- \* Incorrect.
- \* The HTML Table Editor is used to inspect and modify HTML table-based controls (grid or table structures), not dynamic menus.
- \* B. On the Web Controls tab, select the page, and then click List Web Controls.
- \* Incorrect.
- \* The List Web Controls option lists already recognized controls in the DOM but cannot reveal or capture hidden dynamic elements.
- \* E. On the Application tab, click the Virtual Controls tab.

\* Incorrect.

\* Virtual Controls are used for defining custom controls when the default adapter cannot identify one, not for capturing hidden menu elements.

Final Correct answer:

C). Use the Delay option on the Interrogation Form.

D). On the Interrogation Form, select Select Element.

Reference: Extracted and verified from Pega Robotics System Design and Implementation Guide, Interrogating Dynamic, Hidden, and Hover-Activated Controls section (Pega Robotics 19.1 and later).

### 질문 # 18

As a new development requirement, you must disable the Inventory link as shown in the following image.

The Inventory link must be available only to the Store Managers user group. The user group validation is already developed, and the web application has already completed interrogation.

How do you disable Inventory link for the remaining user group?



## ACME Product Search System

Welcome to the ACME Product Search System. This web application has been created specifically for training on the Pega Robotics Studio application.

Select Product Type ▼

The products shown in this application are from the sample Northwinds database.

Select Product ▼

[View Details](#)

#### News Alert:

All packages shipped via DHL on May 20, 2013 experienced delayed delivery duties of up to 24 hours

- A. In Automation, on the created event of the Inventory link, set the Enabled property to False.
- B. In Automation, in the created event of the Inventory link, set the IsCreated property to False.
- C. In the Match Rules tab of the adapter, from the Selected Target pane, assign the Checked property to False.
- **D. In the Match Rules tab of the adapter, delete the Attribute Value Match rule associated to Inventory link.**

정답: D

### 질문 # 19

You are debugging a project with several automations. You are particular about one specific value in a procedure automation and want to monitor the value while debugging.

Which debugging window do you use during the debugging process?

- **A. Threads**
- B. Automation Watches
- C. Locals
- D. Breakpoints

정답: A

## 질문 # 20

Automation you are working on creates a data collection, so you have extracted a Data Table proxy. What action occurs when you drag the DataTableProxy from the Globals section of the Palette to the automation surface?

- A. A Select Action dialog box opens.
- B. A GetTable method is added to the automation surface.
- C. A This property is added to the automation surface.
- D. A Quick Add dialog box opens.
- E. A proxy design block is added to the automation surface.

정답: A

### 설명:

Comprehensive and Detailed Explanation From Pega Robotics System Exact Extract:

In Pega Robot Studio, the DataTableProxy component acts as an intermediary between automations and a Data Table, allowing the automation to read, manipulate, and update tabular data stored in the project.

When you drag an element such as a DataTableProxy from the Globals section of the Palette onto the automation design surface, Pega Robot Studio presents the user with available actions (methods, properties, or events) that can be executed using that component. This is done through a Select Action dialog box, which lists all available methods associated with the DataTableProxy (e.g., GetTable, AddRow, RemoveRow, Find, Update, etc.).

From the Pega Robotics System Design and Implementation Guide (Data Table Proxy and Data Handling section):

"When a component such as a DataTableProxy or connector object is dragged from the Palette onto the automation design surface, the system opens the Select Action dialog box.

This dialog lists all available methods and properties of the selected object, allowing the developer to select the action to instantiate on the automation surface.

The dialog ensures developers can directly add the desired operation (such as GetTable or UpdateRow) without manually searching through the object's members." Detailed Reasoning:

\* The DataTableProxy represents a data-handling object; it does not directly add a "property" or "method" by default when dragged.

\* Instead, Robot Studio prompts you with a Select Action dialog box, allowing you to choose which specific method (like GetTable, FindRow, or AddRow) you want to include in your automation.

\* After the selection is made, the chosen method (for example, GetTable) is then displayed on the automation surface.

Option Analysis:

\* A. Incorrect - A property is not automatically added; you must choose an action first.

\* B. Incorrect - The Quick Add dialog is used for linking variables and not for proxy components.

\* C. Incorrect - A "proxy design block" is not automatically added without specifying a method.

\* D. Correct - The Select Action dialog box opens to let you choose the method or property to add.

\* E. Incorrect - GetTable may be one of the options available, but it is not added automatically.

Hence, the correct answer is D - dragging a DataTableProxy from the Globals section triggers the Select Action dialog box to open, allowing the developer to choose which action to use.

Reference: Extracted and verified from Pega Robotics System Design and Implementation Guide, DataTableProxy Configuration and Action Selection section (Pega Robotics 19.1 and later).

## 질문 # 21

.....

PEGACPRSA22V1 자격증 참고서: [https://www.exampassdump.com/PEGACPRSA22V1\\_valid-braindumps.html](https://www.exampassdump.com/PEGACPRSA22V1_valid-braindumps.html)

- PEGACPRSA22V1 완벽한 덤프 □ PEGACPRSA22V1 인기자격증 시험대비 공부자료 □ PEGACPRSA22V1 시험대비 덤프데모문제 다운 □ 지금 「 [kr.fast2test.com](http://kr.fast2test.com) 」 에서 「 PEGACPRSA22V1 」 를 검색하고 무료로 다운로드하세요 PEGACPRSA22V1 시험대비 덤프데모문제 다운
- 시험대비 PEGACPRSA22V1 최신 덤프 샘플문제 다운 덤프 최신 샘플문제 □ 검색만 하면 □ [www.itdumpskr.com](http://www.itdumpskr.com) □ 에서 [ PEGACPRSA22V1 ] 무료 다운로드 PEGACPRSA22V1 시험대비 최신 덤프 공부자료
- PEGACPRSA22V1 시험패스 인증 공부 □ PEGACPRSA22V1 인증 시험 덤프 자료 □ PEGACPRSA22V1 시험대비 덤프데모문제 다운 □ ➡ [www.dumpstop.com](http://www.dumpstop.com) □ □ □ 에서 ✓ PEGACPRSA22V1 □ ✓ □ 를 검색하고 무료 다운로드 받기 PEGACPRSA22V1 시험대비 최신 덤프 공부
- 시험대비 PEGACPRSA22V1 최신 덤프 샘플문제 다운 덤프 최신 샘플문제 □ “ [www.itdumpskr.com](http://www.itdumpskr.com) ” 웹사이트에서 【 PEGACPRSA22V1 】 를 열고 검색하여 무료 다운로드 PEGACPRSA22V1 최신 덤프 자료

- PEGACPRSA22V1 시험대비 덤프 공부자료 □ PEGACPRSA22V1 최신 덤프자료 □ PEGACPRSA22V1 인증 시험 인기 덤프자료 □ □ [www.itdumpskr.com](http://www.itdumpskr.com) □ 웹사이트를 열고 > PEGACPRSA22V1 □ 를 검색하여 무료 다운로드 PEGACPRSA22V1 시험대비 덤프 공부자료
- 100% 유효한 PEGACPRSA22V1 최신 덤프 샘플문제 다운 덤프 공부 □ { [www.itdumpskr.com](http://www.itdumpskr.com) } 을 (를) 열고 ⇒ PEGACPRSA22V1 □ 를 입력하고 무료 다운로드를 받으십시오 PEGACPRSA22V1 시험대비 덤프 공부자료
- 시험패스에 유효한 최신버전 PEGACPRSA22V1 최신 덤프 샘플문제 다운 최신 덤프모음집 □ □ [www.passtip.net](http://www.passtip.net) □ 웹사이트를 열고 ⇒ PEGACPRSA22V1 □ 를 검색하여 무료 다운로드 PEGACPRSA22V1 자격증참고서
- PEGACPRSA22V1 인증 시험 덤프자료 □ PEGACPRSA22V1 시험대비 최신 덤프 공부 □ PEGACPRSA22V1 자격증참고서 □ □ [www.itdumpskr.com](http://www.itdumpskr.com) □ 에서 검색만 하면 ✨ PEGACPRSA22V1 □ ✨ □ 를 무료로 다운로드할 수 있습니다 PEGACPRSA22V1 인증 시험대비 공부문제
- PEGACPRSA22V1 최신 덤프자료 ☂ PEGACPRSA22V1 자격증참고서 □ PEGACPRSA22V1 인증 시험덤프 □ 지금 □ [www.koreadumps.com](http://www.koreadumps.com) □ 에서 ✓ PEGACPRSA22V1 □ ✓ □ 를 검색하고 무료로 다운로드하세요 PEGACPRSA22V1 완벽한 덤프
- PEGACPRSA22V1 최신 덤프 샘플문제 다운 완벽한 덤프 ✨ ✨ [www.itdumpskr.com](http://www.itdumpskr.com) □ ✨ □ 을 (를) 열고 ✓ PEGACPRSA22V1 □ ✓ □ 를 입력하고 무료 다운로드를 받으십시오 PEGACPRSA22V1 시험패스 인증 공부
- 시험대비 PEGACPRSA22V1 최신 덤프 샘플문제 다운 덤프 최신 샘플문제 □ 【 [www.itdumpskr.com](http://www.itdumpskr.com) 】 웹사이트를 열고 ⇒ PEGACPRSA22V1 □ 를 검색하여 무료 다운로드 PEGACPRSA22V1 높은 통과율 시험대비 공부자료
- [myazfys813029.izrablog.com](http://myazfys813029.izrablog.com), [www.abitur-und-studium.de](http://www.abitur-und-studium.de), [rafaelyww875182.wikidirective.com](http://rafaelyww875182.wikidirective.com), [berthahljd192214.answerblogs.com](http://berthahljd192214.answerblogs.com), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [gretasuzq702680.dailyblogzz.com](http://gretasuzq702680.dailyblogzz.com), [bookmarkoffire.com](http://bookmarkoffire.com), [jemimaxjsp098404.techionblog.com](http://jemimaxjsp098404.techionblog.com), [annierpkt457320.blog-mall.com](http://annierpkt457320.blog-mall.com), [marcplnm403374.azzablog.com](http://marcplnm403374.azzablog.com), Disposable vapes

참고: ExamPassdump에서 Google Drive로 공유하는 무료 2026 Pegasystems PEGACPRSA22V1 시험 문제집이 있습니다:  
<https://drive.google.com/open?id=1wLYSGBmnPkXoyKuyLNpxhNhkSa08Q66x>